



WOMEN'S PPE SAFETY PRODUCTS

www.pipusa.com



Women are important contributors on job sites and factory floors all across America. It is essential that they have access to PPE that is designed specifically to fit and protect them properly. Oversized PPE can get in the way, reduce productivity and potentially lead to injury.

This guide outlines products selected to fit women and provide optimal comfort and certified protection on the job.

When it comes to keeping women safe on the job, fit matters.

79
MILLION

Approximately 79 million women are currently employed in the American labor workforce



1 out of 10 construction workers are female



Women make up nearly 1/3 of the manufacturing industry workforce in the United States

WOMEN'S PPE CATEGORIES OFFERED



HI-VIS
GARMENTS



HEARING
PROTECTION



HEAD
PROTECTION



EYE
PROTECTION



FOOT
PROTECTION



HAND
PROTECTION

Multi-Season Workwear



Bisley
WORKWEAR

The Bisley® brand is synonymous with innovation, quality and value while designed with the worker in mind by providing ultimate comfort, durability and safety.

Hi-Visibility Jackets



333W6350H

HI-VIS REVERSIBLE PUFFER JACKET

- ▶ Waterproof outer shell fabric rating up to 20,000mm H2O
- ▶ Reflective taped H pattern with biomotion configuration on sleeves
- ▶ Reversible style, reverse look in black
- ▶ Quilted with polyester fiberfil
- ▶ Heavy-duty two-way zipper front opening



333W6059T

HI-VIS SOFT SHELL BOMBER JACKET

- ▶ Water-resistant and breathable fabric
- ▶ Waterproof rating: Up to 7,500mm H2O
- ▶ Biomotion taping on sleeves
- ▶ Eyelet ventilation under arms for breathability
- ▶ Sleeve cuff adjusters reduces water entering over wrist

Hi-Vis Puffer Vest



332W0330H

HI-VIS REVERSIBLE PUFFER VEST

- ▶ Waterproof outer shell fabric rating up to 20,000mm H2O
- ▶ Reversible style, reverse look in black
- ▶ Quilted with polyester insulation
- ▶ Two waist hand warmer pockets
- ▶ Heavy-duty two-way zipper front opening

Hi-Visibility Sweatshirts



323W6819T

HI-VIS FULL ZIP FLEECE HOODIE

- ▶ Premium low-pill polyester fleece outer with sherpa-fleece lining for warmth
- ▶ Stretch reflective taped hoop pattern and biomotion taping on sleeves
- ▶ Shaped hood with contrast internal lining and toggle adjusters
- ▶ Elasticated rib knit hem and sleeve cuff with thumb opening



323W6818T

HI-VIS PULLOVER FLEECE SWEATSHIRT

- ▶ Premium low-pill polyester fleece
- ▶ Stretch reflective taped hoop pattern and biomotion taping on sleeves
- ▶ Oversized high neck cross over collar
- ▶ Paneled front with bust & waist shaping
- ▶ Two inseam hand warmer pockets

Workwear Essentials



T-shirts (Non-ANSI)



Bioscience
Fresche®
Antimicrobial
Treatment



310W1118

NON-ANSI SHORT SLEEVE HI-VIS WORKWEAR ESSENTIALS T-SHIRT

- ▶ Durable lightweight performance wicking fabric with cotton backing
- ▶ Contrast color neck
- ▶ Non-ANSI



Bioscience
Fresche®
Antimicrobial
Treatment



310W6118

NON-ANSI LONG SLEEVE HI-VIS WORKWEAR ESSENTIALS T-SHIRT

- ▶ Durable lightweight performance wicking fabric with cotton backing
- ▶ Contrast color neck
- ▶ Non-ANSI

T-shirts with X-Back



Bioscience
Fresche®
Antimicrobial
Treatment



313W1118X

ANSI 107 AND CSA Z96 WORKWEAR ESSENTIALS T-SHIRT WITH X-BACK

- ▶ ANSI 107 Type R, Class 2
- ▶ CSA Z96 Class 2, Level 2
- ▶ Durable lightweight performance wicking fabric with cotton backing
- ▶ Heat sealed 2" silver perforated reflective tape
- ▶ Contrast color neck



Bioscience
Fresche®
Antimicrobial
Treatment



313W6118X

ANSI 107 AND CSA Z96 WORKWEAR ESSENTIALS T-SHIRT WITH X-BACK

- ▶ ANSI 107 Type R, Class 3
- ▶ CSA Z96 Class 2, Level 2
- ▶ Durable lightweight performance wicking fabric with cotton backing
- ▶ Heat sealed 2" silver perforated reflective tape
- ▶ Contrast color neck

REFLECTIVE
"X" TAPED PATTERN



T-shirts




Bioscience
Fresche®
Antimicrobial
Treatment



313W1118H

ANSI 107 WORKWEAR ESSENTIALS T-SHIRT

- ▶ CSA Z96 Class 2, Level 2
- ▶ Durable lightweight performance wicking fabric with cotton backing
- ▶ Heat sealed 2" silver perforated reflective tape
- ▶ Contrast color neck



PERFORATED
REFLECTIVE TAPE

T-shirts with Navy Bottom



Bioscience
Fresche®
Antimicrobial
Treatment



312W1118T

ANSI 107 SHORT SLEEVE T-SHIRT WITH NAVY BOTTOM

- ▶ Durable lightweight performance wicking fabric with cotton backing
- ▶ Heat sealed 2" silver perforated reflective tape
- ▶ Navy bottom helps hide dirt
- ▶ Contrast color neck




Bioscience
Fresche®
Antimicrobial
Treatment



313W6118T

ANSI 107 LONG SLEEVE T-SHIRT WITH NAVY BOTTOM

- ▶ Durable lightweight performance wicking fabric with cotton backing
- ▶ Heat sealed 2" silver perforated reflective tape
- ▶ Navy bottom helps hide dirt
- ▶ Contrast color neck



NAVY BOTTOM

Bisley
WORKWEAR

X-Airflow



Work Shirt with Navy Bottom



313W6491H

LONG SLEEVE WORK SHIRT WITH NAVY BOTTOM

- ▶ Lightweight stretch ripstop fabric with permanent wicking
- ▶ Bisley X-Airflow™ ventilation at multiple heat stress areas, including laser perforated self-fabric panels on side of body and underarms
- ▶ Navy bottom helps hide dirt
- ▶ Stretch perforated reflective tape to help relieve heat stress and allow for better movement
- ▶ Two chest pockets with touch tape closure
- ▶ Pen division on left chest pocket
- ▶ Two-piece structured collar

Work Shirt with X-Back



313W6490X

LONG SLEEVE WORK SHIRT WITH X-BACK

- ▶ Lightweight stretch ripstop fabric with permanent wicking
- ▶ Bisley X-Airflow™ ventilation at multiple heat stress areas, including laser perforated self-fabric panels on side of body and underarms
- ▶ X-back stretch perforated reflective tape to help relieve heat stress and allow for better movement
- ▶ Two chest pockets with touch tape closure
- ▶ Pen division on left chest pocket
- ▶ Two-piece structured collar

Hi-Vis Safety Vests

Hearing Protection

APPLICATIONS



CONSTRUCTION



AUTOMOTIVE



INDUSTRIAL



ELECTRICAL



MANUFACTURING



OIL AND GAS

- Contoured design
- Adjustable waist
- Designed specifically for women

APPLICATIONS



CONSTRUCTION



AUTOMOTIVE



INDUSTRIAL



ELECTRICAL



MANUFACTURING



OIL AND GAS

- Plugs shaped for narrow / shallow ear canals
- Designed with fit in mind



302-0312 | 303-0313

ANSI TYPE R CLASS 2 WOMEN'S CONTOURED VEST

- ▶ Solid front and mesh back for excellent breathability
- ▶ 2" reflective tape and silver reflective piping for maximum visibility
- ▶ Zipper closure with 3 total pockets

303-0313 - Type R Class 3



47207

ANSI TYPE R CLASS 2 WOMEN'S CONTOURED VEST

- ▶ Front and back mesh for maximum breathability
- ▶ 2" H-shape reflective tape pattern
- ▶ Hook and loop closure with 2 total pockets

47208 - Hi-Vis orange



303-0513 | 302-0512

ANSI TYPE R CLASS 3 WOMEN'S CONTOURED SURVEYORS VEST

- ▶ Designed and sized specifically for women
- ▶ Solid front and mesh back for breathability
- ▶ Two-Tone Tape
- ▶ Adjustable waist for enhanced fit
- ▶ 11 Pocket design

303-0513-OR - Hi-Vis Orange; TYPE R CLASS 3

302-0512-LY - Hi-Vis Yellow; TYPE R CLASS 2

302-0512-OR - Hi-Vis Orange; TYPE R CLASS 2

28
NRR



267-HPF310

NANO BULLET™ COMPACT DISPOSABLE POLYURETHANE FOAM EAR PLUGS

- ▶ Designed for shallow / narrow ear canals
- ▶ PowerSoft™ foam technology provides all-day comfort and ideal recovery time
- ▶ Easy to roll down and achieve a consistent / uniform fit

267-HPF310C - corded version

25
NRR



267-HPR330C

SMALL REUSABLE TPR CORDED EAR PLUGS

- ▶ 20% smaller than traditional reusable ear plugs for a better fit in smaller ear canals
- ▶ Pre-formed plug shape with no rolling required makes insertion simple
- ▶ Self-sealing flanges give all day comfort

30
NRR



267-HPF610C

EZ-TWIST™ DISPOSABLE SOFT POLYURETHANE FOAM CORDED EAR PLUGS

- ▶ Shape conforms to most ear canals
- ▶ Black PVC cord for convenience and to prevent loss of ear plugs

267-HPF610 - non-corded version

Eye & Head Protection

APPLICATIONS



CONSTRUCTION



INDUSTRIAL



MANUFACTURING



OIL AND GAS



AUTOMOTIVE



ELECTRICAL



EMERGENCY RESPONDER



FOGLESS³SIXTY™ TECHNOLOGY

250-58-0520

XTRICATE-C™

SEMI-RIMLESS SAFETY GLASSES WITH THIN AND FLEXIBLE FRAME AND FOGLESS³ SIXTY™ COATED LENS TECHNOLOGY

- ▶ 10% reduction in size compared to standard safety eyewear
- ▶ Compact frame to fit smaller faces
- ▶ Lightweight, semi-rimless design provides all-day user comfort

250-58-0521 - Gray/Green Lens

250-58-0551 - Light Gray Lens



250-00-0020

ZENON Z11SM™

RIMLESS SAFETY GLASSES WITH THIN AND FLEXIBLE TEMPLE AND ANTI-SCRATCH COATED LENS

- ▶ Z12™ redesigned with a reduced frame to fit smaller and slender faces
- ▶ Lightweight, semi-rimless design provides all-day user comfort
- ▶ 10 Base curve lens

250-00-0000 - Clear Lens/Black Temple

250-00-0001 - Gray Lens/Black Temple

250-00-0002 - I/O Lens/Black Temple



280-HP241R

WHISTLER™ HARD HAT WITH HDPE SHELL AND 4-POINT SUSPENSION

- ▶ ANSI/ISEA Z89.1 Type I, Class E and CSA Z94.1 Type I compliant
- ▶ Precise height adjustment settings to ensure proper depth
- ▶ SURE LOCK wheel adjustment system for one-hand sizing adjustments

280-HP241RV - vented version available



250-00-F020

ZENON Z11SM™ FOAM

RIMLESS SAFETY GLASSES WITH THIN AND FLEXIBLE TEMPLE, FOAM PADDING AND ANTI-SCRATCH / ANTI-FOG COATED LENS

- ▶ Popular Z11SM™ style with foam padding to keep out dust and airborne particles
- ▶ Specifically designed to fit smaller faces
- ▶ 10% smaller frame size ensures excellent fit and sealing properties for wearers who need a reduced size eyewear

250-00-F021 - Gray Lens

250-00-F051 - Light Gray Lens



250-11-0920

EVA® PETITE

RIMLESS SAFETY GLASSES WITH CLEAR / PINK TEMPLE AND ANTI-SCRATCH / ANTI-FOG COATED LENS

- ▶ Popular Z11SM™ style with foam padding to keep out dust and airborne particles
- ▶ Specifically designed to fit smaller faces
- ▶ 10% smaller frame size ensures excellent fit and sealing properties for wearers who need a reduced size eyewear

250-11-0904 - Clear Temple, Pink Lens & Anti-Scratch Coating

250-11-5501 - Gray Temple, Gray Lens & Anti-Scratch Coating

250-11-0900 - Clear Temple, Clear Lens & Anti-Scratch Coating



280-HP1491RM

TRAVERSE™ SAFETY HELMET WITH MIPS® TECHNOLOGY

- ▶ Meets ANSI/ISEA Z89.1 Type II, Class E and EN 12492 requirements
- ▶ 4-point quick-release suspension for a proper fit
- ▶ SURE LOCK wheel ratchet for an effortless fit
- ▶ Traverse™ specific accessory slots and universal accessory slots on sides of helmet

280-HP1491RVM - vented version available

Hand Protection

PIP® is one of the largest manufacturers of knit work gloves in North America. From general purpose to cut resistance, to welding, explore over 20 styles of hand protection as small as XXS to ensure the proper fit, grip and protection for smaller hands.



Multi-Activity Glove

GENERAL PURPOSE



2970

- Heavy Genuine American deer split leather
- Internal padded palm got extra comfort and snug fit
- AirMesh™ ultra-breathable provides ultimate comfort and support

Ideal for handling heavy material, operating machinery, MRO and more...

Nitrile Coating



34-500

- Comfortable breathable liner for all-day use
- Ideal for light maintenance applications
- 13 gauge



34-800

- High dexterity and tactility
- Tough foam nitrile coating for improved grip and durability
- Silicone-free
- 15 gauge



34-8264

- High tactile sensitivity and dexterity
- 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- 15 gauge



▲ 34-874



▲ 34-875



▲ 34-876

MAXIFLEX® ULTIMATE™

- High tactile sensitivity and dexterity
- Designed and developed with 360° breathability through the use of ATG's patented AIRtech® platform
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199
- Silicone-free
- 15 gauge



▲ 34-844



▲ 34-845



▲ 34-846

MAXIFLEX® ENDURANCE™

- High tactile sensitivity and dexterity
- Patented Micro-Foam nitrile coating offers 360° breathability
- Micro-cup finish provides excellent dry grip and compatibility with light oils
- Made with component materials that comply with federal regulations for food contact 21 CFR, 170-199
- Micro-dots provide increased durability
- 15 gauge

CUT RESISTANT

Polyurethane Coating



ANSI
A2

16-150

- Liner/coating hides dirt for longer wear
- Reliable and versatile glove for multi-purpose applications
- 13 gauge



ANSI
A2

16-322

- Premium grade
- Bright color helps in-hand visibility for handling small components
- 18 gauge



ANSI
A4

16-560

- Best-selling G-Tek® medium cut glove
- Flexible liner shell with thin coating for precision work
- 13 gauge



ANSI
A4

19-D322

- Ideal for handling and assembly of small parts
- Extremely comfortable and dexterous
- 13 gauge



ANSI
A3

16-530

- Salt & pepper Polykor® shell back of hand
- Polyurethane coating for tactile sensitivity
- 13 gauge



ANSI
A4

ANSI/ISEA 138
1

710HGUHVG

- Hi-vis back of hand TPR provides impact protection
- HPPE fiber shell provides tactility and cut resistance
- Machine washable



ANSI
A5

713CFHGWU

- Strong wearing, comfortable fit
- Optimal level of flexibility and cut protection
- 13 gauge



ANSI
A2

719DGU

- HPPE fiber shell offers cut protection and comfort
- Rib knit cuff keeps debris out of glove
- Machine washable
- 13 gauge



LADIES WELDING GLOVE

Ideal for welding and hot, heavy material handling



9012L

- Shoulder Split Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Shoulder Split leather is economical and has a visible texture
- Fully welded to protect seams from abrasions
- Stitched with Kevlar® adding strength and burn resistance
- Cotton foam lining gives welders additional heat protection but still absorbs moisture
- One-piece back for extended glove life
- Wing thumb increases comfort in open-handed work



Foot Protection

BOSS® footwear is designed with injected-molded technology and an energy-absorbing outsole resulting in excellent comfort and protection across multiple industries. PIP® offers sizes as small as men's size 6 or women's size 8 in order to keep optimal stock levels available for women in need of foot protection on the job.

POLYBLEND BOOTS

16" Polyblend Steel Toe and Shank Boot

383-890

- Polyblend compound offers superior resistance to fats, oils and chemicals
- Steel shank provides improved support and ladder stability
- Lug outsole multi-tread design provides exceptional comfort and slip resistance especially in wet conditions
- Sleek upper design and material provides all-day comfort and improved durability over PVC
- Less toe spring allows for more surface contact, improved traction/slip resistance and comfort
- Pre-formed removable insole wicks perspiration away to keep feet dry and comfortable
- "Kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/I/C Impact and Compression

APPLICATIONS



CONSTRUCTION



INDUSTRIAL



OIL & GAS AND MINING



AGRICULTURE



FOOD PROCESSING



STEEL TOE & SHANK

| STYLE | MATERIAL | COLOR | LENGTH | TOE TYPE | STEEL SHANK | STEEL MIDSOLE | TREAD PATTERN | ASTM F2413 COMPLIANT | CSA COMPLIANT | SIZES |
|---------|-----------|--------------|--------|----------|-------------|---------------|---------------|----------------------|---------------|-------|
| 383-890 | Polyblend | Black / Gray | 16" | Steel | Yes | No | Power-Lug | Yes | No | 6-14 |

Boot Size Conversion Chart

| | NON-STOCK | | | STOCK | | | | | | | | |
|--------------------|-----------|------|------|-------|-----|------|------|------|----|----|----|----|
| BOSS' BOOT SIZE | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| MEN'S SHOE SIZE | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| WOMEN'S SHOE SIZE | 5* | 6* | 7* | 8 | 9 | 10 | 11 | 12 | - | - | - | - |
| WOMEN'S HALF SIZES | 5.5* | 6.5* | 7.5* | 8.5 | 9.5 | 10.5 | 11.5 | 12.5 | - | - | - | - |

*Contact your PIP sales representative for sizes smaller than a women's 8


PVC BOOTS

16" PVC Full Safety Steel Toe and Midsole Boot



383-820
**ENHANCED DURABILITY,
 PROTECTION AND COMFORT**

APPLICATIONS



383-820

- Flexible steel puncture resistant mid-sole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Low profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/I/C Impact and Compression
- CSA Certified



16" PVC Steel Toe Boots



382-810 Black
382-910 White

APPLICATIONS



382-810 Black 382-910 White

- Energy-absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Pre-formed removable insole wicks perspiration away to keep feet dry and comfortable
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Low profile "kick off" ledge on back of boots for ease of removal
- Meets ASTM F2413-18 M/I/C Impact and Compression



16" PVC Plain Toe Boots



380-800 Black
380-900 White

APPLICATIONS



380-800 Black 380-900 White

- Energy-absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Flexible upper material stays supple in cold temperatures to make walking easier
- Pre-formed removable insole wicks perspiration away to keep feet dry and comfortable
- Midsole is designed to utilize additional material in the standard area of the shank providing increased support and comfort
- Low profile "kick off" ledge on back of boots for ease of removal



| STYLE | MATERIAL | COLOR | LENGTH | TOE TYPE | STEEL SHANK | STEEL MIDSOLE | TREAD PATTERN | ASTM F2413 COMPLIANT | CSA COMPLIANT | WOMEN'S SIZES |
|----------------|----------|-------------|--------|----------|-------------|---------------|---------------|----------------------|---------------|---------------|
| 383-820 | PVC | Black | 16" | Steel | No | Yes | Cleated | Yes | Yes | 8-16 |
| 382-810 | PVC | Black | 16" | Steel | No | No | Cleated | Yes | No | 8-16 |
| 382-910 | PVC | White / Tan | 16" | Steel | No | No | Cleated | Yes | No | 8-16 |
| 380-800 | PVC | Black | 16" | Plain | No | No | Cleated | No | No | 8-16 |
| 380-900 | PVC | White / Tan | 16" | Plain | No | No | Cleated | No | No | 8-16 |





PROTECTIVE INDUSTRIAL PRODUCTS, INC.

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com