World Class Cleaning Solutions®

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier BARE BONES® No-Rinse/No-Scrub Liquifying Stripper RTU (1-5, 1-16)

Other means of identification 1058 (1-5, 1-16)

Recommended use Floor finish remover RTU.

Recommended restrictions For commercial and industrial use only. User prepared Ready-To-Use solution. 1:5 to 1:16 in water.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation 2A

Skin corrosion/irritation 2

OSHA defined hazards

Label Elements

Hazard Symbol



Not Classified.

Signal Word Warning

Hazard Statement Causes serious eye irritation. Causes skin irritation. May be harmful if swallowed, in contact with skin or if inhaled. May cause

respiratory irritation.

Precautionary statement

Prevention Do not breathe mist or vapor. Use only in well-ventilated areas. Wear protective gloves/clothing and eye/face protection. Do

not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep out of reach of children.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Store locked up. Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 2-Butoxyethanol
 111-76-2
 1 - 3

 2-Amino Ethanol
 141-43-5
 0.1 - 1.0

Section 4 - First-aid Measures

Inhalation Move to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Do not use mouth-to-mouth

method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way

valve or other proper respiratory medical device. Get medical attention immediately.

Skin contactRemove contaminated clothing and shoes. Immediately flush skin with plenty of water. Get prompt medical attention. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and

remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.

Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration.

Call a physician or poison control center immediately.

Most Important symptoms /effects, acute and delayed Indication of immediate medical attention and special treatment

Ingestion

Causes skin irritation. Causes serious eye irritation. May cause respiratory tract irritation. Symptoms may be delayed.

Treat symptomatically.

General Information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm.

Section 5 - Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

RTU product will not suport combustion. Alcohol-resistant foam, water spray, or water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

None known.

Special protective equipment and precautions for firefighters

Fire-fighting equipment

/instructions

Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of

Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up Contain spill. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Flush area

with water.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Keep container closed. Wash thoroughly after

handling. Use Personal Protective Equipment recommended in section 8 of the SDS.

Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials. Keep

container closed. Keep out of reach of children.

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value Form

2-Amino Ethanol (CAS 141-43-5) TWA 6 mg/m^3 , 3 ppm2-Butoxyethanol (CAS 111-76-2) TWA 240 mg/m3, 50 ppm

US. ACGIH Threshold Limit Values

Component Type Value Form

2-Amino Ethanol (CAS 141-43-5) STEL 6 ppm 2-Amino Ethanol (CAS 141-43-5) TWA 3 ppm 2-Butoxyethanol (CAS 111-76-2) TWA 20 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value Type

STEL 2-Amino Ethanol (CAS 141-43-5) 15 mg/m³, 6 ppm 2-Amino Ethanol (CAS 141-43-5) TWA 8 mg/m³, 3 ppm 2-Butoxyethanol (CAS 111-76-2) TWA 24 mg/m3, 5 ppm

US. ACGIH. BEIs. Biological Exposure Indices

Value Determinate Specimen Time Components 2-Butoxyethanol (CAS 111-76-2) 200 mg/g Butoxyacetic acid (BAA), Creatinine in urine with hydrolysis

* - For sampling details, please see the source document.

Exposure guidelines Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Sampling

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

US.NIOSH: Pocket Guide to Chemical Hazards

Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components

Can be absorbed though the skin. 2-Butoxyethanol (CAS 111-76-2)

US.Tennesee. OELs Occupational Exposure Limkits, Table Z1A

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

controls water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Appropriate engineering

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or

> to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. Provide easy access to

Thermal hazards Wear appropriate thermal protective clothing, when necessary. General hygiene Handle in accordance with good industrial hygiene and safety practice.

considerations

Section 9 - Physical and chemical properties

Appearance

Physical state Liquid.

Clear, thin liquid. Colo Colorless to pale straw.

Odor Sassafras. Odor threshold Not available. рΗ 11.0 ± 0.2 Melting point/freezing point Not available. Initial boinging point and 212 °F (100 °C)

boiling range

Flash point >201°F (94°C) TCC **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density 0.99 ± 0.01 Relative density temperature 75 °F (23.9 °C) Solubilities (water) 100 % Soluble. **Partition Coefficient** Not available n-octanol/water

Auto-ignition temperature Not Available **Decomposition temperature** Not Available Viscosity < 10 cP **Viscosity Temperature** 75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possiblity of hazardous reactions Hazardous polymerization does not occur.

Conditions to Avoid Keep away from heat and direct sunlight. Contact with incompatible materials.

Incompatible materials Oxidizing agents.

Hazardous Decomposition Carbon monoxide. Carbon dioxide. Nitrogen oxides.

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion May cause irritation of the gastrointestinal tract if swallowed.

Inhalation Irritating to respiratory system.

Skin contact Causes skin irritation. Eve contact Causes serious eve irritation.

Symptoms related to the physical, chemical and

Causes skin iritation. Causes serious eye irritation. May cause respiratory tract irritation. Symptoms may be delayed.

toxicological characteristics Information on toxicological effects.

Acute toxicity May be harmful if inhaled, absorbed through skin, or swallowed.

Components Level Type **Species** Results 2-Amino Ethanol (CAS 141-43-5) Dermal LD50 Rabbit 1025 mg/kg Acute 1715 mg/kg LD50 Acute Oral Rat 2-Butoxyethanol (CAS 111-76-2) Acute Dermal LD50 Rabbit 400 mg/kg Inhalation LC50 Mouse 700 ppm, 7 hours Acute Acute Inhalation LC50 Rat 450 mg/l, 4 hrs Acute Oral LD50 Guinea pig 1.2 g/kg Acute Oral LD50 Mouse 1519 mg/kg LD50 Rabbit Acute Oral 0.32 g/kg LD50 Oral Rat 560 mg/kg Acute

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/ eye

irritation

Causes serious eye irritation.

Not classified. Respiratory sensitization Skin sensitization Not classified. Germ cell mutagenicity Not classified

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

Not classifiable as to carcinogenicity to 2-Butoxyethanol (CAS 111-76-2) 3

humans.

Reproductive toxicity Not classified.

Specific target organ toxicity -

single exposure

Irritating to respiratory system.

Specific target organ toxicity -

Not classified.

repeated exposure

Not classified.

Aspiration hazard Chronic effects

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects

have not been observed in humans. Prolonged or repeated exposure may cause liver and kidney damage. These effects

have not been observed in humans.

Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential Not known. Partition coeficient n-octanol / water log (Kow)

> Components Results 2-Amino Ethanol (CAS 141-43-5) -1.31 0.83 2-Butoxyethanol (CAS 111-76-2)

Mobility in soil Not available.

Mobility in general The product is water soluble and may spread in water systems.

Other adverse effects None known.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code

Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused Dispose in accordance with all applicable regulations.

products

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

General Information This product is customer diluted for on site use only. No transportation information is anticipated or provided. The

regulatory transport classification of the product without consideration to dilution strength, packaging, quantity, or modal restrictions and exceptions can not be anticipated. It is the user's responsibility to determine the appropriate packaging and

modal requirements and/or limitations for the product quantity being shipped.

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result
2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No Fire Hazard No Pressure Hazard No Reactivity Hazard No

SARA 302 Extremely hazardous substance No SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-Butoxyethanol
 111-76-2
 1 - 3

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

2-Amino Ethanol (CAS 141-43-5) 2-Butoxyethanol (CAS 111-76-2)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Amino Ethanol (CAS 141-43-5) 2-Butoxyethanol (CAS 111-76-2)

US.Pennsylvania RTK - Hazardous Substances Components

2-Amino Ethanol (CAS 141-43-5) 2-Butoxyethanol (CAS 111-76-2)

US.Rhode Island RTK Components

2-Amino Ethanol (CAS 141-43-5) 2-Butoxyethanol (CAS 111-76-2)

US - California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to contain any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories

Country(s) or region Inventory Name On Inventory (yes/no)*

Australia Australian Inventory of Chemical Substances (AICS)

Canada Domestic Substances List (DSL)

Yes

Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

review these regulations to ensure full compliance.

Section 16 - Other information, including date of preparation or last version

Revision date 1/17/2018

Version # 02

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).