NOTRAX®

Justrite Safety Group

161 - BARRIER RIB™

PRODUCT INFORMATION BROCHURE




Justrite Safety Group



For over 70 years, the name Notrax® has meant superior quality, service, and innovative products. Now this brand is a cornerstone of Justrite Safety Group, offering the widest selection of products to a variety of markets and applications including entrance mats, anti-fatigue/safety mats, and products designed specifically for use in professional food service environments. Notrax® offers a complete selection of floor matting options to meet any application requirement, quality expectation, and budget.

- **Track record of manufacturing high quality mats for over seventy years**
- **All products are manufactured in ISO certified facilities**
- **Notrax® offers anti-fatigue matting, entrance matting, safety matting, food service matting and specialty mats designed for a variety of industries**



161 - BARRIER RIB™ is a unique yet highly functional indoor/outdoor entrance mat with a molded dual-ridge cross-rib pattern to that facilitates the scraping and drying process. A raised rubber border forms a perimeter on all four sides of the mat retains moisture and debris. Barrier Rib™ features an antimicrobial carpet treatment stops bacteria and germs at the entrance. An extremely durable rubber backed mat, Barrier Rib™ has a highly fashionable look that features carpet-to-the-edge to blend with its surroundings and contemporary color choices to match any décor.



MODEL: 161

Material: Polypropylene Carpet W/Rubber Backing

Features and Benefits

- Molded pattern facilitates scraping and drying
- Raised rubber border retains moisture and debris
- Carpet-to-edge (CTE) construction to blend with its surroundings
- Anti-Microbial carpet treatment stops bacteria and germs
- 20 ounces of tufted yarn per square yard
- Rubber underside cleat design resists mat slippage
- Recommended product as a part of the GreenTRAX™ program for "Green Cleaning" environments

⚠ **WARNING:** This product can expose you to 2-mercaptobenzothiazole which is known to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov

APPLICATIONS

- Hospitals
- Schools
- Daycare
- Health Care Facilities

SPECIFICATIONS

Stock Sizes	2'x3', 3'x4', 3'x5', 3'x10', 4'x6', 4'x10'
Thickness	3/8"
Cut Lengths	3' and 4' widths (5'3" up to 60' long)
Colors	Charcoal, Brown, Grey, Burgundy, Red/Black, Hunter Green, Slate Blue



Performance:

	Good	Better	Best	Superior
Wear Retention	■	■	■	
Crush Resistance	■	■	■	
Soil Resistance	■	■	■	■
Function & Appearance	■	■	■	■

Outdoor Use · Heavy Traffic · Cut Lengths

TESTING DATA

Test	Test Description	Results
ASTM D3884-01	Abrasion Resistance	0.44 grams (1.1%)
ASTM D-5252-98	Accelerated Wear - 12,000 cycles (Hexapod Tumble Drum Tester)	Appearance: 3.0 Color: 3.5
ASTM D6540-00	Accelerated Soiling	Based on Visual Inspection 4.0 - Vacuum Rating 4.5 - Rating After Extraction
CPSC FF 1-70 ASTM D-2859	Surface Flammability of Carpets and Rugs Ignition Characteristics - Finished Textile Floor Covering Material	Pass
-	Water Retention	Weight Gain = 25.4% (0.279 gals./yd2)
AATCC Test Method 147	Antibacterial Activity	No Growth After 24 Hrs
ASTM G22	Bacterial Resistance	No Growth After 21 Days
ASTM G21	Fungal Resistance	No Growth After 28 Days

*Testing performed by an independent test laboratory.

NOTRAX®
5655 West 73rd Street
Chicago, IL 60638

PHONE: (800) 621-2802

FAX: (800) 322-7105

EMAIL: saleschicago@checkers-safety.com

www.notrax.com



A PRODUCT OF: Justrite Safety Group

Justrite Safety Group is the leading source of safety equipment for flammables and hazardous materials storage and handling, asset protection, environmental protection spill containment, absorbents, specialized chemical storage, cable management, safety showers and eye/face washes, matting, and vehicle safety equipment. Learn more at Justrite.com, Checkers-safety.com, and Notrax.com.