NOTRAX®

Justrite Safety Group

T28 - FINGER SCRAPE®

PRODUCT INFORMATION BROCHURE




Justrite Safety Group



For over 70 years, the name Notrax® has meant superior quality, service, and innovative products. Now this brand is a cornerstone of Justrite Safety Group, offering the widest selection of products to a variety of markets and applications including entrance mats, anti-fatigue/safety mats, and products designed specifically for use in professional food service environments. Notrax® offers a complete selection of floor matting options to meet any application requirement, quality expectation, and budget.

- **Track record of manufacturing high quality mats for over seventy years**
- **All products are manufactured in ISO certified facilities**
- **Notrax® offers anti-fatigue matting, entrance matting, safety matting, food service matting and specialty mats designed for a variety of industries**



T28 - FINGER SCRAPE® mats are constructed of tough SBR rubber to remain flexible while withstanding extreme cold. Thousands of tough, flexible rubber fingers sweep shoes clean while suction cups on the underside of the mat help to minimize shifting. Due to its durable construction, Finger Scrape® is the perfect year round outdoor entrance mat for schools, municipal buildings, plant entrances, and office buildings.

Material: Natural Rubber

Features and Benefits:

- Tough rubber compound remains flexible while withstanding extreme cold
- Thousands of flexible rubber fingers sweep shoes clean
- Suction cups on the underside of the mat minimize shifting
- Molded beveled edging on all 4 sides creates a retention dam to trap moisture while reducing trip hazards

⚠ **WARNING:** This product can expose you to chemicals including diisodecyl phthalate which is known to the State of California to cause birth defects or reproductive harm, and 2-mercaptobenzothiazole which is know to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



MODEL: T28

APPLICATIONS

- Schools
- Municipal Buildings
- Plant Entrances
- Office Buildings

SPECIFICATIONS

Stock Sizes	16”x24”, 24”x32”, 28”x46”, 32”x39”, 36”x60”, 36”x72”
Thickness	3/8”
Colors	Black

Performance:

	Good	Better	Best	Superior
Dirt Scraping	■	■	■	■
Outdoor Use	■	■	■	
Wearability	■	■	■	



Medium Traffic · Cleaning · Cold Resistant · Outdoor Use

TESTING DATA

Test	Test Description	Results
ASTM D3884	Abrasion Resistance	@ 1,000 cycles 1.42 grams (1.7%)
ASTM C-1028-96	Static Coefficient of Friction	Wet: 0.46 Dry: 0.60
ASTM D-575	Compression Deflection	@ 25%: 7.1 lbs./in2 @ 50% 32.4 lbs./in2
ASTM D-1171	Ozone (Method A)	Very Slight Cracking

*Testing performed by an independent test laboratory.

NOTRAX®
5655 West 73rd Street
Chicago, IL 60638

PHONE: (800) 621-2802

FAX: (800) 322-7105

EMAIL: saleschicago@checkers-safety.com

www.notrax.com



A PRODUCT OF: Justrite Safety Group

Justrite Safety Group is the leading source of safety equipment for flammables and hazardous materials storage and handling, asset protection, environmental protection spill containment, absorbents, specialized chemical storage, cable management, safety showers and eye/face washes, matting, and vehicle safety equipment. Learn more at Justrite.com, Checkers-safety.com, and Notrax.com.