
Adapters, Couplers & Fittings



SALES AND SERVICE

O.E. MEYER CO.

MEDICAL PRODUCT DIVISION

3303 TIFFIN AVE. • P.O. BOX 479 SANDUSKY, OHIO 44870 PHONE (419) 625-3054 1-800-221-9696





For more than half a century, Allied Healthcare Products has been supplying quality adapters, couplers and fittings to our customers. Our history dates back to the medical department of National Cylinder Gas (NCG), which produced gases in cylinders for hospitals in the 1930s and early 1940s. In 1953, NCG installed its first piped medical gas system in a hospital. Over the years the NCG Medical Division evolved into the Chemetron Medical Corporation, and finally became Allied Healthcare Products, Inc. in 1980. In 1986, Allied acquired Oxequip Healthcare Industries, a major manufacturer of construction and patient care products since 1936.

Through such acquisitions and transformations we have sought to strengthen our leadership position in medical gas, respiratory therapy, and emergency medical products throughout the world.

In an age when the world has become a global village, we at Allied Healthcare Products continually renew our commitment to the "Global Support of Life."

Table of Contents

CHEMETRON® Chemetron Style Quick-Connect Adapters Chemetron Style Quick-Connect Couplers Chemetron Style Quick-Connect Duplex Couplers
OHMEDA® Ohmeda Style Quick-Connect Adapters Ohmeda Style Quick-Connect Couplers Ohmeda Style Quick-Connect Duplex Couplers
PURITAN-BENNETT Puritan-Bennett Style Quick-Connect Adapters
SCHRADER Schrader Style Quick-Connect Adapters Schrader Style Quick-Connect Couplers
OXEQUIP® Oxequip Twist Style Quick-Connect Adapters
DISS Male Fittings
DISS Female Fittings9-10
Double Bar & "Y" Block Assemblies
NPT Pipe Fittings
Bottle Holder Adapters
Dynacon Nitrogen Fittings
Miscellaneous Fittings & Valves
Additional ISO Styles
Conductive Medical Grade Hose

Chemetron[®] Style Quick-Connect Adapters

1/8" NPT MALE

Oxygen	12-01-1000
Air (rectangular striker)	12-01-1100
Vacuum (rectangular strike	r) 12-01-1200
Nitrous Oxide	12-01-1300
WAGD	12-01-1400
CO ₂	12-01-1500
For Gas Outlets 1966 and	d Earlier:
Air (round striker)	12-01-1101



1/8" NPT FEMALE

Oxygen	12-01-2000
Air (rectangular striker)	12-01-2100
Vacuum (rectangular striker)	12-01-2200
Nitrous Oxide	12-01-2300
WAGD	12-01-2400



0xygen	12-11-1000	Air	12-11-1100
Vacuum	12-11-1200	Nitrous Oxide	12-11-1300

12-01-1201

1/4" HOSE BARB

Oxygen	12-01-5000
Air (rectangular striker)	12-01-5100
Vacuum (rectangular strike	er) 12-01-5200
Nitrous Oxide	12-01-5300
WAGD	12-01-5400
CO_2	12-01-5500
For Gas Outlets 1966 ar	nd Earlier:
Air (round striker)	12-01-5101
Vacuum (round striker)	12-01-5201



1/4" NPT MALE

Vacuum (round striker)

Oxygen	12-01-1010
Air	12-01-1110
Vacuum*	12-01-1210
Nitrous Oxide	12-01-1310
WAGD	12-01-1410
CO_2	12-01-1510



5/16" HOSE BARB

Vacuum	12-01-5202	
WAGD	12-01-5402	



DISS MALE

Oxygen	12-01-3000
Air	12-01-3100
Vacuum	12-01-3200
Nitrous Oxide	12-01-3300
WAGD	12-01-3400



DISS FEMALE HAND TIGHT

12-01-4000
12-01-4100
12-01-4200
12-01-4300
12-01-4500



DISS FEMALE HEX NUT

Oxygen	12-01-4001
Air	12-01-4101
Vacuum	12-01-4201
Nitrous Oxide	12-01-4301



DISS KNURLED NUT

	10 11 1100
Air	12-01-4102



Chemetron[®] Style Quick-Connect Couplers

QUICK-CONNECT TO 1/8" MALE

11-02-0021
11-02-0026
11-02-0031
11-02-0035
11-02-0046
11-02-0047



QUICK-CONNECT TO 1/4" NPT MALE

0xygen

Vacuum

Oxygen	11-02-0023
Vacuum	11-02-0025
Nitrous Oxide	11-02-0028
Air	11-02-0030
CO_2	11-02-0050
WAGD	11-02-0052



11-02-1030

QUICK-CONNECT TO 1/4" HOSE BARB

Oxygen	11-02-0020
Vacuum*	11-02-0024
Nitrous Oxide	11-02-0027
Air	11-02-0029
CO_2	11-02-0032
WAGD	11-02-0034

11-02-1020

11-02-1024

Air



11-02-1029

OHICK-CONNECT TO	DICC	MAAIC

11-02-1023

11-02-1025

Oxygen	11-02-0022
Vacuum	11-02-0041
Nitrous Oxide	11-02-0042
Air	11-02-0043
WAGD (CGA 2220)	11-02-0044
CO_2	11-02-0045



11-02-5043


11-02-5045



Oxygen

Vacuum





QUICK-CONNECT TO 5/16" HOSE BARB

Vacuum 11-02-0037 WAGD 11-02-0039

Chemetron® Quick-Connect Duplex Couplers

QUICK-CONNECT TO DOUBLE COUPLER CENTER

Oxygen	11-01-0010	
Vacuum	11-01-0015	
Air	11-01-0027	



QUICK-CONNECT TO DOUBLE COUPLER OFFSET LEFT

Oxygen	11-01-0011
Vacuum	11-01-0112
Air	11-01-0113



QUICK-CONNECT TO DOUBLE COUPLER OFFSET RIGHT

Oxygen	11-01-0012	
Vacuum	11-01-0115	
Air	11-01-0118	



QUICK-CONNECT TO DOUBLE COUPLER — "Y" STYLE

Oxygen	11-03-0001	
Vacuum	11-03-0003	
Air	11-03-0002	





Ohmeda[®] Style Quick-Connect Adapters

1/8" NPT MALE

Oxygen	12-02-1000
Air	12-02-1100
Vacuum	12-02-1200
Nitrous Oxide	12-02-1300
WAGD	12-02-1400
CO ₂	12-02-1500



100-	0x
all and	Va

Oxygen	12-12-1000	Air	12-12-1100
Vacuum	12-12-1200	Nitrous Oxide	12-12-1300

1/8" NPT FEMALE

12-02-2000
12-02-2100
12-02-2200
12-02-2300
12-02-2400



1/4" NPT MALE

-,	
Oxygen	12-02-1010
Air	12-02-1110
Vacuum	12-02-1210
Nitrous Oxide	12-02-1310
WAGD	12-02-1410
CO_2	12-02-1510



1/4" HOSE BARB

Oxygen	12-02-5000
Air	12-02-5100
Vacuum	12-02-5200
Nitrous Oxide	12-02-5300
WAGD	12-02-5400
CO_2	12-02-5500



DISS MALE

Oxygen	12-02-3000
Air	12-02-3100
Vacuum	12-02-3200
Nitrous Oxide	12-02-3300



DISS FEMALE HAND TIGHT

Oxygen	12-02-4000
Air	12-02-4100
Vacuum	12-02-4200



DISS FEMALE HEX NUT

Oxygen	12-02-4001
Air	12-02-4101
Vacuum	12-02-4201
Nitrous Oxide	12-02-4301
CO_2	12-02-4501





^{*}New style Evacuation (CGA 2220) after 1994. For old style (pre-1994), contact Allied's Service/Repair Department.

Ohmeda® Style Quick-Connect Couplers

QUICK-CONNECT TO 1/4" NPT MALE

 Oxygen
 11-10-0042

 Vacuum
 11-10-0044

 Nitrous Oxide
 11-10-0043

 Air
 11-10-0045



QUICK-CONNECT TO 1/4" HOSE BARB

 Oxygen
 11-10-0050

 Vacuum
 11-10-0051

 Nitrous Oxide
 11-10-0052

 Air
 11-10-0053



QUICK-CONNECT TO 1/8" NPT MALE

Oxygen	11-10-0039
Vacuum	11-10-0046
Nitrous Oxide	11-10-0048
Air	11-10-0049



QUICK-CONNECT TO 1/8" NPT FEMALE

Oxygen	11-10-0055
Vacuum	11-10-0056
Nitrous Oxide	11-10-0057
Air	11-10-0058



QUICK-CONNECT TO DISS MALE

Oxygen	11-10-0059
Vacuum	11-10-0060
Nitrous Oxide	11-10-0064
Air	11-10-0069



Ohmeda® Style Quick-Connect Duplex Couplers

QUICK-CONNECT TO DOUBLE COUPLER — "Y" STYLE

Oxygen	11-03-0004	
Air	11-03-0005	
Vacuum	11-03-0006	



QUICK-CONNECT TO DOUBLE COUPLER — BAR STYLE

Oxygen 11-10-0090 Vacuum 11-03-0026



Puritan-Bennett Style Quick-Connect Adapters

1/8" NPT MALE

Oxygen	12-03-1000
Air	12-03-1100
Vacuum	12-03-1200
Nitrous Oxide	12-03-1300



1/8" NPT FEMALE

Oxygen	12-03-2000
Air	12-03-2100
Vacuum	12-03-2200
Nitrous Oxide	12-03-2300



1/4" NPT MALE

12-03-1010
12-03-1110
12-03-1210
12-03-1310



1/4" HOSE BARB

Oxygen	12-03-5000
Air	12-03-5100
Vacuum	12-03-5200
Nitrous Oxide	12-03-5300



DISS MALE

Oxygen	12-03-3000
Air	12-03-3100
Vacuum	12-03-3200
Nitrous Oxide	12-03-3300



DISS FEMALE HAND TIGHT

Oxygen	12-03-4000
Vacuum	12-03-4200
Nitrous Oxide	12-03-4300



1000	
	-
Carlotte State	

Oxygen	12-13-4000
Vacuum	12-13-4200

Nitrous Oxide

12-13-4100 12-13-4300

DISS FEMALE HEX NUT

Oxygen	12-03-4001
Air	12-03-4101
Vacuum	12-03-4201
Nitrous Oxide	12-03-4301



Puritan-Bennett Style Quick-Connect Couplers

QUICK-CONNECT TO 1/4" NPT MALE

Oxygen	11-10-0014
Vacuum	11-10-0016
Nitrous Oxide	11-10-0018
Air	11-10-0020



QUICK-CONNECT TO DOUBLE COUPLER — "Y" STYLE

Oxygen	11-03-0013
Vacuum	11-03-0015





Schrader Style Quick-Connect Adapters

1/8" NPT MALE (Non-Swivel)

	A DESCRIPTION OF THE PROPERTY
Oxygen	12-06-1000
Air	12-06-1100
Vacuum	12-06-1200
Nitrous Oxide	12-06-1300
Nitrogen	12-06-1600



DISS FEMALE HAND TIGHT (Non-Swivel)

Oxygen	12-06-4000
Vacuum	12-06-4200
Nitrous Oxide	12-06-4300



1/4" NPT MALE (Non-Swivel)

Oxygen	12-06-1010
Air	12-06-1110
Vacuum	12-06-1210
Nitrogen	12-06-1610



1/4" HOSE BARB (Non-Swivel)

Oxygen	12-06-5000
Air	12-06-5100
Vacuum	12-06-5200
Nitrogen	12-06-5600



DISS MALE (Non-Swivel)

12-06-3000
12-06-3100
12-06-3200
12-06-3300
12-06-3600



1/4" HOSE BARB (SWIVEL)

Oxygen	12-06-5001
Air	12-06-5101
Vacuum	12-06-5201
Nitrous Oxide	12-06-5301



Schrader Style Quick-Connect Couplers

1/4" NPT MALE

Oxygen	11-10-0036
Vacuum	11-10-0033
Nitrous Oxide	11-10-0031
Air	11-10-0035



1/8" NPT FEMALE

Vacuum	11-10-0032
Air	11-10-0034



3/8" NPT FEMALE

Oxygen	11-10-0028
Nitrous Oxide	11-10-0030

Oxequip® Twist Style Quick-Connect Adapters

1/8" NPT MALE

Oxygen	12-05-1000
Air	12-05-1100
Vacuum	12-05-1200
Nitrous Oxide	12-05-1300
CO ₂	12-05-1500
Nitrogen	12-05-1700



1/8" NPT FEMALE

Oxygen	12-05-2000
Air	12-05-2100
Vacuum	12-05-2200
Nitrous Oxide	12-05-2300
CO ₂	12-05-2500
Nitrogen	12-05-2700



1/4" NPT MALE

12-05-1010
12-05-1110
12-05-1210
12-05-1310
12-05-1510
12-05-1710



1/4" HOSE BARB

12-05-5000
12-05-5100
12-05-5200
12-05-5300
12-05-5500



DISS MALE

12-05-3000
12-05-3100
12-05-3200
12-05-3300
12-05-3700



DISS FEMALE HAND TIGHT

Oxygen	12-05-4000
Air	12-05-4100
Vacuum	12-05-4200
Nitrous Oxide	12-05-4300
CO ₂	12-05-4500
Nitrogen	12-05-4700



•			

0xygen	12-15-4000	Air
Vacuum	12-15-4200	Nitrous



Oxequip[®] Medstar[®] Style Quick-Connect Adapters

1/8" NPT MALE

12-04-1000
12-04-1100
12-04-1200
12-04-1300
12-04-1400
12-04-1500



0xygen	12-14-10
Vacuum	12-14-12

Nitrous Oxide

12-14-1100 12-14-1300

1/8" NPT FEMALE

Oxygen	12-04-2000
Air	12-04-2100
Vacuum	12-04-2200
Nitrous Oxide	12-04-2300
WAGD	12-04-2400



1/4" HOSE BARB

Oxygen	12-04-5000
Air	12-04-5100
Vacuum	12-04-5200
Nitrous Oxide	12-04-5300
WAGD	12-04-5400



DISS FEMALE HAND TIGHT

Oxygen	12-04-4000
Air	12-04-4100
Vacuum	12-04-4200
Nitrous Oxide	12-04-4300

1/4" NPT MALE

Parket to company or property and the
12-04-1010
12-04-1110
12-04-1210
12-04-1310
12-04-1410
12-04-1510



Oxygen	12-04-3000
	0.575
Air	12-04-3100
Vacuum	12-04-3200
Nitrous Oxide	12-04-3300
WAGD (CGA 2220)	12-04-3410



Oxequip[®] Medstar[®] Style Quick-Connect Couplers

DISS MALE

Oxygen	2027-JD
Nitrous Oxide	2027-JC
Air	2027-JA
Vacuum	2027-JE
WAGD (CGA 2220)	2027-HW
CO_2	2027-JG



Oxygen	
Vacuum	

2037-JD 2037-JE

Nitrous Oxide

2037-JA 2037-JC

1/4" NPT MALE

Oxygen	2027-HU
Nitrous Oxide	2027-HT
Air	2027-HR
Vacuum	2027-HV



Oxygen Vacuum

2037-HU 2037-HV

Nitrous Oxide

2037-HR 2037-HT

QUICK-CONNECT TO DOUBLE COUPLER — "Y" STYLE

Oxygen 11-03-0016 Vacuum 11-03-0018 Air 11-03-0017



11-13-0016 11-13-0018

11-13-0017



DISS Male Fittings

DISS MALE TO 1/4" HOSE BARB

WITHOUT CHECK	
Oxygen	12-80-3005
Air	12-80-3105
Vacuum	12-80-3205
Nitrous Oxide	12-80-3305
Nitrogen	12-80-3705



DISS MALE TO 1/4" HOSE BARB

WITH CHECK		
Oxygen	11-30-0006	
Nitrous Oxide	11-30-0007	
Vacuum	11-30-0008	
Air	11-30-0009	
CO_2	11-30-0010	
Nitrogen	11-30-0012	
WAGD	11-30-0017	



DISS MALE TO 1/8" NPT MALE

WITHOUT CHECK	
Oxygen	12-80-3001
Air	12-80-3101
Vacuum	12-80-3201
Nitrous Oxide	12-80-3301
WAGD (CGA 2220)	12-80-3418
CO ₂	12-80-3501
Nitrogen	12-80-3701



DISS MALE TO 1/8" NPT MALE

WITH CHECK		
Oxygen	12-80-3011	
Air	12-80-3111	
Vacuum	12-80-3211	
Nitrous Oxide	12-80-3311	
WAGD (CGA 2220)	12-80-3408	
CO ₂	12-80-3511	
Nitrogen	12-80-3711	



DISS MALE TO 1/4" NPT MALE

WITH CHECK		
Oxygen	12-80-3010	
Air	12-80-3110	
Vacuum	12-80-3210	
Nitrous Oxide	12-80-3310	
CO ₂	12-80-3510	
Nitrogen	12-80-3710	



DISS Female Fittings

DISS FEMALE TO 1/4" HOSE BARB

remale hea nui		
Oxygen	12-80-4005	
Air	12-80-4105	
Vacuum	12-80-4205	
Nitrous Oxide	12-80-4305	
CO ₂	12-80-4505	
Nitrogen	12-80-4705	



Oxygen, green plastic (50/bag)


65401

12-80-4045

DISS FEMALE TO 1/4" HOSE BARB

FEMALE KNURLED NUT	
Oxygen	12-80-4015
Air	12-80-4115
Vacuum	12-80-4215
Nitrogen	12-80-4715







DISS Female Fittings (continued)

DISS FEMALE TO 1/4" HOSE BARB (continued)

FEMALE HAND TIGHT NUT Oxygen 12-80-4035 12-80-4135 Vacuum 12-80-4235

Nitrous Oxide 12-80-4335 CO2 12-80-4535 Nitrogen 12-80-4735



DISS FEMALE TO 5/16" HOSE BARB

Air

FEMALE HEX NUT

Vacuum 12-80-4206 WAGD (CGA 2220) 12-80-4429

FEMALE HAND TIGHT NUT

Vacuum 12-80-4207



DISS FEMALE TO 3/16" HOSE BARB

Oxgen Fitting Only 12-90-4000 Oxygen with Chain and

Locking Ring 12-90-4001



DISS FEMALE TO 1/8" NPT MALE

HEX NUT

Oxygen 12-80-4021 Air 12-80-4121 Vacuum 12-80-4221 Nitrous Oxide 12-80-4321 WAGD (CGA 2220) 12-80-4427 CO_2 12-80-4521 Nitrogen 12-80-4721



KNURLED NUT

MILONELD MOI	
Oxygen	12-80-4011
Air	12-80-4111
Vacuum	12-80-4211
Nitrous Oxide	12-80-4311
WAGD (CGA 2220)	12-80-4417
CO ₂	12-80-4511
Nitrogen	12-80-4711



DISS FEMALE TO 1/8" NPT MALE (continued)

HAND TIGHT NUT

Oxygen 12-80-4031 Air 12-80-4131 Vacuum 12-80-4231 Nitrous Oxide 12-80-4331 WAGD (CGA 2220) 12-80-4437 CO2 12-80-4531 Nitrogen 12-80-4731



Oxygen	12-81-4031	Vacuum	12-81-4231
Air	12-81-4131		

DISS FEMALE TO 1/8" NPT FEMALE

KNURLED NUT

Oxygen	12-80-4012
Air	12-80-4112
Vacuum	12-80-4212
Nitrous Oxide	12-80-4312
WAGD (CGA 2220)	12-80-4418
CO_2	12-80-4512
Nitrogen	12-80-4712



HAND TIGHT NUT

Oxygen	12-80-4032
Air	12-80-4132
Vacuum	12-80-4232
Nitrous Oxide	12-80-4332
CO ₂	12-80-4532
Nitrogen	12-80-4732



DISS FEMALE TO DISS FEMALE ADAPTERS

Oxygen 12-90-4024 Oxygen (90° Elbow) 12-90-4124



DISS MALE TO DISS MALE ADAPTERS

Oxygen Z205



Double Bar & "Y" Block Assemblies

CHEMETRON® QUICK-CONNECT TO DOUBLE DISS MISCELLANEOUS

CHEMETRON® QUICK-CONNECT TO **DOUBLE DISS FEMALE CENTER**

Oxygen 11-01-0004 Vacuum 11-01-0070 Air 11-01-0049



Oxygen 11-01-0005 Vacuum 11-01-0071 Air 11-01-0072



CHEMETRON® QUICK-CONNECT TO DOUBLE DISS FEMALE OFFSET RIGHT

Oxygen 11-01-0006 Vacuum 11-01-0073 Air 11-01-0074



SCHRADER QUICK-CONNECT TO DISS MISCELLANEOUS (Non-Swivel)

SCHRADER QUICK-CONNECT TO DISS FEMALE 90° ELBOW

Oxygen 11-10-0007 Vacuum 11-10-0085 Air 11-10-0086



SCHRADER QUICK-CONNECT TO **DOUBLE DISS FEMALE CENTER**

11-10-0008 Oxygen



DISS TO DOUBLE DISS MISCELLANEOUS

ADAPTER DISS MALE TO **DOUBLE DISS FEMALE**

Oxygen 11-01-0037 Vacuum 11-01-0075 Air 11-01-0076



ADAPTER DISS FEMALE TO **DOUBLE DISS FEMALE**

Oxygen 11-01-0009 Vacuum 11-01-0109 Air 11-01-0077



ADAPTER DISS FEMALE TO **DOUBLE DISS MALE WITH CHECK**

Oxygen 11-01-0116 Vacuum 11-01-0117



ADAPTER DISS FEMALE TO DOUBLE DISS FEMALE — "Y" STYLE CONNECTOR

Oxygen 11-03-0007 Air 11-03-0008



ADAPTER DISS FEMALE TO DOUBLE DISS MALE WITH CHECK — "Y" STYLE CONNECTOR

Oxygen 11-03-0010 Vacuum 11-03-0012 Air 11-03-0011



BLANK DOUBLE ADAPTER BAR

1/8" NPT Female Center x Double 1/8" NPT Female 11-01-0055



1/8" NPT Female Offset Left/Right x Double 1/8" NPT Female 11-01-0056



BLANK "Y" STYLE CONNECTOR

1/8" NPT Female x Double

1/8" NPT Female 12-90-0028

1/8" NPT Female x Double

1/4" NPT Female 12-90-0029

NPT Pipe Fittings

NPT CROSS

1/8" Female 12-90-0013



NPT DROP EAR

Elbow: 1/8" Female 12-90-0015 Tee: 1/8" Female 12-90-0016



NPT 90° ELBOW

1/8" Female x 1/8" Female 12-90-0001 1/4" Female x 1/4" Female 12-90-0002



NPT 90° STREET ELBOW

1/4" Female x 1/4" Male 12-90-0003 1/8" Female x 1/8" Male 12-90-0004



NPT 45° STREET ELBOW

1/8" Male x 1/8" Female 12-90-0005



NPT FEMALE TEE

1/8" Chrome	12-90-0006	
1/4" Chrome	12-90-0007	
1/4" Nickel	12-90-0008	



NPT STREET TEE

1/8" Female x Male 12-90-0009 1/4" Female x Male 12-90-0010



NPT PIPE BRANCH TEE

1/8" Female x Male 12-90-0011 1/4" Female x Male 12-90-0012



HEX NIPPLE

1/8" NPT Male x	
1/8" NPT Male	12-90-1021
1/4" NPT Male x	
1/8" NPT Male	12-90-1121
1/4" NPT Male x	
1/4" NPT Male	12-90-1120



NPT TO HOSE BARB

12-90-1007
12-90-1005
12-90-1006
12-90-1105
12-90-1008
12-90-2005
12-90-2105
12-90-2106



NPT CONNECTORS

1/8" NPT Female x	
1/8" NPT Male	12-90-2001
1/8" NPT Female x	
1/4" NPT Male	12-90-2000
1/4" NPT Female x	
1/8" NPT Male	12-90-2101
1/4" NPT Female	
1/4" NPT Male	12-90-2100
1/8" NPT Female x	
1/8" NPT Female	12-90-2002
1/4" NPT Female x	
1/8" NPT Female	12-90-2102
1/4" NPT Female x	
1/4" NPT Female	12-90-2112



PIPE NIPPLE

12-90-1101
12-90-1201
12-90-1301



Bottle Holder Adapters

CHEMETRON® QUICK-CONNECT TO SINGLE OUTLET PORT

Vacuum (rectangular striker) 11-01-0016



CHEMETRON® QUICK-CONNECT TO DOUBLE OUTLET PORT

Vacuum (rectangular striker) 11-01-0017



CHEMETRON® DISS FEMALE TO SINGLE OUTLET PORT

Vacuum

11-30-0002



CHEMETRON® DISS FEMALE TO DOUBLE OUTLET PORT

Vacuum

11-30-0001



OHMEDA® QUICK-CONNECT TO SINGLE OUTLET PORT

Vacuum

11-10-0047

Dynacon Nitrogen Fittings

COUPLER, DYNACON TO 1/4" HOSE BARB

Nitrogen

11-20-0012



REPLACEMENT KNOB FOR DYNACON OUTLETS AND COUPLERS

Nitrogen

11-20-0011



CHECK UNIT, DYNACON WITH 1/4" NPT MALE FOR CONVERSION OF REGULATORS

Nitrogen

11-20-0008

ADAPTER, DYNACON MALE TO 1/4" HOSE BARB

Nitrogen

11-20-0001

ADAPTER, DYNACON MALE WITH SET SCREW LOCK ACCEPTING SCHRADER MALE

Nitrogen

11-20-0009

Miscellaneous



Miscellaneous Fittings & Valves

MASTER-FLO

1/8" NPT Female to 1/8" NPT Female

12-90-2052



YOKE BLOCK INDEX TO 1/4" HOSE BARB

Oxygen

11-02-0038



EXTENSION MANIFOLDS (DISS)

	OXYGEN	AIR	VACUUM
2 outlet	12-90-0020	12-90-0030	12-90-0033
3 outlet	12-90-0021	12-90-0031	12-90-0034
4 outlet	12-90-0022	12-90-0032	12-90-0035
Extension manifold	a alaa ayailahla yaith Ooist		

Extension manifolds also available with Quick-Connect couplers.



AUXILIARY

Oxygen (9/16"-18" Male Check) 12-90-0017

Air (3/4"-16" Male Check) 12-90-0018



FERRULE

Many of the adapters, couplers and fittings are used in making hose assemblies.



Although the preparation of hose assemblies by the user is discouraged, information on ferrules is included for convenience.

For all 1/4" hose assemblies (kit of 10) 15-90-0050

For all 5/16" hose assemblies (kit of 10) 15-90-0049

TAMPER-PROOF LOCK-OUT ADAPTERS FOR CHEMETRON QUICK-CONNECT OUTLETS

Oxygen	11-01-0035		
Vacuum	11-01-0036		
Air	11-01-0041		

Additional ISO Styles

BRITISH PROBE TO 1/8" NPT MALE

Oxygen 12-30-1000 Air (MA) (4 Bar) 12-30-1100 Vacuum 12-30-1200 Nitrous Oxide 12-30-1300

GERMAN DIN PROBE TO 1/8" NPT MALE

Oxygen	12-30-1400	Air (MA)	12-30-1500
Vacuum	12-30-1600		

FRENCH PROBE TO 1/8" NPT MALE

Oxygen	12-30-1800	Air	12-30-1900
Vacuum	12-30-2000	Nitrous Oxide	12-30-2100

Conductive Medical Grade Hose (UL Listed)

Chemetron® Bulk Hose is made from carbon impregnated neoprene to provide a conductive path from end fitting to end fitting when hose assembly does not exceed 30 feet in length. Chemetron® Conductive Hose meets all requirements as specified in NFPA 99. This hose is color coded to conform to CGA C-9 standards.

HOSE

	500 Foot Roll	By The Foot
1/4" Green for Oxygen Service	15-09-0501	15-09-0001
1/4" White for Vacuum Service (ISO Oxygen for Canada)	15-09-0502	15-09-0002
5/16" White for Vacuum Service (ISO Oxygen for Canada)	15-09-0506	15-09-0006
1/4" Blue for Nitrous Oxide Service	15-09-0503	15-09-0003
1/4" Yellow for Air Service (ISO Vacuum for Canada)	15-09-0504	15-09-0004
1/4" Black for All Other Services	15-09-0510	15-09-0010

HOSE RETRACTOR

Designed to be installed on ceiling-mounted medical gas outlets but can also be attached to the hose itself. Hose assemblies are kept overhead by the retractor and can extend up to 20" when pulled down. Maximum weight supportable in the retracted position is 15 ounces. Hose Retractor 15-61-6006





More Allied Innovations

Suction Regulators



Gomco® Suction Equipment



LSP Bag Mask Resuscitators



Timeter® Flowmeters



B&F Oxygen Therapy Disposables



Brass Regulators & Oxygen Cylinders





CERTIFIED

Allied Healthcare Products, Inc. • 1720 Sublette Avenue • St. Louis, Missouri 63110 314/771-2400 • 800/444-3954 • Fax: 314/771-0650 • www.alliedhpi.com International offices in Europe, Asia and South America

U.S.

Toll Free: 800/444-3940 Fax: 800/477-7701

Canada & Mexico

Toll Free: 800/446-0552 Fax: 800/246-6201

International

Telephone: 314/268-1683 Fax: 314/771-5183