Eastern Rail

Medical Equipment Catalog



The hospital equipment you need, and a place to put it.



Table of Contents

Category/Item	Page	Category/Item	Page	
The Rail System at Work — 3		Rail-Mounted Single		
Mounting Kits ———	4	Gas Blocks —	— 16-17	
Optional Rail Systems —	5	Wye-Connections —	— 17	
Rail Clamps ————	6	Articulating Arms ————	— 18	
Simple Outlet Expansion	7-8	Ventilator Rail Systems ——	— 19-21	
Shelves, Trays & ———		Ventilator Accessories ——	— 22-24	
Storage Boxes ———	 9	Miscellaneous Components	— 25-28	
Organizer Baskets ———	10-11	Mobile Rail Systems/IV Pole	s- 29	
Organizer Kit &		Utility Carts ————	— 30	
Glove Box Holders—	12	Crash Cart Accessories ——	— 31	
Specialized Equipment		Chart & Resuscitator		
Holders ————	13	Holders/Clipboards——	— 32	
Rail-Mounted Double		Couplers & Adapters———	— 33-34	
Gas Blocks —	14-15	Hose Configuration Matrix -	— 35	

TERMS

- No minimum orders are required!
- We can ship stock items, 95% of the time, on the same day you order them (or no later than the next day).
- . If we can't ship immediately, we'll tell you right away, and let you know what we can do to expedite shipment.
- Can't find something? Have a special need or custom requirement? Ask, we'll be glad to help you.
- We have a toll-free telephone for your convenience.
- Our Customer Service Representatives are ready to help you, from 8:30 AM to 5:00 PM, Eastern Time. If you
 call after hours, our voice-mail system will record your message. We'll respond to you first thing the next business
 morning.
- Shipping and handling costs are prepaid and added to your invoice.
- There is a minimum 25% restocking fee.
- Our terms: 1% 20, net 30 days.

WARRANTIES

Products manufactured by Eastern Rail have been carefully made and inspected to meet or exceed applicable industry standards and are warranted to be free from defects in design, materials and workmanship during normal specified use. Products manufactured by others shall be exclusively warranted by the manufacturer.

Should any goods sold be discovered to fail to conform to this warranty within five (5) years from the of date of shipment, then Eastern Rail shall correct such patent or latent defects by either repairing or replacing the affected part at no direct cost to the Purchaser. This warranty is in effect to the extent Eastern Rail is given a timely and first opportunity to repair or replace the equipment at its option before the equipment is returned by the Customer.

In no event shall Eastern Rail Systems, Inc. or its vendors be liable under any legal theory for any direct damages other than the stated warranty, or any special, indirect, incidental or consequential damages. The remedies provided in this contract are exclusive.

TO THE EXTENT PERMITTED BY LAW, THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES (EXCEPT TITLE), WHETHER EXPRESS OR IMPLIED.





The Rail System at Work


The Eastern Rail System offers health care professionals advantages in the use of critical care equipment. It gives nursing personnel a simple and reliable way to mount critical care and support equipment near the patient, yet off the floor. YOU GETBACK VALUABLE FLOOR SPACE. Our system helps prevent breakage of expensive equipment. You'll experience reduced down time and less backup equipment. Having weight removed from the gas outlets reduces the risk of leaks and costly repairs.

The wall rail, when mounted to soundly constructed walls at conventional stud spacing of 16 inches, will support up to 150 Kg. per meter run (100 lb. per foot run) or up to 65 Kg. (143 lb.) at any point. Eastern Rail clamps and accessories fit most competitive rail systems.

Each wall installation requires three (3) mounting kits per 1000mm (1 meter) length of wall rail. Two types of mounting kits are available, #8002 Basic and #8003 Universal.








8000 Standard RailStandard Rail is 8 ft. in length and can be custom-cut to your exact length specifications at no additional cost. The cost is based on your actual order length, rounded up to the nearest foot length.




Mounting Kits

The basis of the Rail mounting system is the bobbin, which may be slid along the rail channel to your required position. This infinitely variable positioning enables the mounting to be made at any point dictated by the structure of the wall or surface. It also enables the rail to be removed, when required for wall redecoration, without disturbing the mounting kits.



8003 Universal Mounting Kit


This kit provides greater wall surface contact area than our Basic Mounting Kit. It includes a Base Mount to position rail from the wall, Eccentric Adjusting Ring for easy leveling of rail on the wall, bobbin to attach rail, and 3 set screws for locking.



8002 Basic Mounting Kit


Includes Base Mount to position rail from the wall, bobbin to attach rail, and set screw for locking.

Rail Mounting Accessories



8004 Joiner Kit

The Joiner Kit is used to field join two pieces of Standard Rail (#8000) when the overall length requirement is over 8 feet.



8005 Plastic End Caps for Standard Rail (#8000)

Made from a soft white plastic, end caps slip easily onto the end of the Standard Rail (#8000). End caps provide excellent protection from sharp edges and are aesthetically pleasing.




Optional Rail Systems

Vertical Mounting System



8040 Vertical Rail Mounting Kit


Vertical Rail Mounting Kits slide inside the channel of the vertical rail. The kit includes one tee, one spacer and one flat socket cap screw. The kit allows a simple and fast means of spanning two wall-mounted vertical rails with a section of our Standard Rail. The number of vertical mounting kits required for each section of Standard Rail depends on the distance to be spanned.



8020 Vertical Rail Channel


Vertical Rail Box Channel provides a flexible method of mounting one or more levels of our standard rail onto a wall. Height adjustments can be done easily at any time with just a hex wrench. Vertical Rail is custom-cut and predrilled to your exact length specifications, at no additional cost. Your cost is based on your actual order length, rounded up to the nearest foot length. End Caps and drywall mounting hardware are provided. Standard Rail (#8000) and Vertical Rail Mounting Kits (#8040) are not included but are required to complete a Vertical Rail System. Order these parts separately.

Heavy-Duty Rail System



8012 Heavy-Duty Rail

Heavy-Duty Rail provides an alternative to standard rail. Heavy-Duty Rail can be used to span windows or other open spaces. It can also be used to mount numerous heavy items. Heavy-Duty Rail is custom cut to your specifications, and includes a decorative color laminate. Mounting to wall requires #8003 Universal Mounting Kits. Mounting Kits and Rubber End Caps (#8007) are sold separately.




8007 Heavy-Duty End Caps

Made from a soft white plastic, these Heavy-Duty End Caps slip easily onto our Heavy-Duty Rail. End Caps provide excellent protection and are aesthetically pleasing.



Rail Clamps




9777 Blank Rail Clamp

The Blank (no predrilled holes) Clamp is used to custommount your equipment to either the Standard or Heavy-Duty Rail. Includes knob.


9777F Fairfield-Style Blank Rail Clamp

This clamp fits Fairfield-Style Systems.




9861F Fairfield-Style Rail Clamp

Fairfield-Style Rail Clamp, predrilled and tapped, 10/32" with 7/8" spacing. Includes knob. It is used to mount our products onto Fairfield-Style Rail systems.



9861 Rail Clamp

Rail Clamp, pre-drilled and tapped, 10/32" with 7/8" spacing. Includes knob.



9862 Rail Clamp

Rail Clamp, predrilled and counterbored, 10/32" with 5/8" spacing. Includes knob.

9862F Fairfield-Style Rail Clamp

Fairfield-Style Rail Clamp, predrilled and counterbored, 10/32" with 5/8" spacing. Includes knob. It is used to mount our products onto Fairfield rail systems.

9862B Rail Clamp


Rail Clamp with basket-mounting hardware. Predrilled and counterbored, 10/32" with 5/8" spacing. Includes knob backplate and hardware for mounting baskets.

9862FB Fairfield-Style Rail Clamp

Fairfield-Style Rail Clamp with basket-mounting hardware. Predrilled and counterbored, 10/32" with 5/8" spacing. Includes knob backplate and hardware for mounting baskets to Fairfield-Style Rail.

7

Simple Outlet Expansion



Kit I Single to Double Outlet
I Ea. 2 Ft. Rail & Mounting Hardware
I Ea. Double Gas Block D.I.S.S./Check
I Ea. 3 Ft..High-Pressure Hose D.I.S.S. X D.I.S.S.
Please specify gas.

Simple Outlet Expansion allows your hospital to use its existing outlets, and to create the number and placement of outlets needed. Simply mount a length of our rail on the wall—attach the needed outlets to the rail with our thumb screw clamp—

THAT'S SIMPLE OUTLET EXPANSION !

attach a length of high-pressure hose to the block, and run it back to your existing


- Easy external mounting—no need to shut down the unit.
- No more weight on outlets—shift the weight of humidifiers & suction bottles to the rail.
- Eliminate overloading.

outlet.


- Reduce outlet leakage.
- Save time and money.
- Increase efficiency.
- · Works with all piping systems.
- Have outlets where you need them NOW!



Simple Outlet Expansion (cont'd)




Kit 2 Single Outlet to Each Bed 2 Ea. 2 Ft. Rail & Mounting Hardware 2 Ea. Single Gas Blocks D.I.S.S./Check 2 Ea. 3 Ft. High-Pressure Hose, D.I.S.S. X D.I.S.S. I Ea. Gas Wye D.I.S.S./Check Please specify gas.




Kit 4 Double Outlet to Each Bed
2 Ea. 2 Ft. Rail & Mounting Hardware
2 Ea. Double Gas Blocks D.I.S.S./Check*
2 Ea. 3 Ft. High-Pressure Hose D.I.S.S. X D.I.S.S.
I Ea. Gas Wye D.I.S.S./Check
* Flowmeters Extra Cost.

Please specify gas.



Kit 3 Single and Double from 1 Outlet
2 Ea. 2 Ft. Rail & Mounting Hardware
1 Ea. Single Gas D.I.S.S./Check*
1 Ea. Double Gas D.I.S.S./Check
2 Ea. 3 Ft. High-Pressure Hose D.I.S.S. X D.I.S.S.
1 Ea. Gas Wye D.I.S.S./Check
* Flowmeters Extra Cost.

Please specify gas.




Kit 5 Double Outlet - D.I.S.S. and Quick Connect Same as Kit 1. Female Quick Connect Extra Cost. Please specify gas.

2

Shelves, Trays, & Storage Boxes

assembled.




Stainless steel shelves.

9808 Shelf, Small, 17 5/8" x 14 1/8".

9809 Shelf, Medium, 27 1/8" x 14 1/8".


9810 Shelf, Large, 37" x 14 1/8".




Shelf comes complete and

It includes rail mount clamps.

9900 Fold-up Desk, 15" x 20" x 3". Rail Mount Clamps (as shown) extra.



9884 A Multi-Compartment Tray
For holding and organizing various patient care items.
18" × 8 1/2" × 4". Mounts to wall, drywall mounting hardware included. Rail Mount Clamps (as shown) extra.



9825 Aluminum Utility Storage Box, 7" x 7" x 5 1/4".

Mounts to wall, drywall mounting hardware included.

Rail Mount Clamp (as shown) extra.



Organizer Baskets

Features:

Coated wire; holds & displays catheters, dressings, sterile packs, emergency supplies, etc.; easy to maintain—no dust or dirt collection; helps eliminate tape on walls; saves money by eliminating packed drawers and damaged, lost or dirty supplies; attachments available for Pole or Rail Mount.



200 2-Basket Set, 19 1/2" x 10" x 5 1/4".

Complete set includes 4 pre-mounted organizer clips for immediate needs, and hardware for drywall mounting.

200C 2-Basket set with clamp for pole mounting.

200R 2-Basket set with clamps for Rail System Mount.



300 2-Basket Set, 19 1/2" x 5 1/2" x 5 1/2". Complete set includes 4 pre-mounted organizer clips for immediate needs, and hardware for drywall mounting.




400 2-Basket Set, 13" x 6 1/2" x 4".

Complete set includes 4 pre-mounted organizer clips for immediate needs, and hardware for drywall mounting.




Organizer Baskets (cont'd)




800 Basket Shelf, 2-Basket Set, 24" x 11" x 5 1/2".

This basket shelf for bulk supplies has a safety lip on the front to prevent spills. It comes with drywall mounting hardware only. Rail mounting clamps are available at extra cost.




810 Basket Shelf, 2-Basket Set, 15" x 8 1/2" x 4 1/2".

This basket shelf for bulk supplies has a safety lip on the front to prevent spills. It comes with drywall mounting hardware only. Rail mounting clamps are available at extra cost.



900 Resuscitation Basket with Lockable Clear Plexiglass Lid, 19 1/2" x 10" x 5 1/4".


The locking lid to this basket is made of clear Plexiglass. Save time and confusion. There's no need to inventory emergency code supplies every shift—you can see them! Wall or rail mount. Secure with breakaway tab seals.



700 X-Ray Utility Baskets, 2-Basket Set, 12" x 15" x 2 1/2".

Features: coated wire basket; holds and displays for easy access, all standard X-rays, charts, etc.; easy to maintain; helps eliminate confusing drawer storage; attachments available for Rail or Pole mount. Hardware for drywall mounting only.

Applications: walls, doors, beds; ICU, CCU, NICU; Emergency Rooms; step-down units; nursing stations; radiology areas.



600 Mouth-to-Mask Resuscitator 2-Basket Set, 9" x 4 1/2" x 11 1/2".

Position these baskets where you need them, by each bed. They help eliminate nurses' exposure.



Organizer Kit & Glove Box Holders






Kit 100 Multi-use Organizer Clip Kit

Included in this kit are: 2 ea. 24" anodized aluminum rails; 4 ea. plastic end caps; 12 ea. Slide-Along Tension Clips (6 per rail); Hardware for drywall mounting.

Features: no assembly required; organizes supplies; neatly holds sterile packs, gloves, dressings, tubings, catheters, etc.; eliminates problem of tape on the wall.


Applications: ICU, CCU, NICU; nursery areas; respiratory care; emergency rooms & carts; step-down units; nursing stations.




9952 Adjustable Glove Box Dispenser

This wall-mounted glove dispenser fits most size boxes. It adjusts out to 7 1/2", is 5" deep and is made of solid aluminum construction. It's a convenient step-saver for medical staff.


Specialized Equipment Holders



9867 Baum Manometer Holder Includes bracket to mount Manometer and rail clamp. Manometer available at extra charge.




9865 Tycos Manometer Holder
Has standard mounting bracket for Tycos and rail clamp.
This manometer is available at extra cost.



9888 Suction Canister Holder For standard canisters up to 4 3/4" ID.









Rail-Mounted Double Gas Blocks

Oxygen




9800 Double Oxygen Block with D.I.S.S. Male Fittings


Has Check Valves; inlet can be installed left or right.



9843 Double Oxygen w/Ohmeda-Style Couplers Inlet can be installed left or right.




9846 Double Oxygen Block w/Puritan Couplers Two Puritan Couplers, D.I.S.S. inlet and clamp. Inlet can be installed left or right.




9814 Double Oxygen Block w/Chemetron Couplers

Two Chemetron Couplers, D.I.S.S. inlet and clamp. Inlet can be installed left or right.

Air



9845 Double Air Block w/Ohmeda-style Couplers
Ohio Couplers, D.I.S.S. inlet and clamp.
Inlet can be installed left or right.



AIR (6)


9847 Double Air Block w/Puritan CouplersTwo Puritan Couplers, D.I.S.S. inlet and clamp. Inlet can be installed left or right.

9850 Double Air Block w/Chemetron CouplersTwo Chemetron Couplers, D.I.S.S. inlet and clamp. Inlet can be installed left or right.


15

Rail-Mounted Double Gas Blocks (cont'd)


Vacuum



9962 Double Vacuum Block w/Puritan Regulators Two Puritan Regulators included. Inlet can be installed left or right.




9848 Double Vacuum Block w/Puritan Couplers Two Puritan Couplers, D.I.S.S. inlet and clamp. Inlet can be installed left or right.




9841 Double Vacuum Block w/Ohmeda-Style Couplers

Two Ohmeda-style Couplers, D.I.S.S. inlet and clamp. Inlet can be installed left or right.



9821 Double Vacuum Block w/Chemetron Couplers


Two Chemetron Couplers, D.I.S.S. inlet and clamp. Inlet can be installed left or right.




9963 Double Vacuum Block w/ Chemetron Regulators
Two Chemetron Regulators included. Inlet can be installed left or right.



Rail-Mounted Single Gas Blocks




9794 Single Oxygen Block w/Ohmeda-style
Coupler




9793 Single Air Block w/Chemetron Coupler One Chemetron Coupler, D.I.S.S. bottom inlet and clamp.

One Ohmeda-style Coupler, D.I.S.S. bottom inlet and clamp.




9791 Single Vacuum Block w/Chemetron Coupler One Chemetron Coupler, D.I.S.S. bottom inlet and clamp.



9854 Single Vacuum Block w/Chemetron Regulator One Chemetron Regulator included, D.I.S.S. bottom


inlet and clamp.




9855 Single Vacuum Block w/Puritan Regulator One Puritan Regulator included, D.I.S.S. bottom inlet and clamp.

17


Rail-Mounted Single Gas Blocks (cont'd)



9803 Single
Oxygen Block with
Auxiliary Outlet
One D.I.S.S. male check
valve, auxiliary outlet
with check on the side,
and a D.I.S.S. bottom
inlet



9880 Single Oxygen Block with Puritan Coupler One Puritan Coupler, bottom inlet and clamp.



9879 Single Oxygen Block with Flowmeter 0-15LPM Flowmeter included, D.I.S.S. bottom inlet and clamp.




9798 Oxygen Tee with Check
Oxygen Tee with one (I) check valve and standard D.I.S.S. fittings. Mout to the back of any ventilator to add multiple outlets. Power ventilator and outlets with one (I) hose.



9789 Single Oxygen Block One male D.I.S.S. check valve, one D.I.S.S. inlet and clamp.

Wye-Connections 90°



9817 Wye-Oxygen D.I.S.S. female inlet and D.I.S.S. male outlets with check valves. All Wyes can be made up with any style male adaptor and/or female couplers.




9818 Wye-Air
D.I.S.S. female inlet and D.I.S.S.
male outlets with check valves. All
Wyes can be made up with any
style male adaptor and/or female
couplers.




9819 Wye-Vacuum
D.I.S.S. female inlet and D.I.S.S. male outlets with check valves. All Wyes can be made up with any style male adaptor and/or female couplers.




Articulating Arms




9863 I Vac Single Swing Arm
Single Swing Infusion Pump Holder for I VAC. Can be rail- or wall-mounted.



9919S Single Swing Arm w/36" IV Pole Single Swing Arm, for holding Infusion Pumps, Infant Ventilators, etc. Can be rail- or wallmounted. Adjustable IV Pole included.



9864 Double Swing Arm Infusion Pump Holder Swing Arms can be rail- or wall-mounted. Pole consists of upper portion (4") and lower portion (11-1/2") which thread together. Pole can be inverted. Proper wall support for mounting is mandatory.



9919 Infusion Pump Holder Very useful in gaining more floor space. Same as #9919S but no IV Pole.

Ventilator Rail Systems

VENTILATOR WORK MADE EASY!

Let us offer you a custom quotation. Is your ventilator budget tied up because of the new government regulations? EASTERN RAIL SYSTEMS offers you a custom package, to upgrade your existing equipment, at minimal cost. Easily utilize accessory equipment that you have already purchased and now use. Cut costs due to loss and breakage, while upgrading with a cost-effective rail system. Improve and save!

Mounts easily on ventilator, all hardware included. Accommodates all Eastern Rail accessories, some examples are:


- Resuscitator Bag Holder
- · Channel Clamp Blenders, etc.
- · Chart Holder Plastic
- · All-Purpose Hook Charts, Drip Feed
- Pole-Type Monitor Hudson, Bunn, Criticon, etc.
- IV Pole & Holder
- · Negative Inspiratory Force Meter Holder
- · Gauge Holders Bottom & Back Inlet
- Utility Catch-all Box
- Ventronics Monitor Holder
- · Wright Respirometer Holder
- · Boehringer Respirator Holder
- · Condensation Pole Holder
- Two Extra Oxygen Outlets, High-Pressure Hose, Oxygen Tee & Checks



3700 Bear 5 Ventilator Rail System Includes all mounting hardware. Uprights are 22", crossrails are 18-3/8" (for 3700S & 3750 also).

3700S Bear 5 Ventilator Rail and Printer Shelf Includes all mounting hardware. Shelf and paper tray measure 14-3/4" × 13-3/4".

3750 Bear 5 Ventilator Rail, Shelf and Printer Includes all mounting hardware. Shelf and paper tray measure 14-3/4" x 13-3/4". Includes printer.




3100 Bear I, II & III Rail System & Support Arm Holder

Large bolts mount rail system to existing support arm mounts. Uprights are 12" above ventilator.

3101 Bear I, II & III Rail System


Same as #3100 but includes two 6" side rails for additional mounting space.




2600 MA-1 Ventilator Rail
MA-1 Ventilator Rail System & Support
Arm Holder. Double equipment rail and
two 6" side rails for additional equipment.




Ventilator Rail Systems (cont'd)



3000 MA-2 and MA-2 + 2 Ventilator Rail System Has support arm holder and mounts to existing support arm threads. Includes all mounting hardware. Uprights are 18", crossrails are 17".




3800 Bird Ventilator Rail SystemSystem includes mounting hardware to attach to ventilator side rails. Uprights are 17 3/4", crossrails are 18".



3400 Puritan Bennett #7200 Ventilator Rail System

Mounts to top of ventilator by attaching to existing support arm holders. Support arm attaches to mounting arm. Includes all mounting hardware. Uprights are 15", crossrails are 21-3/4".



3104 Servo-Ventilator Rail System

Mounted Rail system includes all mounting hardware.

Uprights are 26", crossrails are 19".


3105 New Style Servo-Ventilator Rail System




Ventilator Rail Systems (cont'd)




3801 Newport Ventilator Rail



9889 Condensation Pole Holder



3250 Bear Cub Rail System Includes all mounting hardware. Uprights are 10", crossrails are 20".



9953B Servo Ventilator Protection Cover Eliminates inadvertent setting changes and protects against spills. For #900 B.


9953C Servo Ventilator Protection Cover Eliminates inadvertent setting changes and protects against spills. For #900C.




3300 Sechrist Infant Ventilator Rail System Includes all mounting hardware. Uprights are 10", crossrails are 20".




Ventilator Accessories




9816 Pole-Type Monitor Holder
Used to mount any monitor or instrument that has a 'C' clamp to an existing rail system.



9896 Pole-Mounted Gas Outlet



9787 General-Purpose Hook
Moves from side to side. Rail-mounts saline bags, catheters, continuous-feed bags for ventilator's humidifier.




9908 Pole-Mounted Dovetail Clamp For mounting Catalyst Analyzers and Oximeters. Fits up to 1-1/4" diameter pole.




9778 Channel Clamp (Rail-mounted) Standard female channel and clamp.



9783 Channel Clamp Servo Mount Used with Servo ventilators, this clamp has a small male slide for Siemens blenders, etc.




9902 Channel Clamp (Pole-mounted)




9933 Channel Clamp (Wall-mounted)



Ventilator Accessories (cont'd)



9781 Support Arm Holder Has a threaded fitting which accepts most ventilator support arms.




9782 IV Pole Holder


IV Pole Holder with adjustable thumb screw for 1/2" diameter poles. Includes rail-mounting clamp.

9779 IV Pole with 2 Ram's Horns

12" long and 1/2" in diameter. To mount to ventilator or wall rail system, #9782 IV Pole Holder is required.




9823 General-Purpose Clamp Accommodates up to 1" diameter pole. Includes adjustable thumb screw and rail-mounting clamp.



9898 Bird Humidifier Holder Includes pole and is pole-mounted.



9887 Cascade/Bracket For Rail-mounting Cascade heaters.



9829 Gauge Holder


This holder utilizes 3 prongs to hold bottom-inlet gauges, such as NIF meters and all types of manometers.



9895 Continuous Feed Pole for Ventilators
Threads into existing support holders. Single Ram's Horn holds feed system. Top of pole threaded to accept support arm. 9" anodized aluminum pole and hook.




Ventilator Accessories (cont'd)




9806 Ventronics Old-Style Monitor and Pressure Alarm Holder


Fits all models with bottom key lock. Comes with bracket and clamp.



9875 Respirometer Holder Wright, Boehringer Ventilator Mount.



9830 Gauge Holder Back inlet, i.e. Bird.



9989 Teledyne (TED 60) Oxygen Analyzer Holder

This holder comes with a clamp.



9860 New Style Ventronics Holder Holds Ventronics #5572 Oxygen Analyzer, comes with a bracket and clamp.



9893 I.L. Holder (406) Ohio #601




9988 Beckman/Teledyne #100 & #160 Oxygen Analyzer Holder



Miscellaneous Components

Life Jackets



5050 Life Jackets

Rescues Mark 8, Mark 14, Mark 25. All models are complete and include a rubber cover, 'O' rings, and a woven lanyard. Respirometers not included.


5051 Life Jackets, Grey

Rescues RM 121 and FH 311. All models are complete and include a rubber cover, 'O' rings, and a woven lanyard. Respirometers not included.

5052 Life Jackets, Red

Rescues Mark 12, Mark 20, and Halo Scale. All models are complete and include a rubber cover, 'O' rings, and a woven lanyard. Respirometers not included.

Monitor & Cylinder Holders



9970 Monitor Holder—Adjustable 6 1/2" to 9"
Adjustable by thumb screws to 6 1/2" to 9". Easily holds small monitors without proper mounting brackets.
9971 Monitor Holder—Adjustable 8 1/2" to 13"

Adjustable by thumb screws to 8 1/2" to 13".




9913 Cylinder Holder, Gurney Mount

9914 Cylinder Holder, Wall Mount


9915 Cylinder Holder, Rail Mount



Miscellaneous Components (cont'd)




6500 Pole-Mounted Rail System Includes two 24" rails and pole clamp. Assembled, pole clamp fits up to 1 1/2" diameter pole.




9899 Cylinder Holders for "D" or "E" Cylinders. Attach to poles or handles for holding oxygen cylinders; excellent for use with transport incubators. IV Pole sold separately.

Hospital-Grade Electrical Outlets




9977 4 Outlets
Hospital-grade outlet comes with a 15-foot cord.




9978 6 Outlets
Hospital-grade outlet comes with a 15-foot cord.

Miscellaneous Components (cont'd)




9829 Gauge HolderThis holder utilizes 3 prongs to hold bottominlet gauges, such as NIF meters and all types of manometers.



5065 Negative Inspiratory Force Meter with Maximum Effort Indicator (+60 to -60 CM H₂O)




5075 Yoke-Type Regulator for "E" Cylinder 5070 Nut & Gland-Type Regulator for Large Cylinders




5060 Negative Inspiratory Force Meter with Standard Face Plate (+60 to -60 CM H₂O)




Exam Room Equipment Rail System





48600 Railmount Bracket for Welch Allyn Exam Light



9872 Railmount Bracket for Welch Allyn Odoscope Scope not included



450R Rail Mounted Blood Pressure Cuff Basket & Clamp



Mobile Notebook Stands



FEATURES/BENEFITS

- Five leg 24" wide base for greater stability
- Grey non-marking rubber wheels won't mar floors or surfaces.
 Not plastic.
- Swivel casters w/ball bearing construction for easy movement.
- · Removable wheel axle allows for easy cleaning.
- Adjustable collar allows for quick height adjustments


SPECIFICATIONS

- ◆ Die cast aluminum base w/satin finish
- Heavy gauge chrome plated steel tubing support w/welded flange
- Heavy gauge stainless steel support tray
- Zinc plated steel caster housing w/double ball bearing swivel head & removable axle
- ◆ Grey non-marking I" wide wheels w/integral threadguard

Mobile Instrument Bases

- Roll Around Monitor Base (45 lb. max. wt.)
- Shelf Size 13" x 17"
 with Velcro Strap and Handle
- ♦ 24" Base 5 Legs
- ◆ Shelf to Floor 50 inches
- Mount: Oximeters, CO₂ Monitors, Blood Pressure Monitors, Cardiac Output Monitors, etc.
- Monitor not included

350401 Cart Assembly with 2 baskets $5" \times 10" \times 5"$, $5" \times 10" \times 10"$, cord wrap and shelf





Utility Carts



2336 2-Shelf Utility Cart

This cart has 4" casters, 4 Donut Bumpers, 2 cart handles and two $18" \times 36"$ shelves.



626462 Wire Utility Cart Basket, 6" Deep Accessory for Utility Cart #026462.

726462 Wire Utility Cart Basket, 12" Deep

Accessory for Utility Cart # 026462.

926462 Tabletop Storage Rack

Physician's order rack attaches to top of cart to hold 8 chartholders when making rounds.



3336 3-Shelf Utility Cart

This cart has 4" casters, 4 Donut Bumpers, 2 cart handles and three $18" \times 36"$ shelves.

026462 Basket Utility Cart

Can be used with 6" or 12" baskets, on either top or bottom or both sections. As illustrated includes (1) optional 6" and (1) optional 12" wire basket. Baskets and Storage Racks are sold separately.

Features:

- I" metal tubing on large casters.
- Can be used as medication cart or all-purpose cart.




Eyeglass Shield

Reusable frames with disposable lenses


Features:


- Side-shield protection
- Distortion free optical-grade plastic
- · Can be worn with a mask
- Recyclable and lightweight
- Inexpensive

9210 Disposable Plastic Lenses, Box of 100 Multi-Colored Reusable Frames, Box of 60



Blood Pressure Cuff Covers





Easy to use-insert cuff in cover as shown. After insertion seal cover.

Eliminate Cuff Contamination E.R. - O.R. - I.C.U. - NURSERY - CATH LAB

Easy To Use:

Cuff-Guard® - A Safe Bacterial Barrier, Wipes Clean, No Assembly, Disposable.

Order Information:

Adult ADT-5 5.75" x 21.5" Child CHT-34 4.2" x 13.6" Infant Int-25 3.2" x 10.5"

Newborn = NBT-15 2.2" x 7.3"

"Nylon or plastic cuff materials can be a clinically important vector in the transmission of infection."

Significant Bacterial Colonization Occurs on the Surface of Non-Disposable Sphygmomanometer Cuffs and Re-Used Disposable Cuffs. Authors: Andrew L. Sternlicht, M.D. and Alan Van Poznak, M.D.



Chart & Resuscitator Holders/Clipboards


Resuscitator Holders




9786 Resuscitator Bag Holder Rail-mounted with universal cradle.




9968 Resuscitator Bag Holder, wall-mounted Wall-mounted with universal cradle.



9788 Resuscitator Bag Holder, Flowmeter Mount Flowmeter-mounted, universal cradle, with a nut, nipple and chain.



9807 Chartholder Smoked plastic chartholder for all size charts. Rail-mounted only, no clamp necessary.



301502 Covered Clipboard, 10" x 13"

Protect and preserve the integrity and confidentiality of patient information at the bedside. The cover is held in place by a hook-and-loop fastener. For use in Recovery Room, CCU, ICU, patient rooms and X-Ray. Full size to fit most forms. Easy to clean, attractive and strong. 100+ gauge (1/8" thick). Economical, durable and quiet. Now available in Blue, Sand Beige, or Burgundy—please specify color when ordering.

306502 Overbed Clipboard, 10" x 13"

Full size to fit most forms, with 1 3/4" bend to fit most bed rails, stretchers, etc. Now available in Blue, Sand Beige, or Burgundy—please specify color when ordering.



Couplers & Adapters



Ohmeda Style Male X D.I.S.S. Male

948 Oxygen949 Air950 Vacuum



Ohmeda Style Female X 1/4" Pipethread

976 Oxygen977 Air978 Vacuum



Ohmeda Style Male X D.I.S.S. Female

951 Oxygen

952 Air

953 Vacuum



Ohmeda Style Female X D.I.S.S. Male

979 Oxygen

980 Air

981 Vacuum



Ohmeda Style Female X D.I.S.S. Female

954 Oxygen

955 Air

956 Vacuum



Chemetron Male X 1/8"Pipethread

940 Oxygen

941 Air

942 Vacuum



Ohmeda Style Male X 1/8" Pipethread

973 Oxygen

974 Air

975 Vacuum



D.I.S.S. Male X Chemetron

943 Oxygen

944 Air

945 Vacuum



Couplers & Adapters (cont'd)



D.I.S.S. Male with Extension X Chemetron

930 Oxygen **931** Air

932 Vacuum



D.I.S.S. X Puritan Male

985 Oxygen

986 Air

987 Vacuum



Chemetron Male X D.I.S.S. Female

933 Oxygen

934 Air

935 Vacuum



Puritan Male X D.I.S.S. Female

988 Oxygen

989 Air

990 Vacuum



Puritan Male X 1/8" Pipethread

982 Oxygen

983 Air

984 Vacuum



Ohmeda Style Straight Wye Assembly *

963 Oxygen

964 Air

965 Vacuum

• Chemetron + Puritan

Wyes also available.



Puritan Male X 1/4" Pipethread

991 Oxygen

992 Air

993 Vacuum



D.I.S.S. Straight Wye Assembly with Checks

966 Oxygen

967 Air


968 Vacuum

have checks.

These assemblies



Hose Configuration Matrix



HOSE CONFIGURATION MATRIX									
End Configura- tion	Gas Service	Chemetron Female Coupler	D.I.S.S. Male	D.I.S.S. Female	Puritan Female Coupler	Ohmeda Style Female Coupler			
Chemetron	,,,	#70 - 0001	#70 - 0003	#70 - 0005					
Male	Vac	#80 - 0001	#80 - 0002	#80 - 0004					
Adaptor	Air	#90 - 0001	#90 - 0003	#90 - 0005					
D.I.S.S.	Oxygen	#70 - 0007	#70 - 0009	#70 - 0011	#70 - 0012	#70 - 0013			
Female	Vac	#80 - 0007	#80 - 0008	#80 - 0010	#80 - 0107	#80 - 0045			
	Air	#90 - 0007	#90 - 0009	#90 - 0011	#90 - 0112	#90 - 0013			
Ohmeda	Oxygen	#70 - 0027	#70 - 0029	#70 - 0030		#70 - 0031			
Style Male	Vac	#80 - 0028	#80 - 0029	#80 - 0030		#80 - 0031			
Adaptor	Air	#90 - 0027	#90 - 0029	#90 - 0030		#90 - 0031			
Puritan	Oxygen	#70 - 0041	#70 - 0043	#70 - 0044	#70 - 0045				
Male	Vac	#80 - 0051	#80 - 0052	#80 - 0053	#80 - 0054	1			
Adaptor	Air	#90 - 0041	#90 - 0043	#90 - 0044	#90 - 0045	1			

How To Order Hose Configurations:

Choose fitting by using the matrix above. Record catalogue number & refer to price list. Determine hose length in feet.

Add cost of fittings & \$3.00/foot for hose to get the total cost. Example: 70 - 0001 x 12' long = Oxygen Chemetron Female Coupler x Chemetron Male x 12' Hose.

