

2025

FIBERGLASS

ENTRY DOORS BY Hoelscher DOORS



HOELSCHER FIBERGLASS DOORS

Elevate your home's first impression with Hoelscher Doors, where stunning design meets unmatched durability.

Expertly crafted to enhance your home's character and charm, these doors deliver standout curb appeal that lasts through every season. Whether your taste leans towards contemporary or classic TDL, Hoelscher has a door to fit your needs.

When you choose Hoelscher, you're not just picking a door, you're making a decision that's built to last for years to come.

Available Sizes:
Heights: 6'8" and 8'0"
Widths: 2'6" - 3'6"

All doors are made 1/4" undersized in width and 3/4" in height.

Choose from four finishes to complement your home's style.



MIDNIGHT (M)



SLATE (S)



BOURBON (B)



FOX (F)

CONTEMPORARY 1 LITE VERTICAL



Shown in Slate with Satin Glass

Skin Texture:
Mahogany Grain

Available Sizes:
3'0" x 8'0"

Available Glass Options & Part Numbers:

Clear Low E - FG1LVCLE3080

Satin - FG1LVSN3080

Sandblast w/1" Clear Border - FG1LVSB3080

Reeded - FG1LVR3080





M S B F

CONTEMPORARY 3 LITE



Show in Midnight with Satin Glass

Skin Texture:
Mahogany Grain

Available Sizes:
3'0" x 6'8"
3'0" x 8'0"

Available Glass Options & Part Numbers:

Clear Low E - FG3GPWCLE3068 / 3080

Satin - FG3GPWSN3068 / 3080

Rain - FG3GPWRN3068 / 3080



Reeded - FG3GPR3068 / 3080



Flemish- FG3GPWF3080





M S B F

CONTEMPORARY 4 LITE



Shown in Fox with Sandblast Glass

Skin Texture:
Mahogany Grain

Available Sizes:
3'0" x 6'8"

Available Glass Options & Part Numbers:

Clear Low E - FG4GPWCLE3068

Rain - FG4GPWRN3068

Sandblast w/1" Clear Border - FG4GPWSB3068

Reeded - FG4GPWR3068

Satin - FG4GPWSN3068



M S B F

CONTEMPORARY 5 LITE



Shown in Midnight with Clear Low E Glass

Skin Texture:
Mahogany Grain

Available Sizes:
3'0" x 8'0" 3'6" x 8'0"

Available Glass Options & Part Numbers:

Clear Low E - FG5GPWCLE3080 / 3680

Rain - FG5GPWRN3080 / 3680

Satin - FG5GPWSN3080 / 3680

Flemish - FG5GPWF3080 / 3680

Sandblast w/1" Border - FG5GPWSB3080 / 3680

Reeded - FG5GPWR3080 / 3680



M S B F

CONTEMPORARY 5 LITE HORIZONTAL



Shown in Fox with Clear Low E Glass

Skin Texture:
Mahogany Grain

Available Sizes:
3'0" x 6'8"

Available Glass Options & Part Numbers:

Clear Low E - FG5HGCLE3068

Sandblast w/1" Clear Border - FG5HGSB3068

Satin - FG5HGSN3068

Rain - FG5HGRN3068





M S B F

CONTEMPORARY 6 LITE HORIZONTAL



Shown in Fox with Satin Glass

Skin Texture:
Mahogany Grain

Available Sizes:
3'0" x 8'0"

Available Glass Options & Part Numbers:

Clear Low E - FG6HGCLE3080

Sandblast w/1" Clear Border - FG6HGSB3080

Satin - FG6HSN3080

Rain - FG6HGRN3080





M S B F

3/4 LITE 1 PANEL



Shown in Slate with Satin Glass

Skin Texture:
Mahogany Grain

Available Sizes:
3'0" x 6'8" 3'0" x 8'0"

Available Glass Options & Part Numbers:

Clear Low E - FG34LE1P3068 / 3080



Flemish - FG34FL1P3068 / 3080



Satin - FG34SN1P3068 / 3080

Rain - FG34RN1P3068 / 3080





M S B F

IRON GRILLES AVAILABLE FOR 3/4 LITE 1 PANEL



Cordoba



Avignon



Hammond



Santiago



Saltillo

Saltillo and Southampton are available for size 3080 only.



Barcelona



Whitney



Berkley



Balfour



Sienna



Southampton

4 LITE TDL 1 PANEL



Shown in Slate with Clear Bevel Low E Glass

Skin Texture:
Mahogany Grain

Available Sizes:
2'6" x 6'8" 2'6" x 8'0"
2'8" x 6'8" 2'8" x 8'0"
3'0" x 6'8" 3'0" x 8'0"

Available Glass Options & Part Numbers:

Clear Low E - FG4L1PLE2680 / 3080

Clear Bevel Low E - FG4L1PCBLE2668
2680 / 2868 / 2880 / 3068 / 3080



Rain - FG4L1PRN3068 / 3080



Flemish - FG4L1PF3068 / 3080





M S B F

6 LITE TDL 1 PANEL



Shown in Fox with Clear Bevel Low E Glass

Skin Texture:
Mahogany Grain

Available Sizes:
2'6" x 6'8" 2'6" x 8'0" 3'6" x 8'0"
2'8" x 6'8" 2'8" x 8'0"
3'0" x 6'8" 3'0" x 8'0"

Available Glass Options & Part Numbers:

Clear Low E - FG6L1PLE2680 / 3080 / 3680

Clear Bevel Low E - FG6L1PCBLE2668
2868 / 3068 / 2680 / 2880 / 3080 / 3680



Rain - FG6L1PRN3068 / 3080 / 3680



Flemish - FG6L1PF3068 / 3080 / 3680





M S B F

6 PANEL



Shown in Slate

Skin Texture:
Oak Grain

Available Sizes & Part Numbers:
3'0" x 6'8" - FGKTX6P3068
3'0" x 8'0" - FGKTX6P3080

10 Inch Bottom Rail
ADA Compliant



M S B F

2 PANEL SQUARE



Shown in Midnight

Skin Texture:
Mahogany Grain

Available Sizes & Part Numbers:
3'0" x 6'8" - FG2PSQS3068
3'0" x 8'0" - FG2PSQS3080



M S B F

2 PANEL ARCH V-GROOVED



Shown in Slate

Skin Texture:
Mahogany Grain

Available Sizes & Part Numbers:
3'0" x 6'8" - FG2PAVG3068
3'0" x 8'0" - FG2PAVG3080



M S B F

CRAFTSMAN 6 LITE 2 PANEL SHAKER



Shown in Slate with Clear Bevel Low E Glass

Skin Texture:
Mahogany Grain

Available Sizes:
3'0" x 6'8"
3'0" x 8'0"

Available Glass Options & Part Numbers:

Clear Bevel Low E - FGCMCBLE3068 / 3080



Rain - FGCMRN3068 / 3080



Flemish - FGCMF3068 / 3080





M S B F

2 PANEL ARCH V-GROOVE WITH SPEAKEASY KIT



Shown in Fox with Clear Low E Glass

Skin Texture:
Mahogany Grain

Available Sizes & Part Numbers:
3'0" x 6'8" - FG2PAVG3068SE
3'0" x 8'0" - FG2PAVG3080SE

Available Glass Options:

Clear Low E

Flemish



Rain





M S B F

Iron Masks Kits & Part Numbers:



Standard Mask
SEGHWI-1B



Balfour Mask
SEGHWI-2B



Windsor Mask
SEGHWI-4B

CONTEMPORARY FULL LITE SIDELITE



Shown in Fox with Clear Low E Glass

Skin Texture:
Mahogany Grain

Available Sizes:
1’2” x 6’8”
1’2” x 8’0”

Available Glass Options & Part Numbers:

Clear Low E - FG1CSLLE1268 / 1280

Rain - FG1LCSLRN1268 / 1280



Reeded - FG1LCSLR1268 / 1280



Flemish - FG1LCSLF1268 / 1280



Satin - FG1LCSLSN1268 / 1280



M S B F

CROSS SECTION OF DOUBLE PANE INSULATED GLASS



SMOOTH COLLECTION



The Smooth Collection consists of textured, paintable fiberglass skin doors. The Smooth Collection line is available in 6’8” and 8’0 heights and variable widths.

White Brushed Smooth Skin Texture



Smooth Skin Texture



Black Brushed Smooth Skin Texture



Fir Skin Texture



CRAFTSMAN - 3 PANEL SHAKER



Available Skin Textures:

Smooth

Fir

Available Sizes:

3'0" x 6'8"

3'0" x 8'0"

Part Numbers:

Smooth - FGSH3PCMBPSM3068NP/ 3080NP

Fir - FGSH3PCMBPF3068NP / 3080NP

10 Inch Bottom Rail

CRAFTSMAN - 1 LITE 2 PANEL SHAKER



Available Skin Textures:

Smooth

Fir

Available Sizes:

3'0" x 6'8"

3'0" x 8'0" 3’6” x 8’0”

Available Glass Options & Part Numbers

Clear Low E - (Smooth) FGSHCMLESM3068NP / 3080NP

(Fir) FGSHCMLEF3068NP / 3080NP / 3680NP

Rain - (Smooth Only) FGSHCMRNSM3068NP / 3080NP



10 Inch Bottom Rail

CRAFTSMAN - FLAT PANEL



Available Skin Textures:
Smooth
Fir

Available Sizes:
3'0" x 6'8"
3'0" x 8'0"

Available Glass Options & Part Numbers:

Clear Low E - (Smooth) NLFGTCMLESM3068NP / 3080NP
(Fir) NLFGTCMLEF3068NP / 3080NP

Rain - (Smooth) NLFGTCMRNSM3068NP / 3080NP
(Fir) NLFGTCMRNF3068NP / 3080NP



10 Inch Bottom Rail
ADA Compliant

HALF LITE 2 PANEL



Available Skin Textures:
Smooth

Available Sizes:
2'8" x 6'8"

Available Glass Options & Part Numbers:

Clear Low E - NLFGSMHL2PBLE2868NB

2 PANEL - SHAKER



Available Skin Textures:
Smooth

Available Sizes:
2'8" x 6'8"
2'8" x 8'0"
3'0" x 6'8"
3'0" x 8'0"

Part Numbers:
FGSH2PSQSM2868NP / 2880NP / 3068NP / 3080NP

10 Inch Bottom Rail

2 PANEL - RAISED PANEL



Available Skin Textures:
Smooth

Available Sizes:
2'8" x 6'8"
3'0" x 6'8"
3'0" x 8'0"

Part Numbers:
NL2PSQSM2868NP
FG2PSQSM3068NP / 3080NP

10 Inch Bottom Rail

1 PANEL - FLAT PANEL



Available Skin Textures:
White Brushed Smooth stiles and rails with a smooth panel.

Available Sizes:
3'0" x 6'8"
3'0" x 8'0"

Part Numbers:
NLSH1PBSM3068NP / 3080NP

SDL BARS AVAILABLE IN -1/4", 3-1/2" & 5"



Available Skin Textures:
White Brushed Smooth - SDL8BARTXNW1 / 35 / 5
Black Brushed Smooth - SDL8BARTXBL1 / 35 / 5

6 PANEL



Available Skin Textures:
Smooth

Available in sizes:
2'8" x 6'8"
3'0" x 6'8"
2'8" x 8'0"
3'0" x 8'0"

Part Numbers:
NLSM6P2868NB / 2880NB / 3068NB / 3080NB

FULL LITE



Available Skin Textures:

White & Black Brushed Smooth

Available Sizes:

2’0” x 6’8”	2’6” x 6’8”	2’8” x 6’8”	3’0” x 6’8”
2’0” x 8’0”	2’6” x 8’0”	2’8” x 8’0”	3’0” x 8’0”

Available Glass Options & Part Numbers:

Clear Low E -

(White) NLFGFULLLE2068NB / 2080NB / 2668NB
2680NB / 2868NB / 2880NB / 3068 NB / 3080NB

(Black) NLFGFULLLE2668NBBL / 2680NBBL
2868NBBL / 2880NBBL / 3068NBBL / 3080NBBL

Translucent (Satin) -

(White Only) NLFGFULLLETL2068NB / 2080NB / 2668 NB
2680NB / 2868NB / 2880NB / 3068 NB / 3080NB

10 Inch Bottom Rail

ADA Compliant

FULL LITE WITH MINI BLIND



Available Sizes:

2’0” x 6’8”	2’6” x 6’8”	2’8” x 6’8”	3’0” x 6’8”
2’0” x 8’0”	2’6” x 8’0”	2’8” x 8’0”	3’0” x 8’0”

Available Skin Textures:

White Brushed Smooth

Available Glass Options & Part Numbers:

Clear Low E - NLFGFULLLEMBR2068NB / 2080NB / 2668NB / 2680NB /
2868NB / 2880NB / 3068NB / 3080NB

10 Inch Bottom Rail

ADA Compliant

3/4 LITE 1 PANEL



Available Skin Textures:

White & Black Brushed Smooth

Available Sizes:

2’6” x 6’8”	2’8” x 6’8”	3’0” x 6’8”
2’6” x 8’0”	2’8” x 8’0”	3’0” x 8’0”

Available Glass Options & Part Numbers:

Clear Low E -

(White) NLFG34LE2668NB / 2680NB / 2868NB / 2880NB / 3068NB / 3080NB

(Black) NLFG34LE3068NBBL / 3080NBBL

Translucent -

(White) NLFG34LETL2668NB / 2680NB / 2868NB / 2880NB / 3068NB / 3080NB

(Black) NLFG34LETL3068NBBL / 3080NBBL

Rain -

(Black Only) NLFG34LRN3068NBBL / 3080NBBL

Flemish -

(Black Only) NLFG34LEF3068NBBL / 3080NBBL

10 Inch Bottom Rail

ADA Compliant

3/4 LITE 1 PANEL WITH MINI BLIND



Available Sizes:

2’6” x 6’8”	2’8” x 6’8”	3’0” x 6’8”
2’6” x 8’0”	2’8” x 8’0”	3’0” x 8’0”

Available Skin Textures:

White Brushed Smooth

Available Glass Options & Part Numbers:

Clear Low E - NLFG34LEMBR2668NB / 2680NB / 2868NB / 2880NB / 3068NB / 3080NB

10 Inch Bottom Rail

ADA Compliant

3/4 LITE 1 PANEL SIDELITE



Available Skin Textures:

White Brushed Smooth

Available Sizes:

1’0” x 6’8”	1’2” x 6’8”
1’0” x 8’0”	1’2” x 8’0”

Available Glass Options & Part Numbers:

Clear Low E - NLFG34SLLE1068 / 1080 / 1268 / 1280

FULL LITE SIDELITE



Available Skin Textures:

White Brushed Smooth

Available Sizes:

1’0” x 6’8”	1’2” x 6’8”
1’0” x 8’0”	1’2” x 8’0”

Available Glass Options & Part Numbers:

Clear Low E - NLFGFULLSLLE1068 / 1080 / 1268 / 1280

DESIGN PRESSURE TEST RATINGS

Design Pressure Test:	DR-1271	DR-1275	DR-1269	DR-1272	DR-1273	DR-1274	DR-1270
	DP-50	DP-55	DP-60	DP-60	DP-60	DP-60	DP-65
3068 6 Lite 1 Panel	●						
3068 Craftsman 6 Lite 2 Panel	●						
3068 Contemporary 3 Lite			●				
3068 Contemporary 4 Lite			●				
3068 4 Lite 1 Panel				●			
3068 Contemporary 5 Lite Horiztonal						●	
3068 3/4 Lite 1 Panel					●		
3068 2 Panel Arch V-Grooved							●
3068 2 Panel Arch V-Grooved w/ Speakeasy							●
3068 2 Panel Square Smooth							●
3068 6 Panel							●
3080 6 Lite 1 Panel	●						
3080 Craftsman 6 Lite 2 Panel	●						
3080 1 Lite Vertical		●					
3080 Contemporary 3 Lite			●				
3080 Contemporary 5 Lite Wide						●	
3080 Contemporary 6 Lite Horiztonal						●	
3080 4 Lite 1 Panel				●			
3080 3/4 Lite 1 Panel					●		
3080 2 Panel Arch V-Grooved							●
3080 2 Panel Arch V-Grooved w/ Speakeasy							●
3080 2 Panel Square Smooth							●
3080 6 Panel							●
3680 6 Lite 1 Panel	●						

HINGED NON-IMPACT TESTING RESULTS - FULL AND 3/4 LITES ONLY

Product Specification	Max. Testing Dimension	Impact / Non-impact	Glazing Type	Lock Type	Design Pressure Rating	Stucture Performance (psf)	Water Resistance (psf)	Air Infiltration (cfm/ft^2)	Test Standard	TDI	F.B.C. Approval No.
Inswing SLPS (OXXO)	120611 (146 7/16" x 82 7/16")	Non-impact	Direct Glass	Double Bore	DP40/50	+75/-75	6	0.02	AAMA A440-11	DR-1058	FL 28093.4
Inswing SLPS (OXXO)	12080 (146 7/16" x 98 7/16")	Non-impact	Direct Glass	Double Bore	DP30	+67.5/-75	4.65	0.01	AAMA A440-11	DR-1058	FL 28093.7
Outswing SLPS (OXXO)	12080 (146 7/16" x 97 3/16")	Non-impact	Direct Glass	Double Bore	DP45	+75/-67.5	7.5	0.01	AAMA A440-11	DR-1040	FL 28093.10

HINGED IMPACT TESTING RESULTS

Product Specification	Max. Testing Dimension	Impact / Non-impact	Glazing Type	Lock Type	Design Pressure Rating	Stucture Performance (psf)	Water Resistance (psf)	Air Infiltration (cfm/ft^2)	Test Standard	TDI	F.B.C. Approval No.
Inswing SLPS (OXXO)	120611 (146 7/16" x 82 7/16")	Impact (Non HVHZ)	Direct Glaze	Double Bore	DP40/50	+75/-75	6	0.01	AAMA A440-11 ASTM E1886 ASTM E1996	DR-1056	FL 28093.3
Inswing SLPS (OXXO)	12080 (146 7/16" x 97 3/16")	Impact (Non HVHZ)	Direct Glaze	Double Bore	DP30	+75/-75	4.65	0.01	AAMA A440-11 ASTM E1886 ASTM E1996	DR-1112	FL 28093.5
Outswing SLPS (OXXO)	120611 (146 7/16" x 81 3/16")	Impact (Non HVHZ)	Direct Glaze	Double Bore	DP50	+75/-75	7.5	0.01	AAMA A440-11 ASTM E1886 ASTM E1996	DR-1042	FL 28093.6
Outswing SLPS (OXXO)	12080 (146 7/16" x 97 3/16")	Impact (Non HVHZ)	Direct Glaze	Double Bore	DP50	+75/-67.5	7.5	0.01	AAMA A440-11 ASTM E1886 ASTM E1996	DR-1055	FL 29714.1
Outswing SLPS (OXXO)	12080 (146 7/16" x 97 3/16")	Impact (HVHZ)	Direct Glaze	Double Bore	DP50	+67.5/-67.5	7.5	0.01	TAS 202	N/A	FL 29714.2

ENERGY PERFORMANCE

Product Specification	U-factor	SHGC
LoE	0.30	0.26
Impact LoE	0.28	0.27
LoE Pattern Glass Triple Glaze (Translucent/Chord/Clear)	0.28	0.24
Single LoE miniblinds	0.34	0.25

STC RATING

STC	OITC
31	25
36	29
31	25
32	28

FIBERGLASS UNIT SIZES & ROUGH OPENING SCHEDULE

Single Doors

Door Size:	Unit Size:	Recommended Rough Opening
2’0” x 6’8”	25 1/2” x 82”	26 1/2” x 82 3/4”
2’0” x 8’0”	25 1/2” x 98”	26 1/2” x 98 3/4”
2’8” x 6’8”	33 1/2” x 82”	34 1/2” x 82 3/4”
2’8” x 8’0”	33 1/2” x 98”	34 1/2” x 98 3/4”
3’0” x 6’8”	37 1/2” x 82”	38 1/2” x 82 3/4”
3’0” x 8’0”	37 1/2” x 98”	38 1/2” x 98 3/4”
3’6” x 6’8”	43 1/2” x 82”	44 1/2” x 82 3/4”
3’6” x 8’0”	43 1/2” x 98”	44 1/2” x 98 3/4”

Single Doors with Side Lites

Door Size:	Side Lite Size	Unit Size	Recommended Rough Opening
3’0” x 6’8”	1 - 12” SL	51” x 82”	52” x 82 3/4”
3’0” x 6’8”	2 - 12” SL’s	64 1/2” x 82”	65 1/2” x 82 3/4”
3’0” x 6’8”	1 - 14” SL	53” x 82”	54” x 82 3/4”
3’0” x 6’8”	2 - 14” SL’s	68 1/2” x 82”	69 1/2” x 82 3/4”
3’0” x 8’0”	1 - 12” SL	51” x 98”	52” x 98 3/4”
3’0” x 8’0”	2 - 12” SL’s	64 1/2” x 98”	65 1/2” x 98 3/4”
3’0” x 8’0”	1 - 14” SL	53” x 98”	54” x 98 3/4”
3’0” x 8’0”	2 - 14” SL’s	68 1/2” x 98”	69 1/2” x 98 3/4”

Double Door Size:	Unit Size:	Recommended Rough Opening
4’0” x 6’8”	50 1/8” x 82”	51 1/8” x 82 3/4”
4’0” x 8’0”	50 1/8” X 98”	51 1/8” x 98 3/4”
5’0” x 6’8”	62 1/8” x 82”	63 1/8” x 82 3/4”
5’0” x 8’0”	62 1/8” x 98”	63 1/8” x 98 3/4”
5’4” x 6’8”	66 1/8” x 82”	67 1/8” x 82 3/4”
5’4” x 8’0”	66 1/8” x 98”	67 1/8” x 98 3/4”
6’0” x 6’8”	74 1/8” x 82”	75 1/8” x 82 3/4”
6’0” x 8’0”	74 1/8” x 98”	75 1/8” x 98 3/4”

FIBERGLASS ENTRY DOOR COLLECTION WARRANTY

Hoelscher Doors offers a limited warranty for (5) years on all fiberglass doors from the original date of installation of the door. This warranty assures that each such door, for this period, is of good material and workmanship and free from defects rendering the door unserviceable or unfit for the ordinary, recommended use. This warranty shall be void unless the door is sealed within a 72 (seventy two) hour period. During this period, if the door is exposed to rain or any water infiltration, the warranty shall be void. Additionally, all 6 sides of the door (front, back, edges, top, and bottom) must be properly finished and maintained, or warranty is void.

CONDITIONS NOT CONSIDERED DEFECTS COVERED BY THE HOELSCHER DOORS WARRANTY

The following conditions are not considered defects which are covered under the Hoelscher warranty: warps (as defined and within the limits prescribed below); bow or misalignment of the frame of the jamb in which the door is hung; variation or unsatisfactory results in the surface checking of the door; damage resulting from the causes beyond the control of Hoelscher (within the limits prescribed below): defects from failure to perform normal home owner maintenance or from attempts by non-Hoelscher workmen to repair the door; damage caused by the installation of a storm door; leakage in the speakeasy opening in doors with such a feature (with or without decorative iron grille); reducing the height of the door by removing more than an inch (1") from the bottom rail and/or one-half (1/2") inch from the top rail of the door; reducing the width of the door by removing more than one-quarter (1/4") inch from either side of the door; reducing the width of the door does not refer to the frame or the jamb in which it is hung. However, the term "warp" shall not include the related terms "bow,", "cup," or "twist." To be considered warped for the purposes of warranty, the distortion would have to exceed 1/4" on a 6'8" tall door and exceed 1/2" on an 8'0" tall door. Doors wider than 36 inches or taller than 8 feet are not warranted against warp. If the claimed nonconformity is warp, Hoelscher may defer repairing for temporary warp conditions to occur as the door adjusts to local humidity and temperature. The aforementioned damages caused by forced acts beyond other acts of nature. In addition to the above, the Hoelscher warranty does not cover any damages, including fading or finish discoloration, rust, or flaking resulting from exposure due to installation without sufficient roof overhang protection, which causes the door to be exposed to an unusual amount of sunlight and/or precipitation. Minimum roof overhang is one in which the roof overhang projects out a distance from the stucture no less than one-half (1/2) of the elevation between the bottom of the door and the base of the overhand's highest point above the entryway.

PREFINISHED DOORS

Hoelscher Doors offers a twenty-four (24) month warranty on all our prefinished doors. The warranty period begins on the original date of purchase.

GLASS PANELS

Hoelscher Doors does not warrant any product against glass breakage or glass damage for any reason.

"IG" INSULATED GLASS PANELS

Your insulated glass panel is warranted for a period of five (5) years from the original date of installation. It is warranted against any material obstruction of vision through the unit due to accumulation of dust, moisture, or film on the internal surfaces caused by the failure of the unit's edge seal due to defects in material or workmanship under normal conditions. This warranty shall be void if; the unit is installed in high moisture enviorments (such as greenhouses or swimming pool enclosures) or film, shades, or any foreign materials, are used on or near the surface of the unit.

CLAIM PROCEDURES AND LIMIT ON REMEDIES

All warranty claims must be presented within the warranty period of the specific product as outlined above. Hoelscher will not honor any warranty claims made prior to payment in full for the warranted product. Upon validation by Hoelscher of any warranty claim, Hoelscher will at its option: 1) Repair the product and return it FOB our Houston, Texas facility, freight collect: 2) furnish a comparable replacement product (or, if the product is no longer produced, a replacement which, in the sole opinion of Hoelscher, constitutes a comparable replacement) FOB our Houston, Texas facility, freight collect: 3) Refund the purchase price paid by the original purchaser of the product by Hoelscher. Hoelscher Doors reserves the right to inspect, in the field or premises, any product that is alleged to be defective and must be given thirty (30) days opportunity to have any door that is subject to a warranty claim field inspected by a company or field representative of Hoelscher.



Hoelscher Doors

2400 S. Persimmon St.
Tomball, Texas 77375

Phone: (713) 869-6466
Fax: (713) 869-6469
Email: sales@hoelscherdoors.com

Scan Below
To Visit Our Website

www.hoelscherdoors.com

Hoelscher DOORS