

©2026 | DSA Master Crafted Doors, The Door Store of America, Inc.

DSA

Master Crafted Doors



FULL COLLECTION CATALOG VOLUME XXVI

DSA Master Crafted Doors

10681 World Trade Blvd. Raleigh, NC 27617
www.DSADoors.com
@DSADoors | | (919) 781-3200



Cover Photo: E-01 Sierra 1 Lite - 8'0" Factory Finish: Dune | pg 95

TABLE OF CONTENTS

The DSA Difference **2**

Featured Collections **4-6**

Certifications **7**

LUXE Pivot Doors **8**

Interior Doors **9**

Custom Doors **10**

Signature Collections **11-69**

- Alexandria 12
- Tiffany 30
- Aberdeen 36
- Breezeport 42
- Pinehurst 46
- Tuscany 52
- Urban 55
- Keowee 58
- Oconee 60
- Trinity 62
- Wakefield 65
- Signature SDL Doors 68

Traditional Collections **70-87**

Beloved Classics

- Belle Meade, Brentwood, Decatur Hendersonville & Lakewood 72
- Colonial & Louisburg 74
- Madison 76

Old World Charm

- Briarcliff 79
- Linville 79
- Kenmure 80
- Porthole 81
- Dutch 82
- Meadowlands 84

Enduring Elegance

- Decatur Hendersonville with Burlwood Iron 85
- Hampshire & Seville 86

Modern Collections **88-101**

- Modern Door Configurations 89
- Milan 90
- Luca 92
- Sierra 94
- Flores 96
- Carlo 98
- Modern Hardware 100

Full View Collections **102-119**

- Bifold Doors 103
- Slimline Collection 106
  - Slimline Hardware 109

Port Collection **120-137**

- Biscayne Series 124
- Naples Series 127
- Lucie Series 130
- Clearwater Series 133
- Venice Series 136

DSA Stain Colors **138**

Glass Options **139**

Brickmould & Casing **140**

Standard Panel Profiles **141**

Hardware & Components **142**

Multipoint Locking Systems **144**

EMTEK Lever Handles **144**

Premium Lock & Handle Sets **145**

- Berkeley Gripset + GU Multipoint 145
- Tedee PRO + GU Multipoint 146
  Berkeley Gripset and Belcanto Lever

EMTEK Tubular Entrysets **148**

EMPowered Smart Lock **149**

Warranty Quick Guide **150**

Door Index **152**

Welcome

DSA
Master Crafted Doors

For centuries, homeowners have invested in wood doors for their versatility, dependability, and natural beauty. No other material can compare to the warm welcome and timeless luxury of a quality crafted wood door which, when properly maintained, will stand the test of time and be cherished for generations to come.

Our team at DSA Doors has worked tirelessly to produce superior wood doors for 50 years. We take pride in our work, so you can take pride in your home! At DSA, we are committed to enduring quality, excellent service, innovation, and sustainability. Our team of skilled artisans hand assemble each DSA door to the highest quality standards.

Choose from 32 expansive collections in this catalog, featuring contemporary, traditional, and modern exterior door styles, or browse our innovative offerings and quality wood door products online, at www.DSADoors.com. Looking for something unique? DSA offers an in-house Custom Design team to assist in making your ideal entry a reality.

Whether renovating your existing home, constructing the house of your dreams, or restoring a historical residence to its original glory, DSA Doors offers a wide range of wood entry systems, as well as custom design options, suited to every architectural style.



E-04 Slimline Model B - Oxford | pg 114

Experience the DSA DIFFERENCE

At DSA, our commitment to sustainability and craftsmanship is evident in everything we do. Our team of master artisans in Raleigh, North Carolina, collaborates with our network of dealers, builders, designers, and industry professionals to deliver a dynamic experience for even the most discerning homeowners. The "DSA Difference" extends to our dedicated dealer support, exceptional customer service, and valuable warranties that protect every door we create.

PREMIUM TIMBER

DSA doors are crafted from premium, sustainably-sourced hardwood timber exclusively from our partner's forest concession. Each door is masterfully engineered to deliver long-lasting durability and enhanced performance.

SUPERIOR CONSTRUCTION

Our traditional stile and rail doors feature a proprietary finger-jointed, laminated core constructed exclusively from hardwoods. This ensures exceptional durability, longevity, and performance. Additionally, the 11-ply core floating panels are designed to expand and contract smoothly, ensuring reliable performance across varying climate conditions.

SUSTAINABILITY FOCUSED

DSA's exclusively sourced timber is managed in an environmentally, socially, and economically beneficial manner. Sustainable timber is one of the most environmentally friendly materials currently available. It is a truly renewable natural carbon sink. DSA doors are hand-assembled domestically at our solar-powered production facility in Raleigh, North Carolina.

ENERGY-EFFICIENT

Our CLPF™ (Cross Laminated Ply Foam) doors feature an innovative, energy-efficient design, with an environmentally friendly foam core, sandwiched between aluminum-lined hardwood veneers and strengthening LVL bars. CLPF doors are **Energy Star** rated, to increase your home's energy efficiency, and feature double-glazed glass with soft low-emissivity coating, which minimizes thermal transfer into the home.

INDUSTRY EXPERTS

DSA's team comprises master craftsmen, manufacturing professionals, research and design specialists, custom design consultants, and dedicated service and sales representatives. Working collaboratively, our team delivers excellent customer service and support to home-owners, as well as our dealer network, while continuously improving and innovating our wood door products.











UNLOCK MORE ONLINE

Scan to visit us at DSADoors.com

Visit www.DSADoors.com to experience our full portfolio of innovative master-crafted doors, get a behind-the-scenes look at our process, and learn more about the options we have available. Use our '**Find Your Dealer**' tool to select a preferred DSA dealer in your area, and get started on your DSA door order today!

If you're in the planning stage, still dreaming about a new entryway, follow us on Facebook, Instagram and Pinterest for new design ideas, innovations and inspirations every week. We are @DSADoors, and we're looking forward to connecting with you!





SIGNATURE
Door Collections

Signature door collections have showcased 11 of our most popular and stylish designs over the past two decades. From DSA's versatile Alexandria collection, boasting a wide range of options and door sizes, to our Wakefield collection, featuring ornate hammered wrought iron and leaded glass, our Signature line offers a diverse range of styles to complement both contemporary and traditional homes.

PAGES 11 - 69

Photo: E-19 Tiffany 4LT TDL | pg 32



TRADITIONAL
Door Collections

Transform your entryway with a timeless, traditional exterior door from our extensive collection of 15 distinctive styles. Our Beloved Classics line offers enduring staples suited to a variety of classic home styles. Explore the rustic yet refined options in our Old World Charm designs, or the ornate iron and glass accents of our Enduring Elegance series.

PAGES 70 - 87

Photo: E-09 Colonial Six Panel | pg 74

MODERN
Door Collections

DSA's Modern door collections offer a bold, high-quality selection of Mahogany exterior door styles to create your dream entrance. Browse through our 19 dynamic door styles featuring clean lines, uncluttered designs, and a range of modern hardware options. Doors crafted with our innovative CLPF™ (Cross Laminated Ply Foam) construction are Energy Star rated, to meet evolving homeowner and building requirements.

PAGES 88 - 101

Photo: E-03 Carlo 8LT Horizontal | pg 99



FULL VIEW
Door Collections

High-performance Full View collections boast contemporary design and cutting-edge technologies to deliver impressive durability and versatile applications, all backed by our 5-year Accoya® warranty. Our Bifold doors and Slimline collection are Energy Star rated and feature our premium argon-filled glass, providing maximum viewing, without increasing your home's energy consumption.

PAGES 102 - 119

Photo: E-01 Slimline Model A - Abstract | pg 110





PORT IMPACT
Door Collection

Choose the certification your project demands without compromising style. Every Port door is engineered for extreme weather durability, safety, and security while maintaining DSA's signature mahogany craftsmanship. Available in 5 door series, with numerous style options and unit configurations, pair elevated design with verified coastal ratings - **WBD Impact** (Wind Borne Debris Region, DP±50) or **HVHZ Impact** (High Velocity Hurricane Zone, DP ±70, with Miami-Dade approval).

PAGES 120 - 137

Photo: E-04 Biscayne 6LT SDL - 8'0" | pg 124

To find out more about DSA's Coastal Doors, locate Florida or NAMI certification codes, or to get more information on our verified testing parameters, scan the QR code below or visit us at

www.DSADoors.com/CoastalRatedDoors

WBD IMPACT

Wind Borne Debris Region Impact Rated Doors

- Florida Impact Certified *Wind Borne Debris Region*
- NAMI Certified *states outside of Florida*
- Design Pressure +/- 50 psf
- Certified for Air Infiltration
- Windborne Debris and Large Missile Impact Resistant
- Cyclic Pressure Differentials
- Inswing and Outswing doors
- Single and Double doors with side lites and transom

HVHZ IMPACT

High Velocity Hurricane Zone Impact Rated Doors

- Florida Impact Certified *High Velocity Hurricane Zone*
- Miami/Dade NOA *High Velocity Hurricane Zone*
- Design Pressure +/- 70 psf
- Certified for Air *and* Water Infiltration
- Windborne Debris and Large Missile Impact Resistant
- HVHZ Cyclic Pressure Differentials
- Inswing and Outswing Single and Double doors

DP-50 RATED
Coastal Doors

Certified Strength & Performance

Our DP-50 Rated units are designed to meet the most demanding performance standards while offering a wide range of styles to suit both modern and traditional projects. Most door styles in our stocked collections are available with coastal-rated construction, tested and certified for a Design Pressure (DP) rating of 50 (+/- 50 psi) for exceptional strength against wind and hurricane pressure systems. Each DP-50 unit is backed by Florida Product Approval and NAMI Certification, ensuring compliance with rigorous coastal building codes and peace of mind for builders and homeowners alike. This combination of proven performance and versatile design selections makes our coastal rated doors the go-to solution for wood entry doors requiring durability, safety, and certified reliability.

DP50 RATED

Non-Impact Coastal Rated Doors

- Florida Certified *Non-Impact*
- NAMI Certified *states outside of Florida*
- Design Pressure +/- 50 psf
- Certified for Air Infiltration
- Inswing and Outswing doors
- Single and Double doors with side lite and transom unit configurations
- Rating available for most DSA collections and unit configurations.

ENERGY STAR® *Certification*

Our ENERGY STAR® certified doors are engineered for superior energy efficiency, meeting rigorous performance standards established by the National Fenestration Rating Council (NFRC). Each door is evaluated for its U-Factor, Solar Heat Gain Coefficient (SHGC), and Air Leakage (AL) to ensure optimal performance for your specific climate zone.

Our CLPF™ door construction, featured in collections such our Modern doors and Urban series, combines a Cross Laminated Ply-Foam with core with LVL reinforcement bars, delivering outstanding strength, insulation, and stability. For maximum clarity and comfort, our Slimline and Bifold doors feature a soft Low-E coated double pane glass filled with Argon gas, providing exceptional solar efficiency while maintaining expansive, beautiful views.

To view details on our ENERGY STAR® certifications, visit us online at www.DSADoors.com/Resources.

LUXE PIVOT

Make a bold statement with DSA's LUXE Pivot Doors. Available in pre-engineered styles or bespoke designs, our LUXE Pivot doors feature a robust 3-inch thickness and are equipped with the adjustable FritsJurgens System M+ pivot hinge, giving you complete control over every part of the door's movement.

Our oversized pivot doors, with custom sizes reaching a maximum of 6-feet wide and up to 12-feet tall, are offered with an automatic drop seal along the top and bottom, ensuring a tight and effortless closure.



FritsJurgens® System M+
Adjustable Pivot Hinge



Find out more about DSA's LUXE Pivot Doors online at
www.DSADoors.com/Pivot

Scan to view our entire Interior Door offering online.

INTERIOR *DOORS*

Bring DSA's master craftsmanship indoors with our line of solid core interior wood doors. Our interior doors are available in six contemporary styles with four premium wood veneer options and are offered prehung in finger-jointed laminated jambs with kerf-mounted bubble seals, which help prevent door slamming and enhance acoustic dampening and temperature regulation between rooms.

Solid Core





Sound Insulation

Our thicker, solid core interior doors muffle sound more effectively than hollow core doors.

Everyday Luxury

DSA's high-quality interior doors offer an everyday sense of luxury and refinement.

Lasting Durability

Carefully crafted with a solid wood engineered core, DSA's interior doors are built to last.

Primed White | *White Oak* | *Mahogany* | *American Walnut*

CUSTOM DOORS

Bring your inspiration to life with DSA's Custom Doors, by working with our Custom Design Team to curate the door of your dreams today!

CUSTOM DOOR DESIGNS

Whether following architectural plans or finding inspiration online, DSA can make your dream door a reality. From customized decorative details, wrought iron, and leaded glass designs, to unique and personalized features that accentuate your home's character and style, our full range of capabilities is at your fingertips when ordering a DSA custom door.

CUSTOM SIZES AND CONFIGURATIONS

Special order one of our standard doors or choose a custom design to meet your specific size and unit specifications. Whether creating a grand 12-foot tall entry, for new construction, or retrofitting an existing entryway, DSA can accommodate your requirements.

CUSTOM ENTRY SYSTEMS

DSA's custom capabilities extend to every door system we offer, including Coastal Rated, Bifold, Pivot, and Interior doors. We also offer custom individual door slabs that can be utilized for pocket or barn door applications.

CUSTOM TIMBER AND GLASS

Choose from six available wood species and fifteen glass types for your custom door. DSA also offers primed white, paint-grade Mahogany and Tricoya doors.

PREMIUM TIMBER



Mahogany



Knotty Alder



Walnut

White Oak

HIGH-PERFORMANCE



Accoya®



Tricoya®



Scan to view our Custom catalog online.



Alexandria

Tiffany

Aberdeen

Breezeport

Pinehurst

Tuscany

Urban

Keowee

Oconee

Trinity

Wakefield

Signature SDL

Alexandria and Aberdeen

SIGNATURE

DOOR COLLECTIONS

ALEXANDRIA



The Alexandria collections offers a curated selection of designs that balance personality and artistry. It's no surprise the Alexandria has remained a customer favorite for years. With a wide variety of lite options, sizes, and unit configurations, our Alexandria doors make it effortless to discover the perfect entrance for your home.

Modern Privacy Glass



Etched 4LT
6'8" and 8'0"



Etched 6LT
6'8" and 8'0"



Leaded 3LT
8'0"



Etched Glass



Leaded Glass

Each modern privacy glass pattern is crafted carefully to balance light, privacy, and style. Thoughtfully selected options ensure every entrance feels both timeless and personal.

Classic Lite Grids



1 Lite
6'8" and 8'0"



3 Lite TDL
8'0"



4 Lite TDL
6'8" and 8'0"



6 Lite TDL
6'8" and 8'0"



8 Lite TDL
8'0"



12 Lite TDL
8'0"



Clear



Flemish



Clear Beveled

Also offered as one of our Signature SDL Doors, with narrow or traditional style SDL grids and are available in all Alexandria door sizes - *see page 69.*

Colonial Recessed Panel

EXTERIOR



INTERIOR



**Optional flat moulding for exterior.*

Classic Ogee Raised Panel

EXTERIOR



INTERIOR



**Optional flat moulding for exterior.*

Studio Raised Panel

EXTERIOR



INTERIOR



**Optional flat moulding for exterior.*

Flat Shaker Panel

EXTERIOR



INTERIOR



**Optional flat moulding for exterior.*

Bottom Panel Style Options

Alexandria door units are available with four bottom panel styles. Our Alexandria construction includes a flat, low-profile moulding around the panel and glass on the interior side of the unit. Upon request, the moulding can be added to the unit's exterior.



INTERIOR

Colonial Recessed



INTERIOR

Classic Ogee



INTERIOR

Studio Raised



INTERIOR

Flat Shaker

Alexandria glass and panel moulding, on the unit's interior side, is a part of the door construction and cannot be removed. Optional matching exterior moulding is a standard option for Alexandria units, included at no additional cost.



E-04 Alexandria Etched 6LT - 8'0"

E-01 Alexandria Etched 4LT - 8'0"

SIDE LITE & TRANSOM GLASS



Etched



Clear

Alexandria Etched 4LT or 6LT 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Sandblasted IG Low E with Clear grids
Unit Type: Non-Rated or DP-50

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01
Door Size
3'0" x 6'8"



E-04
Door Size
6'0" x 6'8"



E-01
Door Size
3'0" x 8"0"



E-04
Door Size
6'0" x 8"0"

Side Lite & Transom Configurations



E-01+SL | E-03
Side Lite Width
12", 14"
Transom Lite
1 Lite - Clear or Etched



E-01+T
Transom Height
12", 14"
Transom Lite
1 Lite - Clear



E-09
Transom Height
12", 14"
Transom Lite
1 Lite - Clear or Etched



E-04+T
Transom Height
12"
Transom Lite
1 Lite - Clear

Alexandria Leaded 3LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Fluted & Sandblasted IG Low E with Flat Black Caming
Unit Type: Non-Rated or DP-50

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01
Door Width
3'0"
Door Height
8'0"



E-01+SL
Side Lite Width
12", 14"
Side Lite Style
1 Lite - Clear, Fluted or Etched



E-03
Side Lite Width
12", 14"
Side Lite Style
1 Lite - Clear, Fluted or Etched



E-04
Door Width
6'0"
Door Height
8'0"



E-01+T
Transom Height
12", 14"
Transom Lite
1 Lite - Clear



E-09
Transom Height
12", 14"
Transom Lite
1 Lite - Clear, Fluted or Etched



E-04+T
Transom Height
12"
Transom Lite
1 Lite - Clear



Leaded Glass



1/2" Flat Caming

SIDE LITE & TRANSOM GLASS



Clear



Fluted

E-01 Alexandria Leaded 3LT - 8'0"



E-09 Alexandria 1LT - 6'8"

Flemish

Clear

Alexandria 1 Lite 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear or Flemish IG Low E
Unit Type: Non-Rated or DP-50

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01

6'8" Door Width
2'6", 2'8", 3'0"

8'0" Door Width
2'6", 2'8", 3'0", 3'6"



E-01+SL | E-03

Side Lite Width
12", 14"

Side Lite Style
1 Lite



E-04

Door Width
5'0", 5'4", 6'0"

Door Height
6'8", 8'0"



E-04+T

Transom Height
12"

Transom Lites
1 Lite



E-01+T

Door Width
3'0", 3'6"

Transom Height
12", 14"

Transom Lites
1 Lite



E-04+SEGT

Door Width
5'4", 6'0"

Transom Height
21" (R78")

Transom Lites
1 Lite



E-09

Unit Width
12", 14" x 3'0" x 12", 14"

Transom Height
12", 14"

Transom Lites
1 Lite



E-14

Unit Width
12", 14" x 3'0" x 12", 14"

Transom Height
21" (R78")

Transom Lites
1 Lite

Alexandria 3LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear, Flemish or Clear Beveled IG Low E [1]
Unit Type: Non-Rated or DP-50

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01
Door Width
2'8", 3'0"
Door Height
8'0"



E-01+SL | E-03
Side Lite Width
12", 14"
Side Lite Style
1LT or 3LT



E-04
Door Width
5'4", 6'0"
Door Height
8'0"



E-04+T
Transom Height
12"
Transom Lites
1LT, 4LT, or 5LT



E-01+T
Door Width
3'0"
Transom Height
12", 14"
Transom Lites
1 Lite



E-04+SEGT [2]
Door Width
5'4", 6'0"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT



E-09
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Lites
1LT, 3LT, 4LT or 5LT



E-14 [2]
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT

[1] *1 Lite (1LT) Side Lites and Transoms are not available in Clear Beveled glass - only Clear (flat) or Flemish.*
[2] *E-04+SEGT and E-14 arched transom is only available in a 5-lite TDL (true divided lite) pattern for Clear Beveled glass.*



Clear Beveled



Flemish



Clear

E-01+SL Alexandria 3LT TDL - 8'0"



E-04 Alexandria 4LT TDL - 8'0"

Clear Beveled

Flemish

Clear

Alexandria 4LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear, Flemish or Clear Beveled IG Low E [1]
Unit Type: Non-Rated or DP-50

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01
Door Width
2'6", 2'8", 3'0"
Door Height
6'8", 8'0"



E-01+SL | E-03
Side Lite Width
12", 14"
Side Lite Style
1LT or 2LT



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-04+T
Transom Height
12"
Transom Lites
1LT, 4LT, or 5LT



E-01+T
Door Width
3'0"
Transom Height
12", 14"
Transom Lites
1LT or 2LT



E-04+SEGT [2]
Door Width
5'4", 6'0"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT



E-09
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Lites
1LT, 3LT, 4LT, or 5LT



E-14 [2]
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT

[1] *1 Lite (1LT) Side Lites and Transoms are not available in Clear Beveled glass - only Clear (flat) or Flemish.*
[2] *E-04+SEGT and E-14 arched transom is only available in a 5-lite TDL (true divided lite) pattern for Clear Beveled glass.*

Alexandria 6LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear, Flemish or Clear Beveled IG Low E [1]
Unit Type: Non-Rated or DP-50

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01
Door Width
2'6", 2'8", 3'0"
Door Height
6'8", 8'0"



E-01+SL | E-03
Side Lite Width
12", 14"
Side Lite Style
1LT or 3LT



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-04+T
Transom Height
12"
Transom Lites
1LT, 4LT, or 5LT



E-01+T
Door Width
3'0"
Transom Height
12", 14"
Transom Lites
1LT or 2LT



E-04+SEGT [2]
Door Width
5'4", 6'0"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT



E-09
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Lites
1LT, 3LT, 4LT, or 5LT



E-14 [2]
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT

[1] *1 Lite (1LT) Side Lites and Transoms are not available in Clear Beveled glass - only Clear (flat) or Flemish.*
[2] *E-04+SEGT and E-14 arched transom is only available in a 5-lite TDL (true divided lite) pattern for Clear Beveled glass.*



Clear Beveled

Flemish

Clear

E-14 Alexandria 6LT TDL - 6'8"

Alexandria 8LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear, Flemish or Clear Beveled IG Low E [1]
Unit Type: Non-Rated or DP-50

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01
Door Width
2'8", 3'0", 3'6"
Door Height
8'0"



E-01+SL | E-03
Side Lite Width
12", 14"
Transom Lites
1LT or 3LT



E-04
Door Width
5'4", 6'0"
Door Height
8'0"



E-04+T
Transom Height
12"
Transom Lites
1LT, 4LT, or 5LT



E-01+T
Door Width
3'0", 3'6"
Transom Height
12", 14"
Transom Lites
1LT or 2LT



E-04+SEGT [2]
Door Width
5'4", 6'0"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT



E-09
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Lites
1LT, 4LT, or 5LT



E-14 [2]
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT

[1] *1 Lite (1LT) Side Lites and Transoms are not available in Clear Beveled glass - only Clear (flat) or Flemish.*
[2] *E-04+SEGT and E-14 arched transom is only available in a 5-lite TDL (true divided lite) pattern for Clear Beveled glass.*

Alexandria 12LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear or Flemish IG Low E
Unit Type: Non-Rated or DP-50

Panel: Recessed, Classic or Studio Raised, and Flat
Glazing Bead: Ovolo



E-01
Door Width
3'0", 3'6"
Door Height
8'0"



E-01+SL | E-03
Side Lite Width
12", 14"
Side Lite Style
1LT or 3LT



E-04
Door Width
6'0"
Door Height
8'0"



E-04+T
Transom Height
12"
Transom Lites
1LT, 5LT, or 6LT



E-01+T
Door Width
3'0", 3'6"
Transom Height
12", 14"
Transom Lites
1LT or 3LT



E-04+SEGT
Door Width
5'4", 6'0"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT



E-09
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12", 14"
Transom Lites
1LT, 4LT, or 5LT



E-14
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
21" (R78")
Transom Lites
1LT, 4LT, or 5LT

TIFFANY



E-01A Tiffany 6LT TDL - 8'0"

Tiffany exterior doors boost curb appeal and provide a perfect complement to arched masonry and architectural features. With five classic Mahogany grid styles and two solid panel options, our Tiffany collection exemplifies charm, by creating a warm, inviting entry.



Tiffany 4LT TDL
8′0″



Tiffany 6LT TDL
6′8″ and 8′0″



TIffany 8LT TDL
8′0″



Tiffany Diamond 7LT TDL
8′0″



Tiffany 9LT TDL
8′0″



Tiffany Solid Panel
8′0″



Solid Panel with Speakeasy
8′0″



E-19 Tiffany 6LT TDL - 8'0"

Tiffany 4LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled or Flemish IG Low E
Unit Type: Non-Rated or DP-50 Rated

Panel: Ogee Raised Panel
Glazing Bead: Ovolo



Clear Beveled



Flemish



E-17

Door Width
5'0", 5'4", 6'0"
Door Height:
8'0" (R78")



E-19

Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")



E-19B

Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24"



Tiffany 8LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled or Flemish IG Low E
Unit Type: Non-Rated or DP-50 Rated



E-17

Door Size
5'0", 5'4", 6'0" x 8'0"
(R78")

Tiffany 6LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled or Flemish IG Low E[1]
Unit Type: Non-Rated or DP-50 Rated

Panel: Ogee Raised Panel
Glazing Bead: Ovolo



E-01
Door Width
3'0"
Door Height
8'0"



E-01A
Door Width
3'0"
Door Height
8'0" (R78")



E-01B
Door Width
3'0"
Door Height
8'0" (R22")



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-18
Unit Width
12" x 3'0" x 12"
Door Height
8'0" (R78")

6'8" Doors



E-19
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")



E-19B
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24"



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
6'8"



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
6'8" (R78")

[1] *Flemish IG Low E glass is only available for 8'0" door units.*

Tiffany Diamond 7LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50 Rated

Panel: Ogee Raised Panel
Glazing Bead: Ovolo





E-01B

Door Width
3'0"
Door Height
8'0" (R22")



E-17

Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")

Tiffany 9LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50 Rated



E-01B

Door Width
3'0"
Door Height
8'0" (R22")



E-17

Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



Tiffany Solid Panel with Speakeasy 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Non-Operable Speakeasy: Clear IG Low E
Unit Type: Non-Rated or DP-50 Rated

Unit Configuration: E-17 *(Arched Double Door)*
Double Door Size: 5'0", 5'4", 6'0" x 8'0" (R78")
Panel Style: V-Groove Ogee Raised Panel



Tiffany Solid Panel 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Pane/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50 Rated

Transom Glass: Clear or Flemish IG Low E
** Also available with non-operable Speakeasy.*



E-01
Door Width
3'0"
Door Height
8'0"



E-01B
Door Width
3'0"
Door Height
8'0" (R22")



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-19
Door Size
5'4", 6'0" x 8'0"
Transom Height
24" (R78")



E-01B Aberdeen 6LT TDL - 8'0"

ABERDEEN

The timeless elegance of our Aberdeen collection has made this DSA door a signature staple, for homeowners and builders alike. Featuring dramatic arched raised panels with arched mahogany grids, ornate wrought iron grilles, or beveled glass with caming, our timeless Aberdeen doors will create a lasting impression for generations to come.



Aberdeen 1LT
6'8" and 8'0"



Aberdeen 6LT TDL
8'0"



Abedeen Leaded 6LT TDL
8'0"



Abedeen Burlwood
6'8" and 8'0"



Abedeen Redwood
8'0"



Aberdeen Solid Panel
8'0"

Aberdeen 1LT 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear or Flemish IG Low E
Unit Type: Non-Rated or DP-50
Panel: Ogee Raised Panel
Glazing Bead: Ovolo



E-01
Door Width
3'0"
Door Height
8'0"



E-01B
Door Width
3'0"
Door Height
8'0" (R22")



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0" (R78")



E-19
Door Width
5'4", 6'0"
Door Height
6'8", 8'0"
Transom Height
24" (R78")

Aberdeen Leaded 6LT

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled with Silver Caming
Panel/Glazing Bead: Ogee Raised Panel/Ovolo
Unit Type: Non-Rated or DP-50



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



Aberdeen 6LT TDL 8'0"

Wood Species: Mahogany Stain Grade
Door Thickness: 1 3/4"
Glass: Clear Beveled or Flemish IG Low E
Panel: Ogee Raised Panel
Glazing Bead: Ovolo
Unit Type: Non-Rated or DP-50





E-01
Door Width
3'0"
Door Height
8'0"



E-01B
Door Width
3'0"
Door Height
8'0" (R22")



Clear Beveled



Flemish



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-19
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")



E-19B
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24"

Aberdeen Burlwood 6'8" & 8'0"

Wood Species: Mahogany Stain Grade
Door Thickness: 1 3/4"
Glass: Clear or Flemish IG Low E
Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel
Glazing Bead: Ovolo



E-01
Door Width
3'0"
Door Height
8'0"



E-01B
Door Width
3'0"
Door Height
8'0" (R22")



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0" (R78")



E-19
Door Width
5'4", 6'0"
Door Height
6'8", 8'0"
Transom Height
24" (R78")





Aberdeen Redwood 8'0"

Wood Species: Mahogany Stain Grade
Door Thickness: 1 3/4"
Glass: Clear or Flemish IG Low E
Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel
Glazing Bead: Ovolo



E-01
Door Width
3'0"
Door Height
8'0"



E-01B
Door Width
3'0"
Door Height
8'0" (R22")



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-19
Door Width
5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")

Aberdeen Solid Panel 8'0"

Wood Species: Mahogany Stain Grade
Door Thickness: 1 3/4"
Glass: Clear Beveled or Flemish IG Low E
Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel
Glazing Bead: Ovolo



E-01
Door Width
3'0"
Door Height
8'0"



E-01B
Door Width
3'0"
Door Height
8'0" (R22")



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-19
Door Size
5'4", 6'0" x 8'0"
Transom Height
24" (R78")

BREEZEPORT



E-17 Breezeport 6LT - 8'0"

Let the outside in with DSA's Breezeport collection! Featuring operable glass panels, with durable fiberglass screens and a built-in weep system, this unique design style is a long-standing customer favorite. Adorned with exterior raised moulding, our Breezeport doors are also offered with a wide variety of privacy glass options.



Breezeport 4 Lite
6'8"



Breezeport 4 Lite
8'0"



Breezeport 6 Lite
8'0"



Breezeport Full Lite
8'0"

Breezeport Operable Window Hardware

Mortised concealed hinges for operable breezeway window.



Premium fiberglass screen.



Operable windows feature a HOPPE® lock with discreet hardware for a modern aesthetic.





Breezeport 4 Lite 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"
Glass: Clear, Flemish, Rain, or Seedy Baroque IG Low E
Operable Window Thumbturn: Black or Satin Nickel
Unit Type: Non-Rated **Panel:** Ogee Raised with Exterior Moulding



E-01
Door Width
2'8", 3'0"
Door Height
6'8", 8'0"



E-04
Door Width
5'4", 6'0"
Door Height
6'8", 8'0"



E-17
Door Width
5'4", 6'0"
Door Height
8'0" (R78")

Breezeport 6 Lite 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"
Glass: Clear, Flemish, Rain, or Seedy Baroque IG Low E
Operable Window Thumbturn: Black or Satin Nickel
Unit Type: Non-Rated **Panel:** Ogee Raised with Exterior Moulding



E-01
Door Width
2'8", 3'0"
Door Height
8'0"



E-04
Door Width
5'4", 6'0"
Door Height
8'0"



E-17
Door Width
5'4", 6'0"
Door Height
8'0" (R78")

Insulated Low-E Glass



Clear



Flemish



Rain



Seedy Baroque

Breezeport Full Lite 8'0"

Wood Species: Mahogany Stain Grade
Door Thickness: 2 1/4"
Glass: Clear or Flemish IG Low E
Operable Window Thumbturn: Black or Satin Nickel
Unit Type: Non-Rated

* *Indicates product image*



E-01

Sash Type
1LT or 4LT*

Door Width
2'8", 3'0"

Door Height
8'0"



E-04

Sash Type
1LT* or 4LT

Door Width
5'4", 6'0"

Door Height
8'0"





Clear



Flemish

GU® Multipoint + Berkeley Gripset
with Interior Knob

Due to the unique design of our Breezeport collection, interior lever handles, which would prevent the operable glass panel within the slab from opening, are not an option. By pairing the Berkeley Gripset handle with the GU Secury™ 3-Point Lock, DSA offers an interior square knob which is compatible with our Breezeport doors.

Also available with the Tedee Smart Lock for keyless entry.
To find out more, see pages 146-147 in this catalog.



PINEHURST



E-01C Pinehurst 6LT SDL - 8'0"

Refined yet inviting, the Pinehurst collection celebrates the enduring charm of true-radius arches. Each Pinehurst is crafted from our premium mahogany timber to showcase natural richness and strength. The result is a striking entrance that embodies elegance and distinction for homes of character.





Pinehurst 2/3rd Lite (TDL & SDL)
4LT, 6LT and 8LT grids





Pinehurst Full Lite (SDL)
4LT (Thin & Wide), 6LT and 8LT grids

Pinehurst Solid Panel 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Non-Operable Speakeasy Glass: Clear IG Low E
Panel: V-Groove Ogee Raised Panel
Unit Type: Non-Rated or DP-50 [1]



E-17B
Door Width
5'4", 6'0"
Door Height
8'0" (R32", R36")



Square Clavos



Round Clavos



Speakeasy Grilles
Scroll or Straight



[1] *E-17B, true radius double door, must include the GU Mortised Flushbolts (see pg.143) if not prepped with a multipoint lock.*

Pinehurst 2/3rd Lite 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
TDL Grid Glass: Clear Beveled or Flemish IG Low E
SDL Grid Glass: Clear IG Low E *(7/8" SDL)*

Panel/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50 [1, 2]



4 Lite



6 Lite



8 Lite



Flemish
TDL (1-5/8")



Clear Beveled
TDL (1-5/8")



Clear
SDL (7/8")

E-01C Single Door Size: 3'0" x 8'0"
E-17B Double Door Size: 5'4" x 6'0" x 8'0"

4 Lite 8'0"



E-01C



E-17B

6 Lite 8'0"



E-01C



E-17B

[1] *DP-50 Rated E-01C, true radius single door, is not compatible with the Ashland multipoint locking system.*
[2] *E-17B, true radius double door, must include the GU Mortised Flushbolts (see pg.143) if not prepped with a multipoint lock.*



E-01C- Pinehurst 8LT TDL with Clear Beveled IG Low E



E-17B - Pinehurst 4LT TDL with Flemish IG Low E

8 Lite 8'0"



E-01C



E-17B

INTERIOR FLAT MOLDING



Low profile flat molding on interior side is non-removable.

[1] *DP-50 Rated E-01C, true radius single door, is not compatible with the Ashland multipoint locking system.*
[2] *E-17B, true radius double door, must include the GU Mortised Flushbolts (see pg.143) if not prepped with a multipoint lock.*

Pinehurst Full Lite 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear IG Low E **Glazing Bead:** Ovolo
Unit Type: Non-Rated or DP-50 [1, 2]

DP50 RATED

4LT SDL

7/8" Ovolo SDL



E-01C
Door Size
3'0", 3'6" x 8'0"
(R18", R21")

E-17B
Door Size
6'0" x 8'0"
(R36")

4LT Wide SDL

4 1/2"
Modern SDL



E-01C
Door Size
3'0", 3'6" x 8'0"
(R18", R21")

E-17B
Door Size
6'0" x 8'0"
(R36")

6LT SDL

7/8" Ovolo SDL



E-01C
Door Size
3'0", 3'6" x 8'0"
(R18", R21")

E-17B
Door Size
6'0" x 8'0"
(R36")

8LT SDL

7/8" Ovolo SDL



E-01C
Door Size
3'0", 3'6" x 8'0"
(R18", R21")

E-17B
Door Size
6'0" x 8'0"
(R36")

[1] *DP-50 Rated E-01C, true radius single door, is not compatible with the Ashland multipoint locking system.*
[2] *E-17B, true radius double door, must include the GU Mortised Flushbolts (see pg.143) if not prepped with a multipoint lock.*



E-01C Pinehurst Full 4LT Wide SDL - 8'0"

TUSCANY



E-03 Tuscany 6LT TDL - 6'8"

DSA's Tuscany collection showcases the timeless, simple elegance of the American Craftsman style, allowing our premium Mahogany and quality construction to take center stage. Featuring vertical shaker panels, an optional dentil shelf, and three TDL grid styles, our Tuscany doors have maintained their popularity for decades.

Tuscany 3LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50

Panel: Flat Recessed Panel
Glazing Bead: Craftsman
Optional Dentil Shelf: 3-Tooth



E-01
Door Width
3'0"
Door Height
6'8"



E-01
Door Width
3'0"
Door Height
8'0"



E-01+T
Door Width
3'0"
Transom Height
12", 14", 16"



E-01+SL | E-03
Side Lite Width
12", 14"
Side Lite Style
Full-View or 1LT



E-08
Side Lite Width
12", 14"
Transom Height
12", 14", 16"

Tuscany 6LT TDL 6'8" & 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50

Panel: Flat Recessed Panel
Glazing Bead: Craftsman
Optional Dentil Shelf: 3-Tooth



E-01
Door Width
3'0"
Door Height
6'8"



E-01
Door Width
3'0", 3'6"
Door Height
8'0"



E-01+T
Door Width
3'0", 3'6"
Transom Height
12", 14", 16"



E-01+SL | E-03
Side Lite Width
12", 14"
Side Lite Style
Full-View or 2LT



E-08
Side Lite Width
12", 14"
Transom Height
12", 14", 16"

Tuscany Glencoe 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50

Panel: Tuscany Flat Panel
Glazing Bead: Craftsman
Optional Dentil Shelf: 3-Tooth



E-01
Door Width
3'0"
Door Height
8'0"



E-01+T
Door Width
3'0"
Transom Height
12", 14", 16"



E-01+SL | E-03
Side Lite Width
12", 14"
Side Lite Style
Full-View



E-08
Side Lite Width
12", 14"
Transom Height
12", 14", 16"



E-01 Tuscany 3LT TDL | pg 53

DP50 RATED

URBAN



E-01 Urban 3LT SDL - 8'0"

DSA's signature Urban Collection is constructed with acetylated Accoya®, a modified timber, engineered to withstand the natural elements to which wood doors are often susceptible. Our Accoya doors boast a limited 5-year warranty and do not require an overhang. Incorporating our CLPF™ (Cross Laminated Ply Foam) core and argon glass, our Urban Collection is Energy Star Rated with a U-Factor of 0.29.



Urban 1LT



Urban 2LT



Urban 3LT



Urban 4LT



Urban 6LT



Accoya®



Urban 7LT



Urban 8LT



Urban 9LT



Urban Twin

Modern SDL Grids

Accoya SDL grids are directly applied to the glass surface.



Urban Twin SDL width: 4 1/2"



Primed FrameSaver™ with 180 Brickmould

E-01 Urban 8LT SDL - 8'0"

Urban Configurations 8'0"

Wood Species: Accoya® (CLPF) Stain Grade, 1 3/4"
Glass: Clear or Flemish IG Low E with Argon Gas
Side Lite Width: 12" **Transom Height:** 12"
Unit Type: Non-Rated or DP-50

Single Door Size: 3'0" x 8'0"
Double Door Size: 6'0" x 8'0"
Panel: Modern Flat Panel
Glazing Bead: Modern



E-01



E-01+SL



E-03



E-04



E-01+T



E-01+T+SL



E-09



E-04+T



E-17 Keowee 6LT TDL - 8'0"

KEOWEE

DP50 RATED

Embrace the beauty of timeless arched details paired with the charm of knotted wood. With a robust 2 1/4" thickness, and a beautiful Knotty Alder veneer, DSA's Keowee combines the warmth of rustic design with luxurious elegance. Featuring dramatic arched panels with vertical grooves and arched panes of traditional Clear Beveled glass, the Keowee will make a signature statement for years to come.

Keowee 6LT TDL 8'0"

Wood Species: Knotty Stain Grade, 2 1/4"
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50

Panel: V-Groove High Country Raised
Glazing Bead: High Country



E-01
Door Width
3'6"
Door Height
8'0"



E-01A
Door Width
3'6"
Door Height
8'0" (R78")



E-17
Door Width
5'0", 5'4", 6'0"
Door Height
8'0" (R78")



E-19
Door Width
5'0", 5'4", 6'0"
Door Height
8'0"
Transom Height
24" (R78")



OCONEE



Clear Beveled



Flemish

E-01 Oconee 6LT TDL - 6'8"

The Oconee collection from DSA is an ideal entry door for contemporary farmhouse or barn-style homes, blending the beauty of rustic knotted wood with modernized styling. Available in a popular 6-lite grid design with Clear Beveled or Flemish glass, a variety of door sizes, and two panel options, our Oconee collection can be customized to meet your specific needs and personal style.

Oconee 6LT TDL 6'8" & 8'0"

DP50 RATED

Wood Species: Knotty Alder Stain Grade, 1 3/4"
Glass: Clear Beveled or Flemish IG Low E
Panel/Glazing Bead: High Country
Unit Type: Non-Rated or DP-50



E-01
Door Width
2'6", 2'8", 3'0"
Door Height
6'8", 8'0"



E-04
Door Width
5'0", 5'4", 6'0"
Door Height
6'8", 8'0"



E-03
Side Lite Width
12", 14"
Door Height
6'8", 8'0"



E-09
Door Size
3'0" x 6'8", 8'0"
Side Lite Width
12", 14"
Transom Height
12", 14"

Bottom Panel Options

Choose from two High Country raised bottom panel styles, with smooth surface or vertical v-grooves.







TRINITY

DP50 RATED

The Trinity collection from DSA offers five stunning Mahogany door styles to complement a variety of architectural styles. Featuring an expansive 42-inch door width, flanked by matching side lites, our arched Trinity doors exude unparalleled luxury and timeless quality.



Trinity 2 Panel
8′0″



Trinity Tessera 1LT
8′0″



Trinity 2LT TDL
8′0″



Trinity 9LT TDL
8′0″



Trinity 12LT TDL
8′0″

Trinity 2 Panel 8′0″

Wood Species: Mahogany Stain Grade, 2 1/4″
Glass: Clear Beveled or Flemish IG Low E
Panel/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50



E-01A
Door Width
3′6″
Door Height
8′0″ (R78″)



E-18
Unit Width
14″ x 3′6″ x 14″
Door Height
8′0″ (R78″)



Trinity Tessera 1LT 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"
Glass: Leaded Glass w/ Silver Caming
Panel/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50



E-01A
Door Width
3'6"
Door Height
8'0" (R78")



E-18
Unit Width
14" x 3'6" x 14"
Door Height
8'0" (R78")

Trinity 2LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"
Glass: Clear Beveled IG Low E
Panel/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50



E-01A
Door Width
3'6"
Door Height
8'0" (R78")



E-18
Unit Width
14" x 3'6" x 14"
Door Height
8'0" (R78")

Trinity 9LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"
Glass: Clear Beveled IG Low E
Panel/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50



E-01A
Door Width
3'6"
Door Height
8'0" (R78")



E-18
Unit Width
14" x 3'6" x 14"
Door Height
8'0" (R78")

Trinity 12LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 2 1/4"
Glass: Clear Beveled or Flemish IG Low E
Panel/Glazing Bead: Ogee Raised Panel, Ovolo
Unit Type: Non-Rated or DP-50



E-01A
Door Width
3'6"
Door Height
8'0" (R78")



E-18
Unit Width
14" x 3'6" x 14"
Door Height
8'0" (R78")



WAKEFIELD

Unlock elegance with DSA's Wakefield collection, featuring two traditional door styles with decorative hammered wrought iron and stunning Tessera leaded glass. Our Wakefield doors are offered with optional exterior raised moulding for a classic touch, and are available in single or double doors with the option of matching side lites.

Wakefield Burlwood 8'0"

Wood Species: Mahogany Stain Grade
Door Thickness: 1 3/4"
Glass: Clear or Flemish IG Low E
Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel
(optional Exterior Moulding)
Glazing Bead: Ovolo





E-01
Door Width
3'0"
Door Height
8'0"



E-03
Side Lite Width
12", 14"
Door Size
3'0" x 8'0"



E-04
Door Width
6'0"
Door Height
8'0"



E-04R
Door Width
6'0"
Door Height
8'0"

Exterior Raised Moulding

Wakefield doors are offered with optional exterior raised molding applied around Tessera glass and bottom panels.



Wakefield Tessera 8'0"

Wood Species: Mahogany Stain Grade,1 3/4"
Glass: Tessera Leaded Glass with Silver Caming
Unit Type: Non-Rated or DP-50

Panel: Ogee Raised Panel *(optional Ext. Moulding)*
Glazing Bead: Ovolo



E-01
Door Size:
3'0" x 8'0"



E-03
Side Lite Width
12", 14"



E-04
Door Size:
6'0" x 8'0"



Silver Caming



SIGNATURE SDL



Clear

Flemish

E-04 Alexandria 8LT SDL - 8'0"

At DSA, we pride ourselves in offering a wide selection of quality wood doors that satisfy the unique needs of even the most discerning homeowner. With our Signature SDL (Simulated Divided Lite) doors, we are able to offer more styles and sizes, that are not stock options, for our Aberdeen and Alexandria door collections. Our master artisans apply Mahogany grids directly to the glass of these single lite doors with high-strength, weatherproof double-sided adhesive.

SDL Profile and Sizes



Ovolo, 7/8"

Narrow, contemporary grids



Ovolo, 1 5/8"

to match TDL (True Divided Lite)

Alexandria Signature SDL

Wood Species: Mahogany Stain Grade, 1 3/4"
Unit Configurations: E-01, E-01+SL, E-01+T, E-03, E-04, E-04+T, E-04+SEGT, E-09, and E-14
6'8" Door Sizes: 2'6", 2'8", 3'0" x 6'8" | **Double:** 5'0", 5'4", 6'0" x 6'8"
8'0" Door Sizes: 2'6", 2'8", 3'0", 3'6" x 8'0" | **Double:** 5'0", 5'4", 6'0" x 8'0"
Glass: Clear or Flemish IG Low E **Unit Type:** Non-Rated or DP-50
SDL Size/Profile: Ovolo 7/8" or 1 5/8"



Studio 3LT SDL



Studio 4LT SDL



Studio 6LT SDL



Studio 8LT SDL

Aberdeen Signature SDL

Wood Species: Mahogany Stain Grade, 1 3/4"
6'8" Unit Configurations: E-04 and E-17 | **Double Door Sizes:** 5'0", 5'4", 6'0" x 6'8"
8'0" Unit Configurations: E-01, E-01B, E-04 and E-17 | **Single Door Size:** 3'0" x 8'0"
8'0" Double Door Sizes: 5'0", 5'4", 6'0" x 8'0"
Glass: Clear or Flemish IG Low E **Unit Type:** Non-Rated or DP-50
SDL Size/Profile: Ovolo 7/8"



Aberdeen 3LT SDL



Aberdeen 4LT SDL



Aberdeen 6LT SDL



Aberdeen 9LT SDL


E-01 Lakewood 4LT TDL - 6'8"

TRADITIONAL
DOOR COLLECTIONS



Beloved Classics

The classic door styles featured in these seven cherished collections effortlessly enhance the beauty of Colonial, Cape Cod, Craftsman, and traditional-style homes, with their simple, yet elegant, design.

Featured Collections

Belle Meade
Brentwood
Lousiburg
Madison
Decatur Hendersonville
Lakewood
Colonial



Old World Charm

Step back in time with our Old World Charm collections. Crafted from our premium Mahogany and Knotty Alder timber, these six traditional door styles evoke the rustic elegance of eras past, showcasing exceptional craftsmanship and unwavering style.

Featured Collections

Briarcliff
Kenmure
Dutch
Linville
Porthole
Meadowlands



Enduring Elegance

Elevate your home's curb appeal with the unparalleled style and sophistication of our Enduring Elegance doors. Blending romantic wrought iron and classic, glamorous design, these collections seamlessly combine historic charm and modern luxury to create a timeless impression.

Featured Collections

Hampshire
Tessera or Iron
Seville
Decatur Hendersonville
with Burlwood Iron

DP50 RATED



E-09 Belle Meade Solid Panel - 6'8"

SIDE LITE & TRANSOMS

Side Lite Size: 10", 12", and 14"
E-09 Transom: 10" and 12"
E-01+T Transom: 12" and 14"
E-14 Transom: 21" (R78")

Glass: Clear Beveled IG Low E



E-14 [1]



E-09



E-01+T



E-01+SL | E-03

[1] *E-14 configurations are only available with 12" or 14" side lites.*

Wood Species: Mahogany Stain Grade
Door Thickness: 1 3/4"
Unit Type: Non-Rated or DP-50

Belle Meade 6'8"

Panel: Ogee Raised Panel
**Non-operable Speakeasy Window available*



E-01
Door Size
3'0" x 6'8"



E-01B
Door Size
3'0" x 6'8" (R40")

6'8" Decatur Hendersonville

Panel: V-Grooved Ogee Raised Panel
**Non-operable Speakeasy Window available*
See page 85 for Burlwood Iron options



E-01
Door Size
3'0" x 6'8"



E-01B
Door Size
3'0" x 6'8" (R40")

Brentwood 4LT 6'8"

Glass: Clear Beveled IG Low E
Panel/Glazing Bead: Ogee Raised, Ovolo



E-01
Door Size
3'0" x 6'8"



E-01B
Door Size
3'0" x 6'8" (R40")

Lakewood 4LT 6'8"

Glass: Clear Beveled IG Low E
Panel/Glazing Bead: Ogee Raised, Ovolo
Optional Dentil Shelf: 5-Tooth



E-01
Door Size
3'0" x 6'8"



E-01B
Door Size
3'0" x 6'8" (R40")

Colonial 6 Panel 6'8" & 8'0"

Wood: Mahogany Stain Grade, 1 3/4"
Panel: Ogee Raised Panel
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50

Door Size: 3'0" x 6'8", 8'0" | **Side Lite Width:** 10", 12", and 14"
E-01+T Transom: 12", 14" | **E-09 Transom:** 10", 12"
E-14 Transom: 21" (R78") | **Glazing Bead:** Ovolo



E-01



E-01+SL | E-03



E-01+T



E-09



E-14 [1]

Louisburg 4LT TDL 6'8"

Wood: Mahogany Stain Grade, 1 3/4"
Panel: Ogee Raised Panel
Unit Type: Non-Rated or DP-50

Door Size: 3'0" x 6'8" | **Side Lite Width:** 10", 12", and 14"
E-09 Transom: 10", 12" | **E-14 Transom:** 21" (R78")
Glass/Glazing Bead: Clear Beveled IG Low E, Ovolo



E-01



E-01+SL | E-03



E-09



E-14 [1]

[1] *E-14 configurations are only available with 12" or 14" side lites.*



E-09 Louisburg 4LT TDL - 6'8"



E-03 Madison 9LT TDL - 6'8"

Madison 9LT TDL 6'8"

Wood: Mahogany Stain Grade, 1 3/4"
Panel: Ogee Raised Panel
Unit Type: Non-Rated or DP-50

Glass: Clear Beveled IG Low E
Glazing Bead: Ovolo



E-01
Door Size
3'0" x 6'8"



E-01+SL
Door Size
3'0" x 6'8"
Side Lite Width
10", 12", 14"



E-03
Door Size
3'0" x 6'8"
Side Lite Width
10", 12", 14"



E-09
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12"

Madison 9LT TDL 8'0"

Wood: Mahogany Stain Grade, 1 3/4"
Panel: Ogee Raised Panel
Unit Type: Non-Rated or DP-50

Glass: Clear Beveled IG Low E
Glazing Bead: Ovolo



E-01
Door Size
2'6", 2'8", 3'0" x 8'0"



E-04
Door Size
5'0", 5'4", 6'0" x 8'0"



E-01+1SL
Door Size
2'6", 2'8", 3'0" x 8'0"
Side Lite Width
10", 12", 14"



E-03
Door Size
2'6", 2'8", 3'0" x 8'0"
Side Lite Width
10", 12", 14"



E-09
Unit Width
12", 14" x 3'0" x 12", 14"
Transom Height
12"



E-04 Madison 9LT TDL - 8'0"

Old World Charm

Mahogany Doors

Briarcliff - 8'0"
Linville 6LT - 8'0"
Porthole 8LT - 8'0"
Dutch 4LT - 6'8"
Dutch 6LT - 8'0"

Knotty Alder Doors

Briarcliff - 8'0"
Kenmure - 8'0"
Meadowlands 6LT - 8'0"
Meadowlands 9LT - 8'0"



E-03 Dutch 4LT TDL (Arched Glass) - 6'8" (*with custom drip shelf*)



E-18B Kenmure Solid Panel with Speakeasy - 8'0"



Briarcliff 8'0"

Wood Species: Mahogany or Knotty Alder Stain Grade
Door Thickness: 1 3/4" **Panel:** V-Groove Ogee Raised
Non-Operable Speakeasy Glass: Clear IG Low E
Unit Type: Non-Rated or DP-50



E-01
Door Size
3'0" x 8'0"



E-01B
Door Size
3'0" x 8'0"
(R22")

ACCESSORIES



Clavos



14" Hinge Straps



Straight or Scroll Grille



E-17 Linville 6LT TDL - 8'0"

Linville 6LT TDL 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Glass/Glazing Bead: Clear IG Low E, Ovolo
Panel: V-Grooved Ogee Raised Panel
Optional Dentil Shelf: 3-Tooth
Unit Type: Non-Rated or DP-50



E-01
Door Size
3'6" x 8'0"



E-01B
Door Size
3'6" x 8'0"
(R40")



E-17
Door Size
5'4", 6'0" x 8'0"
(R78")

Kenmure 8'0"

Wood Species: Knotty Alder Stain Grade, 2 1/4"
Glass: Clear Beveled IG Low E
Unit Type: Non-Rated or DP-50

Door Size: 3'6" x 8'0" **Side Lite Width:** 16"
E-18B Transom Height: 24" Center (R78")
Panel/Glazing Bead: V-Grooved High Country

Available with or without non-operable Speakeasy Window in Clear IG Low E glass.



E-01



E-01A (R78")



E-18 (R78")



E-18B (R78")



Porthole

DP50 RATED



Door Specifications

Wood Species: Mahogany Stain Grade
Door Thickness: 1 3/4”
Unit Type: Non-Rated or DP-50[1]

Glass: Clear Beveled IG Low E
Door Size: 3’6” x 8’0”
Configuration: E-01C (R21”)

Panel: Plank V-Groove
Glazing Bead: Ovolo

[1] *DP-50 Rated E-01C, true radius single door, is not compatible with the Ashland multipoint locking system.*



DUTCH DOOR SPECIFICATIONS

Wood Species
Mahogany Stain Grade

Door Thickness
1 3/4″

Door Style and Height
4 Lite, 6′8″ | 6 Lite, 8′0″

Unit Type
Non-Rated

Optional Dentil Shelf

Interior Surface Bolt

Satin Nickel or Black finish

Side Lite and Transom Configurations

Side Lite Width: 10″, 12″, 14″ | **E-01+T Transom:** 12″, 14″
E-09 Transom: 10″, 12″ | **E-14 Transom:** 21″ (R78″)



E-01+T



E-01+SL | E-03



E-09



E-14 [1]

[1] *E-14 configurations are only available with 12″ or 14″ side lites.*

Dutch 4LT TDL 6'8"



E-01



E-01 (Arch)
Arched Glass



E-01B
(R22")

Door Size: 3'0" x 6'8"
Glass: Clear Beveled IG Low E
Glazing Bead: Ovolo
4LT Dutch Top Panel: 32"

Dutch 6LT TDL 8'0"



E-01



E-01 (Arch)
Arched Glass



E-01B
(R22")

Door Size: 3'0" x 8'0"
Glass: Clear Beveled IG Low E
Glazing Bead: Ovolo
6LT Dutch Top Panel: 48"

Dutch Bottom Panel Options

Panel Profile: Ogee Raised Panel | **Bottom Panel Height:** 48" | **Optional Dentil Shelf:** 5-Tooth



Single Panel



Two Vertical Panels



Two Horizontal Panels

Meadowlands 8'0"

Meadowlands 6LT TDL

Wood Species: Knotty Alder Stain Grade, 2 1/4"
Panel: Ogee Raised Panel **Glazing Bead:** Ovolo
Door Size: 3'6" x 8'0" **Unit Type:** Non-Rated or DP-50 [1]


Clear


Flemish


E-01C

DP50 RATED



Meadowlands 9LT TDL

Wood Species: Knotty Alder Stain Grade, 2 1/4"
Panel / Glazing Bead: Ogee Raised Panel / Ovolo
Unit Type: Non-Rated or DP-50 [1]
Door Size: 3'6" x 8'0"


Clear


E-01C

[1] *DP-50 Rated E-01C, true radius single door, is not compatible with the Ashland multipoint locking system.*

Enduring Elegance



Decatur Hendersonville *with Burlwood Iron* 6'8"

Wood Species: Mahogany Stain Grade, 1 3/4"
Door Size: 3'0" x 6'8"
Side Lite Size: 12", 14" | **Transom Size:** 12"
Unit Type: Non-Rated or DP-50

Glass/Glazing Bead: Clear IG Low E, Ovolo
Panel: V-Grooved Ogee Raised Panel
** Also available with non-operable Speakeasy*



E-01+SLB



E-03B



E-09B

Hampshire 8'0"

DP50 RATED

Wood Species: Mahogany Stain Grade, 1 3/4" | **Door Size:** 6'0" x 8'0" (R78")
Panel/Glazing Bead: Ogee Raised Panel with Exterior Moulding, Ovolo
Unit Type: Non-Rated or DP-50

Wrought Iron



E-17
Door Glass
Flemish IG Low E

Tessera 1LT



E-17
Door Glass
Tessera with Silver Caming



Smooth Iron



Tessera Glass

Seville 7LT 8'0"



E-01
Door Size
2'8", 3'0" x 8'0"



E-04
Door Size
5'4", 6'0" x 8'0"



E-07
Transom Size
36" Center (R50")

Wood Species
Mahogany Stain Grade

Door Thickness
1 3/4"

Panel Style
Ogee Raised Panel with Exterior Moulding

Glass/Glazing Bead
Clear Beveled IG Low E, Ovolo

Unit Type
Non-Rated or DP-50



E-17 Hampshire with Iron - 8'0"

MODERN
COLLECTIONS

COLLECTIONS

- **MILAN** - *CLPF™ Core*
  ENERGY STAR®
- **LUCA** - *CLPF™ Core*
  ENERGY STAR®
- **SIERRA** - *CLPF™ Core*
  ENERGY STAR®
- **FLORES** - *CLPF™ Core*
  ENERGY STAR®
- **CARLO**

MODERN HARDWARE

Door Pulls + Lock Options



CLPF Core

DSA's **CLPF**™ ***(Cross Laminated Ply-Foam)*** **Core** construction is a combination of solid wood and foam, to create a wood door that is more energy efficient and less prone to warpage over time.

E-01 Milan Solid Panel - 8'0"

Modern Door Unit Configurations

Direct-set side lite and transoms are available with all Modern door styles. Our premium Low E glass is directly glazed into the frame for maximum visible glass.

Direct-Set Side Lites: 12" x 6'8", 8'0"
Direct-Set Transom: 12"
Glass: Clear or **CLiC™ Smart Privacy Glass** **Side Lite glass only*
Unit Type: Non-Rated or DP-50

Direct-set Transoms are only available for 3'0" wide single doors or 6'0" double doors.





E-01



E-04



E-01+SL



E-03



E-01+T



E-04+T



E-01+T+SL



E-09

Privacy on Demand.

Experience the next level of modern design with **CLiC™ Privacy Smart Glass**, now available for direct-set side lites from DSA. With a simple switch, CLiC glass transitions instantly from private to clear - no delay, distortion, or tint. Available for 12" x 6'8", 8'0" direct-set side lites at an extended lead time.

CLiC™

Scan the QR code or visit **www.DSADoors.com/CLiC** to learn more.

MILAN 6'8" & 8'0"

DP50 RATED

ENERGY STAR



E-01+SL Milan San Donato - 8'0"

DIRECT-SET SIDE LITES & TRANSOMS

12" Clear IG Low E



E-01+T

E-04+T



E-01+SL



E-03



E-01+T+SL



E-09



E-01+T+SL Milan Thin Lite - 8'0"





Milan Solid Panel

Energy Star Rated *U-Factor: 0.23*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Single Door Size: 3'0" x 6'8", 8'0"
Double Door Size: 60" x 6'8", 8'0"
Unit Type: Non-Rated or DP-50



Glass: Left



Glass: Right + Left (Astragal Aligned)

Milan Thin Lite

Energy Star Rated *U-Factor: 0.27*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Sandblasted, Clear, or Fluted IG Low E
Glass Placement: Left, Right or Center
Single Door: 3'0" x 6'8", 8'0" **Double Door:** 6'0" x 6'8", 8'0"
Unit Type: Non-Rated or DP-50



Glass: Center



Glass: Right + Left (Astragal Aligned)

Milan Wide Lite

Energy Star Rated *U-Factor: 0.30*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Sandblasted IG Low E
Glass Placement: Left, Right or Center
Single Door: 3'0" x 6'8", 8'0" **Double Door:** 6'0" x 6'8", 8'0"
Unit Type: Non-Rated or DP-50



Glass: Right



Glass: Center

Milan San Donato

Energy Star Rated *U-Factor: 0.30*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Sandblasted with San Donato iron
Glass Placement: Left, Right or Center
Single Door: 3'0" x 6'8", 8'0" **Double Door:** 6'0" x 6'8", 8'0"
Unit Type: Non-Rated or DP-50



Luca Horizontal 3LT

Energy Star Rated *U-Factor: 0.27*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Clear or Sandblasted IG Low E
Single Door Size: 3'0" x 6'8", 8'0"
Double Door Size: 6'0" x 6'8", 8'0"
Unit Type: Non-Rated or DP-50



Luca 3LT Square

Energy Star Rated *U-Factor: 0.29*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Clear or Sandblasted IG Low E
Single Door Size: 3'0" x 6'8", 8'0"
Double Door Size: 6'0" x 6'8", 8'0"
Unit Type: Non-Rated or DP-50



Luca Horizontal 4LT

Energy Star Rated *U-Factor: 0.29*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Clear or Sandblasted IG Low E
Single Door Size: 3'0" x 6'8", 8'0"
Double Door Size: 6'0" x 6'8", 8'0"
Unit Type: Non-Rated or DP-50



Luca 4LT Thin

Energy Star Rated *U-Factor: 0.27*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Clear, Sandblasted, or Fluted IG Low E
Glass Placement: Pattern H1 or H2
Single Door: 3'0" x 6'8", 8'0" **Double Door:** 6'0" x 6'8", 8'0"
Unit Type: Non-Rated or DP-50

DIRECT-SET
SIDE LITES & TRANSOMS

12" Clear IG Low E


E-01+T


E-04+T


E-01+SL


E-03


E-01+T+SL


E-09

DP50 RATED

LUCA

6'8" & 8'0"

Energy Star


E-01 Luca Horizontal 4LT - 6'8"

4LT THIN GLASS OPTIONS


CLEAR


FLUTED


SANDBLASTED

E-04 Luca 4LT Thin H1 - 8'0"

SIERRA 8'0"

DP50 RATED



E-04 Sierra Grooved Panel

DIRECT-SET SIDE LITES & TRANSOMS

12" Clear IG Low E



E-01+T



E-04+T



E-01+SL



E-03



E-01+T+SL



E-09



E-01+SL Sierra Vertical Plank




Sierra 1 Lite

Energy Star Rated *U-Factor: 0.29*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Single Door: 3'0" x 8'0" **Double Door:** 6'0" x 8'0"
Door Glass: White Laminated IG Low E
Glazing Bead: Square
Unit Type: Non-Rated or DP-50




Sierra Solid Panel

Energy Star Rated *U-Factor: 0.23*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Single Door: 3'0" x 8'0" **Double Door:** 6'0" x 8'0"
Panel Bead: Square
Unit Type: Non-Rated or DP-50




Sierra Grooved Panel

Energy Star Rated *U-Factor: 0.23*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Single Door: 3'0" x 8'0" **Double Door:** 6'0" x 8'0"
Panel Bead: Square
Unit Type: Non-Rated or DP-50




Sierra Vertical Plank

Energy Star Rated *U-Factor: 0.23*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Single Door: 3'6" x 8'0"
Double Door: 7'0" x 8'0"
Unit Type: Non-Rated or DP-50

Direct-set Transoms are only available for 3'0" wide single doors or 6'0" double doors.

DIRECT-SET SIDE LITES & TRANSOMS

12" Clear IG Low E









Flores 4LT Square

Energy Star Rated *U-Factor: 0.29*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Clear or Sandblasted IG Low E
Single Door Size: 3'0" x 8'0"
Double Door Size: 60" x 8'0"
Unit Type: Non-Rated or DP-50



Flores Diamond 3LT

Energy Star Rated *U-Factor: 0.29*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Clear or Sandblasted IG Low E
Single Door Size: 3'0" x 8'0"
Double Door Size: 60" x 8'0"
Unit Type: Non-Rated or DP-50



Flores Vertical 3LT

Energy Star Rated *U-Factor: 0.32*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Clear or Sandblasted IG Low E
Single Door Size: 3'0" x 8'0"
Double Door Size: 60" x 8'0"
Unit Type: Non-Rated or DP-50



Flores Diagonal 3LT

Energy Star Rated *U-Factor: 0.30*

Wood Species: Mahogany Stain Grade (CLPF), 1 3/4"
Door Glass: Sandblasted IG Low E
Glass Placement: V1 or V2 | V1R or V2R *(mirrored placement)*
Single Door Size: 3'0" x 8'0" **Double Door Size:** 60" x 8'0"
Unit Type: Non-Rated or DP-50

DP50 RATED

ENERGY STAR

8'0" FLORES

E-01+SL Flores Vertical 3LT



E-04 Flores Diagonal 3LT V2R



E-01+SL Flores Diamond 3LT

CARLO

6'8" & 8'0"

DP50 RATED



E-04 Carlo Tri Lite - 8'0"

DIRECT-SET SIDE LITES & TRANSOMS

12" Clear IG Low E



E-01+T | E-04+T



E-01+SL | E-03



E-01+T+SL | E-09



E-01 Carlo 7LT/14PNL - 8'0"





Carlo Tri Lite 8'0"

Wood Species: Mahogany Stain Grade, 1 3/4"
Door Glass: Sandblasted or Clear IG Low E
Glazing Bead: Craftsman
Single Door Size: 3'0", 3'6" [1] x 8'0"
Double Door Size: 6'0", 7'0" [1] x 8'0"
Unit Type: Non-Rated or DP-50



Horiz. 7LT
6'8"



Horiz. 8LT
8'0"

Carlo Horizontal Lite

Wood Species: Mahogany Stain Grade, 1 3/4"
Door Glass: Clear IG Low E **Glazing Bead:** N/A
Horizontal 7LT Door Size: 3'0" x 6'8" | 6'0" x 6'8"
Horizontal 8LT Door Size: 3'0" x 8'0" | 6'0" x 8'0"
Unit Type: Non-Rated or DP-50



6LT | 12PNL
6'8"



7LT | 14PNL
8'0"

Carlo Square Lite

Wood Species: Mahogany Stain Grade, 1 3/4"
Door Glass: Clear IG Low E **Glazing Bead:** N/A
Glass Placement: Hinge or Strike-aligned
Panel Profile: Flat Recessed Panel
Square 6LT-12PNL Door Size: 3'0" x 6'8" | 6'0" x 6'8"
Square 7LT-14PNL Door Size: 3'0" x 8'0" | 6'0" x 8'0"
Unit Type: Non-Rated or DP-50

Direct-set Transoms are only available for 3'0" wide single doors or 6'0" double doors.



MODERN HARDWARE

For our Modern door styles, DSA provides a variety of pull bar and lock options. Select a Modern Door Pull in the preferred style, size, and finish. Door pulls are offered as exterior + interior pairs and require one of the Lock & Trim Options below.

Modern Door Pulls



Straight Pull Bars

Round - 48" or 71" lengths
Black or Satin Nickel

Offset Pull Bars

Square Offset - 72" length
Black or Satin Nickel

Round Offset - 24" length
Fluted, Black only

Lock & Trim Options

Deadbolt + Roller Catch

DSA offers a standard or smart deadbolt option, with a roller catch, which replaces a traditional latching handle, to secure the door in place when closed. The roller catch is mortised into the top of the active door panel, with the option of additional catches being applied on the strike side of the door, upon request.



Multipoint Lock with Profile Cylinder

The GU® Secury™ Automatic lock is available with a European profile cylinder, versus a traditional handle, which disengages the multipoint lock latches, when an external key, or the interior thumbturn, is turned away from the strike. DSA offers both a standard and smart cylinder option with the GU multipoint lock.

The standard profile cylinder requires a key to open the door from the exterior, even when the deadbolt is not engaged.



NOTE: Not all modern door styles are compatible with the modern door pulls.

Deadbolt + Roller Catch

2 3/8" or 2 3/4" backset | Black or Satin Nickel finishes

1 EMTEK® Square Trim



For more information on EMTEK's EMPowered™ smart lock, please see page 149 in this catalog.

2 EMTEK® EMPowered™ 2 Smart Deadbolt

Keyed



Touch
(Keyed or Key-Less)



Multipoint Lock with Profile Cylinder

**available for DP-50 Rated units*

3 GU® Secury™ with Standard European Profile Cylinder

2 9/16" (65mm) backset | Round or Square Rosette in Black or Satin Nickel





Square



Round



4 GU® Secury™ with Tedee PRO European Profile Cylinder

2 9/16" (65mm) backset | Round or Square rosette in Black or Satin Nickel

Tedee Pro Wireless Keypad

GU Euro Cylinder with the Tedee Pro smart lock includes the bluetooth Smart Biometric Keypad, available in Black, and the Tedee Wi-Fi Bridge and Door Sensor.





Square



Round

tedee



For more information on the GU multipoint and the Tedee Pro smart lock, see page 147.



Interior View

FULL VIEW
COLLECTIONS

DSA's Full View collections include Florida Certified non-Impact, DP-50 Bifold doors and our trending Slimline doors. Constructed of acetylated Accoya® and backed by a 5-year limited warranty, our Full View collections were designed with the modern home in mind, offering a range of options and sizes, superior and durable construction, and Energy Star Ratings to meet ever-changing building code requirements, as well as consumer needs.

To find out more about the benefits of Accoya and our warranty guidelines, visit us at www.DSADoors.com/Accoya.



BIFOLD DOORS

These generous units allow for an abundance of natural light, while our argon filled Low-E glass repels heat, to ensure a comfortable indoor environment. DSA Bifold doors and frames are constructed of Accoya®, an acetylated timber, resistant to swelling and shrinking, ensuring enduring performance in even the most humid of environments.



All three bifold unit sizes are Florida certified and equipped with premium Centor® bifolding hardware and a four-point lock, installed on the active door panel.



Wood Species: Accoya® Stain Grade, 2 1/4"
Door Glass: Clear IG Low E *with Argon gas*
Swing: Outswing only
Unit Type: DP-50 Rated
Energy Star Rated *U-Factor: 0.28*

Bifold Hardware: Centor® E3
Multipoint Lock: GU® Europa™ Rhino-Hoook Bolt
Bifold Frame: 5 7/8" or 6 9/16" jamb depth, Accoya

Brickmould or interior casing must be custom ordered for bifold units.

Bifold Configurations 8'0"

W-9 | 3 Leaf



3L *Outswing*



3R *Outswing*



Nominal Unit Size: 9'0" x 8'0"
Frame Size: *106 3/4" x 98 3/4"*

Allegro Lever Set



Active lever and trim available for Bifold Doors in Satin Nickel or Black finishes.
Dummy/Passive not applicable.

W-12 | 4 Leaf



Nominal Unit Size: 12'0" x 8'0"
Frame Size: *141 3/8" x 98 3/4"*

3L+1R *Outswing*



1L+3R *Outswing*



W-16 | 5 Leaf



Nominal Unit Size: 16'0" x 8'0"
Frame Size: *187 1/2" x 98 3/4"*

5L *Outswing*



5R *Outswing*



Centor® E3 Bifolding Door Hardware



1 Intermediate Carrier
Concealed carrier for smooth gliding along the upper track.

2 Interior Flush Bolts
Top and bottom flush bolts to lock door panels in place.

3 Interior Handle
Center hinge with handle for opening and closing door panels with ease.

4 Intermediate Guide
Guides panel along the sill channel.

5 GU® Europa™ Rhino-Hook Bolt Active Multipoint
Steel hook-bolts lock in an upward direction, providing superior security.



E-04+T Model B Full Glass - Madrid

SLIMLINE

Wood Species: Accoya® Stain Grade, 1 3/4"
Unit Type: Non-Rated or DP-50
Energy Star Rated *U-Factor: 0.28*

DSA Slimline doors are a high-performance collection of premium full view units, constructed with acetylated Accoya® and glazed with our low-emissivity glass. Available in two base models, with 24 different style selections, our Slimline collection offers a wide range of options, superior durability, energy efficiency, and require no overhang, in addition to being backed by a 5-year limited warranty.

MODEL A 8'0"



E-01
3'0" x 8'0"

E-04
6'0" x 8'0"

MODEL B 8'0"



E-01
3'0" x 8'0"

E-04
6'0" x 8'0"

Select your Door Base Model and your Door Style: Full Glass, featuring etched glass designs, Classic or Modern SDL grids, and Wide or Thin SDL Horizontal lites.

DIRECT-SET CONFIGURATIONS

Direct-Set Side Lites & Transom: 12" | Clear IG Low E or **CLiC™** Smart Glass *(side lites only)*



E-01+SL E-01+T E-01+T+SL E-03 E-04+T E-09

Direct-set side lites and transoms are available for Model A and B doors.

All Slimline configurations are Energy Star Rated, except etched door glass styles and CLiC glass.

SLIMLINE MODEL A

GU® SECURY™ SLIM MULTIPOINT



- Euro Cylinder Below Lever, 1 3/4" (45mm)
- 3 5/8" center-to-center
- *Active lock included with door*

SLIMLINE MODEL B

GU® SECURY™ MULTIPOINT



- Euro Cylinder Below Lever, 2 9/16" (65mm) or 1 3/4" (45mm) backset compatible
- 3 5/8" center-to-center
- *Optional upgrade/add-on*



MODEL A

Narrow 45mm backset multipoint lock only



MODEL B

Compatible with deadbolt bore prep

SDL GRID STYLES

SDL (Simulated Divided Lite) grids are applied directly to the glass.



Classic



Modern



Horizontal Thin



Horizontal Wide

Thin SDL (7/8")



Wide SDL (3 1/4")



CONCEALED HINGES

Heavy duty hinges, hidden from view on both sides of the door, provide clean lines suitable for a sleek, modern aesthetic.



PRIMED FRAMSAVER™

Endura primed FrameSaver jambs and 180 Brickmould, paired with DSA's Slimline collection, ensure the longevity of your door unit.



** DP-50 Rated units are only available with ball bearing stainless steel hinges.*

SLIMLINE MULTIPOINT HANDLE OPTIONS

EMTEK™ SLIM LEVER 1 1/2" x 11" Brass Trim | EMTEK Configuration #5 | Active & Dummy



Satin Nickel



Flat Black



Two-Tone
Black & Satin Brass



BELCANTO LEVER with Tedee PRO

GU Secury Euro Cylinder | 1 3/4" (45mm) or 2 9/16" (65mm) backset
Round Rosette, European Cylinder with Tedee PRO
Satin Nickel or Black | Active handle only
Biometric Digital Keypad available - *optional, not included*

For more information on the Tedee PRO smart lock, see pg. 147 of this catalog.

MODERN DOOR PULLS with Tedee PRO Smart Lock (Euro Cylinder)

GU Secury Euro Cylinder | 1 3/4" (45mm) backset - for Model A and Model B doors



MODEL A

24" Fluted Offset Pulls



GU® Secury™ Slim Multipoint



Tedee PRO
European Profile Cylinder



Round Rosette
Black finish



MODEL B

16" Square Offset Pulls



GU® Secury™ Slim Multipoint



Tedee PRO
European Profile Cylinder



Square Rosette
Black finish

GU European Profile Cylinder with Tedee PRO Smart Lock includes the Biometric Digital Keypad for user convenience.

SLIMLINE
FULL GLASS
MODEL A + MODEL B

Wood: Accoya® Stain Grade, 1 3/4"
Door Size: 3'0", 6'0" x 8'0"
Unit Type: Non-Rated or DP-50 Rated
Energy Star Rated *U-Factor: 0.28*
** CLEAR GLASS ONLY*

CLEAR IG Low E *with Argon gas*



Model A available with **CLiC™** Smart Glass at an extended lead time.

PLAZA IG Low E



ABSTRACT IG Low E



MADRID IG Low E



SCAN HERE

Slimline Model A - Available with CLiC™ Smart Glass

Experience privacy on demand and cutting-edge design with DSA's Slimline unit. Featuring a special wired hinge, the door remains seamlessly connected allowing you to enjoy full control - even while the door is in use. Or, for a more disctinctive look, pair one of the etched glass designs with CLiC™ direct-set side lites, combining versatile privacy with bold, modern style.

Scan the QR code or visit **www.DSADoors.com/CLiC** to learn more.

CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E or **CLiC™** *(side lites only)*



E-01 E-01+SL E-01+T E-01+T+SL E-03 E-04 E-04+T E-09

E-01+T+SL Model A Full Glass - Plaza



E-01 Model B Classic 12LT SDL

CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E



E-01 E-01+SL E-01+T E-01+T+SL E-03 E-04 E-04+T E-09

SLIMLINE
CLASSIC GRID

Wood: Accoya® Stain Grade, 1 3/4"
Door Size: 3'0", 6'0" x 8'0"
Unit Type: Non-Rated or DP-50 Rated
Energy Star Rated *U-Factor: 0.28*
** CLEAR GLASS ONLY*

MODEL A



4LT SDL



6LT SDL



8LT SDL



10LT SDL



12LT SDL

MODEL B



4LT SDL



6LT SDL



8LT SDL



10LT SDL



12LT SDL

Model A available with **CLiC™** Smart Glass at an extended lead time.

SLIMLINE
MODERN GRID

Wood: Accoya® Stain Grade, 1 3/4"
Door Size: 3'0", 6'0" x 8'0"
Unit Type: Non-Rated or DP-50 Rated
Energy Star Rated *U-Factor: 0.28*
** CLEAR GLASS ONLY*

MODEL A


BRISTOL


EXETER


GLASGOW


LONDON


OXFORD V1

MODEL B


BRISTOL


EXETER


GLASGOW


LONDON


OXFORD V2

Model A available with CLiC™ Smart Glass at an extended lead time.
* Oxford grid design available in V1 (top aligned) and V2 (bottom aligned) lite configurations

CONFIGURATIONS 12″ Side Lites and Transoms | Clear IG Low E



E-01 E-01+SL E-01+T E-01+T+SL E-03 E-04 E-04+T E-09



E-01+SL Model A Bristol



E-01+SL Model A Horizontal 6LT Thin

CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E



E-01 E-01+SL E-01+T E-01+T+SL E-03 E-04 E-04+T E-09

SLIMLINE
HORIZONTAL THIN

Wood: Accoya® Stain Grade, 1 3/4"
Door Size: 3'0", 6'0" x 8'0"
Unit Type: Non-Rated or DP-50 Rated
Energy Star Rated *U-Factor: 0.28*
** CLEAR GLASS ONLY*

MODEL A



3LT Thin | 4LT Thin | 5LT Thin | 6LT Thin | 7LT Thin

MODEL B



3LT Thin | 4LT Thin | 5LT Thin | 6LT Thin | 7LT Thin

Model A available with CLiC™ Smart Glass at an extended lead time.

SLIMLINE
HORIZONTAL WIDE

Wood: Accoya® Stain Grade, 1 3/4"
Door Size: 3'0", 6'0" x 8'0"
Unit Type: Non-Rated or DP-50 Rated
Energy Star Rated *U-Factor: 0.28*
** CLEAR GLASS ONLY*

MODEL A



3LT Wide | 4LT Wide | 5LT Wide | 6LT Wide | 7LT Wide

MODEL B



3LT Wide | 4LT Wide | 5LT Wide | 6LT Wide | 7LT Wide

Model A available with **CLiC™** Smart Glass at an extended lead time.

CONFIGURATIONS 12" Side Lites and Transoms | Clear IG Low E



E-01 E-01+SL E-01+T E-01+T+SL E-03 E-04 E-04+T E-09



E-01 Model B Horizontal 7LT Wide

PORT COLLECTION

IMPACT RATED DOORS



Where *Natural Elegance*
meets **Unmatched Strength**.

DSA's Port Collection offers two tiers of Florida Certified Impact Rated mahogany doors: WBD Impact (for the WindBorne Debris Region; DP+/-50) and HVHZ Impact (for the High Velocity Hurricane Zone; DP+/-70 with Miami/Dade approval). Port Collection doors are engineered to withstand extreme weather conditions and deliver superior style, safety, and security to coastal homes. For more information on our impact doors, Florida approvals, and our testing reports www.DSADoors.com/Port.

Clear Laminated Impact Glass

Impact doors feature Mahogany SDL (Simulated Divided Lites) grids applied to the surface of Impact Glass. The insulated 1" thick safety glass uses SentryGlas® ionoplast interlayer (SGP) laminated between two panes of annealed glass with Argon Gas for energy efficiency.



– – Low E Coating

Argon Gas

C 1/8" Annealed

D .090 SGP Clear

E 1/8" Annealed





ASCE 7-05 Hurricane Prone Region

ASCE 7-10 Hurricane Prone Region

Wind Borne Debris Region *(FL Certified Inswing and Outswing single and double doors with sidelites and transom options).*

- **Design Presure +/- 50 psf** *(ASTM E330-02)*
- **Certified for Air Filtration** *(ASTM E283-04)*
- **Wind Borne Debris Impact Resistant** *(ASTM E1996-09)*
- **Impact Certified *outside* the HVHZ with Cyclic Pressure Differentials** *(ASTM E1886-05)*

High Velocity Hurrican Zone *(FL and Miami-Dade Certified Inswing and Outswing single and double doors).*

- **Design Presure +/- 70 psf** *(ASTM E330-02; TAS 202-04)*
- **Certified for Air Filtration** *(ASTM E283-04)*
- **Wind Borne Debris Impact Resistant** *(ASTM E1996-09; TAS 201-04)*
- **Impact Certified *inside* the HVHZ with Cyclic Pressure Differentials** *(ASTM E1886-05; TAS 203-04)*

Schlegel® Hydrosill™
Series 2200

For Inswing doors available in Dark Bronze finish.



WBD Impact Rated

HVHZ Impact Rated

Endura® Bump Sill
Z-Series

For Outswing doors in Dark Bronze or Nickel finish with Walnut cap.



WBD Impact Rated

HVHZ Impact Rated

Ashland Multipoint Lock





Top and Bottom Shootbolts are manually engaged by lifting the handle up 35° after closing the door.

- **INCLUDED WITH IMPACT DOORS**
- Active and Passive on double doors.
- Compatible with handles on pg.144

GU® Secury™ Multipoint

Optional for Single HVHZ Units





Automatic Latchbolts engage horizontally in the jamb when the door is closed.

- Optional upgrade for **SINGLE HVHZ IMPACT DOORS ONLY**
- Compatible with handles on pg.144-145 and Tedee smart lock options (see pg. 146).

Double Door Construction



Single Door Construction



Impact Jambs



BISCAYNE SERIES

6'8" & 8'0"

Wood Species
Mahogany Stain Grade, 2 1/4"

Glass Type
Clear Laminated Impact Glass

Panel Style/Glazing Bead
Ogee Raised Panel, Ovolo

Unit Type
WBD or HVHZ Impact

**8LT available in 8'0" only*

WBD Impact Door Sizes
Single - 2'8", 3'0" x 6'8", 8'0"
Double - 5'4", 6'0" x 6'8", 8'0"

HVHZ Impact Door Sizes
Single - 3'0" x 6'8", 8'0"
Double - 6'0" x 6'8", 8'0"

Lite Options





E-04 Biscayne 6LT - 8'0"

Biscayne Single Door Configurations



E-01
HVHZ or WBD Impact



E-01+1SL
WBD Impact



E-03
WBD Impact

4LT Transom



E-09
WBD Impact

1LT



for all styles

2LT



for 4LT & 5LT doors

3LT Even



for 3LT & 6LT doors

3LT Marginal



for all styles

3LT Wide



for 2LT door

5LT



for 3LT, 4LT, 6LT & 8LT door styles

WBD Impact Sidelite Size
12″ or 14″ x 6′8″, 8′0″

Sidelite Style
Matching grids or 1 Lite

Configurations
E-01+1SL, E-03, or E-09

WBD Impact Transom Size
12″ or 14″ *(for 3′0″ doors only)*

E-09 Transom Style
1LT , 2LT, 3LT Even,
3LT Marginal, 3LT Wide,
4LT, or 5LT

Biscayne Double Door Configurations



E-04
HVHZ or WBD Impact

3LT Wide Transom



E-04+T
WBD Impact

WBD Impact E-04
5'4", 6'0" x 6'8", 8'0"

HVHZ Impact E-04
6'0" x 6'8", 8'0"

Configurations
E-04 or E-04+T

WBD Impact Transom Size
12" or 14" *(for 6'0" doors only)*

E-04+T Transom Style
1LT , 3LT, 3LT Wide,
4LT, or 5LT

Double Door Transom Lite Options

1LT



for all door styles

3LT



for 3LT, 4LT, 5LT, 6LT & 8LT door styles

4LT



for 3LT, 4LT, 5LT, 6LT & 8LT door styles

5LT



for 3LT, 4LT, 5LT, 6LT & 8LT door styles




E-04+T Naples 3LT - 8'0"

NAPLES SERIES

6'8" & 8'0"


1LT


3LT


Vertical 3LT


5LT


6LT


7LT


8LT


9LT


4LT*

**E-04 8'0" only*

Wood Species
Mahogany Stain Grade, 2 1/4"

Glass Type
Clear Laminated Impact Glass

Unit Type
WBD or HVHZ Impact

WBD Impact Door Sizes
Single - 2'8", 3'0" x 6'8", 8'0"
Double - 5'4", 6'0" x 6'8", 8'0"

HVHZ Impact Door Sizes
Single - 3'0" x 6'8", 8'0"
Double - 6'0" x 6'8", 8'0"

Naples Single Door Configurations



E-01
HVHZ or WBD Impact



E-01+1SL
WBD Impact



E-03
WBD Impact

3LT Wide Transom



E-09
WBD Impact

1LT



for all styles

3LT Even



for 6LT door

3LT Marginal



for all styles

3LT Prairie



for 9LT door

4LT



for 6LT & 8LT doors

5LT



for 6LT & 8LT doors

WBD Impact Sidelite Size
12″ or 14″ x 6′8″, 8′0″

Sidelite Style
Matching grids or 1 Lite

Configurations
E-01+1SL, E-03, or E-09

WBD Impact Transom Size
12″ or 14″ *(for 3′0″ doors only)*

E-09 Transom Style
1LT , 3LT Even, 3LT Marginal, 3LT Wide, 3LT Prairie, 4LT, or 5LT

Naples Double Door Configurations



E-04
HVHZ or WBD Impact

3LT Marginal Transom



E-04+T
WBD Impact

WBD Impact E-04
5'4", 6'0" x 6'8", 8'0"

HVHZ Impact E-04
Matching grids or 1 Lite

Configurations
E-04 or E-04+T

WBD Impact Transom Size
12" or 14" *(for 6'0" doors only)*

E-04+T Transom Style
1LT , 3LT, 3LT Wide,
4LT, or 5LT

1LT



for all styles

3LT



for 4LT, 6LT, 8LT & 9LT doors

4LT



for 6LT & 8LT doors

5LT



for 6LT & 8LT doors



E-01 Naples Vertical 3LT - 6'8"

LUCIE SERIES

8'0"

Wood Species
Mahogany Stain Grade, 2 1/4"

Glass Type
Clear Laminated Impact Glass

Panel Style/Glazing Bead
Ogee Raised Panel, Ovolo

Unit Type
WBD or HVHZ Impact





WBD Impact Door Sizes
Single - 2'8", 3'0" x 6'8", 8'0"
Double - 5'4", 6'0" x 6'8", 8'0"

HVHZ Impact Door Sizes
Single - 3'0" x 6'8", 8'0"
Double - 6'0" x 6'8", 8'0"



E-17 Lucie 1LT - 8'0"



E-01B Lucie Solid Panel - 8'0"

Lucie Door Configurations



E-01
HVHZ or WBD
Impact



E-01B (R22")
HVHZ or WBD
Impact



E-04
HVHZ or WBD
Impact



E-17 (R78")
HVHZ or WBD
Impact

Lucie Transom Configurations

1LT Transom



E-04+T
WBD Impact

WBD Impact E-04+T Transom Size
12" or 14" (*over 6'0" only)*

E-04+T Transom Style
1LT , 3LT, 4LT, or 5LT

3LT



for 4LT, 6LT, & 8LT

4LT



for all styles

5LT



for all styles



E-04 Lucie 2LT SDL - 8'0"



E-04 Clearwater 3LT SDL - 8'0"

CLEARWATER SERIES

8'0"



1LT 3LT 4LT 6LT 8LT 10LT



Border Lite Prairie Lite Diamond Lite Halo Lite

Wood Species
Mahogany Stain Grade, 2 1/4"

Glass Type
Clear Laminated Impact Glass

Unit Type
WBD Impact

Clearwater Door Configurations



E-01
WBD Impact
3'0" x 8'0"



E-01B
WBD Impact
3'0" x 8'0" (R22")



E-04
WBD Impact
5'4", 6'0" x 8'0"



E-17
WBD Impact
5'4", 6'0" x 8'0" (R78")



E-04 Clearwater 10LT SDL

Clearwater Transom Configurations



E-04+T
WBD Impact

WBD Impact
E-04+T Transom Size
12" or 14" (*for 6'0" only)*

E-04+T Transom Style
1LT , 3LT*, 4LT, or 5LT

3LT grid location varies to match doors.

Florida dbpr Department of Business & Professional Regulation

SCAN TO VIEW FLORIDA CODES

Transom Lite Options

1LT



for all door styles

3LT



for 4LT, 6LT, 8LT, 10LT, Border & Prairie doors

4LT



for 4LT, 6LT, 8LT & 10LT door styles

5LT



for 4LT, 6LT, 8LT & 10LT door styles



VENICE SERIES

8'0"



1LT



3LT*



6LT



9LT*



Border Lite



Solid Panel

Wood Species
Mahogany Stain Grade, 2 1/4"

Glass Type
Clear Laminated Impact Glass

Panel Style/Glazing Bead
Ogee Raised Panel, Ovolo

Unit Type
WBD or HVHZ Impact

WBD Impact Door Sizes
Single - 3'0" x 8'0"
Double - 5'4", 6'0" x 8'0"

HVHZ Impact Door Sizes
Single - 3'0" x 8'0"
Double - 6'0" x 8'0"

**3LT and 9LT available for double doors only*





E-04 Venice 6LT SDL - 8'0"

Venice Door Configurations



E-01
HVHZ or WBD
Impact



E-01B
HVHZ or WBD
Impact



E-04
HVHZ or WBD
Impact



E-17
HVHZ or WBD
Impact

STAIN COLORS

DSA offers a proprietary, custom blend of water-based stain colors, carefully curated to highlight the natural beauty of our timber. When a factory finish is selected, our team of master artisans carefully sand and prepare each stain grade door component, before applying the stain color of your choice. All factory finished units are sealed with three coats of low-sheen semigloss clear coat.

Ebony - Only offered for our Accoya doors, Ebony is a neutral black stain that looks solid from a distance, while accenting the natural grain of Accoya.

Coco - The darkest shade available for our Mahogany and Knotty Alder doors. Coco is a deep, dark brown that can appear as warm black in natural light, accenting beautiful espresso undertones.

Parchment - Parchment is a warmer slate gray on Mahogany and Knotty Alder, with natural wood tones peaking through, and a cool, blue undertoned gray on Accoya.

Cinnamon - A medium brown with vibrant red undertones, exhibiting varying degress of intensity, influenced by each timber's natural tone.

Chestnut - A rich, warm medium-dark brown offered for Mahogany and Knotty Alder units, Chestnut is a timeless stain color for wood doors and a DSA customer favorite.

Russet - A medium-light stain color, available for Mahogany and Knotty Alder doors, Russet is a neutral brown with warm red and golden undertones.

Dune - Our lightest finish, Dune is a water-based paint wash available on Mahogany and Knotty Alder doors. Inspired by tranquil sandy beaches, it softly mutes the wood's natural undertones while allowing its character to show through. Sealed with a semi-matte satin topcoat, Dune delivers and authentic raw timber look - subtle, modern, and effortlessly versatile for contemporary homes.



Find out more about how to maintain your DSA wood door online at www.DSADoors.com

PLEASE NOTE: Factory finishes may vary from door to door due to natural variegation in wood veneer.

GLASS OPTIONS

DSA's exterior doors are offered with premium, insulated glass with Low-Emissivity (Low E) coating. Additional glass options, not offered in a DSA door collection, are available for order through our Custom Department with an extended lead time.

Available for most collections — *Available for select styles* — *Available through custom order*



Clear
Privacy Rating: 1



Clear Beveled
Privacy Rating: 1



Flemish
Privacy Rating: 5



Seedy Baroque
Privacy Rating: 5



Fluted
Privacy Rating: 6



Rain
Privacy Rating: 8



Sandblasted
Privacy Rating: 9



White Laminated
Privacy Rating: 9



Tessera
Trinity, Wakefield, and Hampshire



Clear Seedy
Privacy Rating: 3



Clear Baroque
Privacy Rating: 4



Bamboo
Privacy Rating: 7



Gluechip
Privacy Rating: 7



Misty Creek
Privacy Rating: 7



Digital
Privacy Rating: 8



Grain
Privacy Rating: 8

CASING *PROFILES*

All Mahogany and Knotty Alder door units are offered with 180 or S4S exterior brickmould. Interior casing, or other brickmould profiles, are available as a premium upgrade.





180 (1 1/4″ x 2″)





Williamsburg (1 1/4″ x 3 1/4″)





S4S (1 1/8″ x 3 1/2″)





470 (1″ x 3 5/8″)





445 (3/4″ x 3 1/2″)





Lafayette (1 5/8″ x 4 5/8″)





RB3 (1 1/4″ x 3 1/2″)

Lafayette casing and brickmould is only available at an extended lead time for Knotty Alder units.

DSA doors feature an 11-ply floating panel, designed to withstand temperature fluctuations and allow for natural expansion and contraction of the wood. DSA signature panels are also constructed using vertically grained timber, for a high-end aesthetic.

PANEL PROFILES

Ogee Raised Panels



Ogee Raised Panel

Tiffany, Aberdeen, Trinity



Ogee with V-Grooves

Decatur Hendersonville, Briarcliff, Linville



Ogee with Raised Moulding

Breezeport, Wakefield

Flat Panels



Flat Recessed Panel

Tuscany, Carlo



Plank V-Groove Panel

Porthole



Modern Flat Panel

Urban

High Country Raised Panels



High Country Raised Panel

Oconee



High Country with V-Grooves

Oconee, Keowee, Kenmure

CUSTOMIZATION

V-grooves maybe be added to any Mahogany door with an Ogee Raised Panel.

Raised moulding can also be applied around the perimeter of the panel and glass, on the exterior and/or interior of any Mahogany door style.

All Alexandria standard panel options can be viewed on pg.14 of this catalog.

HINGES

STANDARD HINGES



Satin Nickel
4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)



Oil Rubbed Bronze
4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)



***Stainless Steel**
4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)



***(SS) Oil Rubbed Bronze**
4"x4" ball-bearing, 1/4" radius
Inswing and Outswing (NRP)

* Stainless Steel hinges are required for Accoya units and are only available for Mahogany and Knotty Alder as a premium upgrade.

PREMIUM HINGES



Gloss Black
4"x4" ball-bearing, 1/4" radius
Inswing only



Satin Nickel
4"x4" ball-bearing, SQ
Inswing and Outswing (NRP)



Flat Black
4"x4" ball-bearing, SQ
Inswing and Outswing (NRP)



Polished Brass
4"x4" ball-bearing, SQ
Inswing and Outswing (NRP)



*** Black**
Concealed Hinge
Inswing and Outswing



***Satin Nickel**
Concealed Hinge
Inswing and Outswing



Impact (ORB)
4-1/2" x 4-1/2" Stainless Steel
HVHZ or WBD Impact Rated



Impact (Stainless)
4-1/2" x 4-1/2" Stainless Steel
HVHZ or WBD Impact Rated

* Concealed hinges come standard with Slimline doors, at no additional cost, and are not available for DP-50 Rated coastal doors. The frame width increases 1/2 inch per each outer jamb prepped with concealed hinges.

DOOR SILLS



Adjustable Sill
Dark Bronze
Non-rated | Inswing



Adjustable Sill
Brushed Nickel
Non-rated | Inswing



Bump Sill
Dark Bronze
Outswing



Bump Sill
Brushed Nickel
Outswing



Hydrosill™
Dark Bronze
DP-50 & Impact | Inswing

GLAZING BEAD PROFILES



Ovolo
Mahogany Standard Bead



High Country
Knotty Alder Standard Bead



Craftsman
Tuscany Standard Bead



Modern
Accoya Standard Bead



Ovolo TDL
1 5/8" width



High Country TDL
1 15/16" width *(1 5/8" Oconee)*



Craftsman TDL
1 7/8" width



Modern SDL
7/8" width

T-ASTRAGALS



Ovolo
Mahogany doors



Square / Modern
Knotty Alder, Accoya, and Modern door styles.

FLUSHBOLTS



Standard
Non-Rated doors
Black or Nickel
10" and 14" lengths



Magnum
DP-50 Rated doors
Black
9" and 19" lengths

PREMIUM



GU Astragal Mortise Lock
Non-Rated or DP-50
Black or Stainless plate

*DP-50 Rated double doors with Magnum flush bolts require a "double t-astragal", increasing the unit width by an additional 1/2 inch.
*GU Astragal Mortise Lock is a premium upgrade available for any double, non-rated or DP-50 door (1 per unit).

DOOR SILLS



***ADA Sill**
Brushed Nickel
Non-rated



***ADA Sill**
Dark Bronze
Non-rated



***White Oak**
Inswing Sill
Non-rated | 1 3/4" doors

*ADA and White Oak sills are available for non-rated units, as a premium upgrade.

White Oak sills are stocked in 4 9/16" and 6 9/16" depths and custom sizes will require an extended lead time. DSA does not stain wood sills, unless requested for prefinished units, and White Oak sills are not covered under DSA's Limited Warranty.

Sill Extensions are stocked for our 4 9/16" aluminum thresholds in 1", 2", 3", and 4 5/8" sizes. ADA sills for custom jamb sizes must be special ordered and can result in an extended lead time.

MULTIPOINT LOCKS

DSA offers two 3-point Locking Mechanisms; Ashland and GU Secury. As a homeowner favorite, due to the additional security they provide, multipoint locking systems are also important for both the lifespan and structural integrity of wood doors, and are recommended for doors taller than 6'8", to prevent warpage and sagging over time.

ASHLAND MULTIPOINT LOCK



Top and Bottom Shootbolts are manually engaged by lifting the handle up 35° after closing the door.



- Non-Rated or DP-50 units
- Active and Passive Lock available
- 1 3/4" or 2 1/4" thick doors

GU® SECURY™ 3-POINT LOCK



Automatic Latchbolts engage horizontally in the jamb when the door is closed.



- Non-Rated or DP-50 units
- Active Lock *only*
- Available for E-01C doors
- 1 3/4" or 2 1/4" thick doors

LEVER HANDLES

for Ashland and GU Multipoint

EMTEK lever and trim sets shown below are compatible with the Ashland and GU multipoint locking mechanisms.

EMTEK Configuration #4 | 3 5/8" Center-to-Center | American Cylinder Above Lever | Flat Black or Satin Nickel

1



ARCHED TRIM

Flat Black Bronze (FB)
Sandcast Arched, 2" x 10" | Durango Lever

Satin Nickel (US15)
Brass Concord 2" x 10 1/2" | Luzern Lever

2



SQUARE TRIM

Flat Black Bronze (FB)
Sandcast Rectangular, 2" x 10" | Durango Lever

Satin Nickel (US15)
Brass Modern 2" x 10" | Luzern Lever

3



CONTEMPORARY

Flat Black Bronze (FB)
Sandcast Rectangular, 2" x 10" | Lariat Lever

Satin Nickel (US15)
Brass Modern 2" x 10" | Helios Lever

PREMIUM LOCK + HANDLE SETS

Berkeley Gripset with GU Multipoint

The GU Ferco Berkeley Gripset offers an alternative handle option, when paired with a multipoint lock, in lieu of traditional lever handlesets. This premium set includes the GU Secury 3-Point Lock, specially designed for this handle's engagement, and the Berkeley gripset with the option of a interior trim with a lever handle or square knob.

- Non-Rated or DP-50 units
- Dummy grip available
- Schlage C keyway
- 1 3/4" or 2 1/4" thick doors



SATIN NICKEL BLACK

NOTE: Berkeley Gripset is specifically designed for use with this GU locking mechanism. When ordered without a handle set, the compatible lever mechanism on page 147 is required. Berkeley Gripset with Interior Knob is the only multipoint lock/handle option available for the Breezeport collection.





Interior Lever



Interior Knob

PREMIUM LOCK + HANDLE SETS

Tedee PRO Smart Lock for GU Multipoint

Belcanto Lever + *GU Secury™ 3-Point Lock*



Set Includes: GU Multipoint, active Belcanto Lever Set prepped with the Tedee Pro smart lock, Wi-Fi Bridge, and Door Sensor. *Keypad sold separately.*

- Available for DP-50 Rated units
- Active set *only*
- Schlage C keyway
- 1 3/4" or 2 1/4" thick doors



SATIN NICKEL BLACK

Berkeley Gripset + *GU Secury™ 3-Point Lock*



Set Includes: GU Multipoint, active Berkeley Gripset prepped with the Tedee Pro smart lock, Wi-Fi Bridge, and Door Sensor.

Keypad sold separately.

- Available for DP-50 Rated units
- Dummy set available
- Schlage C keyway
- 1 3/4" or 2 1/4" thick doors

Interior Trim
Square Knob or Lever

SATIN NICKEL BLACK



tedee PRO

DSA now offers the **Tedee PRO** smart lock for select handles with the GU® Secury™ 3-Point Lock. Unlock your door using your smartphone, smartwatch, PIN code, voice command or fingerprint for enhanced security and convenience. The Tedee PRO smart lock operates the deadbolt and/or cylinder, featuring a rechargeable battery that lasts up to 7 months between charges.

amazon alexa

works with Hey Google

Works with Apple Home

WHAT'S INCLUDED:

GU Multipoint + Tedee PRO handle combo sets come with the GU 3-Point Lock, Tedee PRO with Wi-Fi Bridge, Door Sensor and USB charging cable.





Wi-Fi Bridge

Install the bridge via outlet or micro-USB cable within 6ft. of your Tedeee PRO lock.



Door Sensor

Door open/close detection for enhanced security and user convenience.



Magnetic Charger

Charge your Tedee PRO without removing it from the door with the included 6ft magnetic plug Micro USB to USB-A charging cable.

Keypad Tedee PRO

Smart Biometric Keypad

**optional add-on*

- Up to 100 configurable fingerprints and/or PIN codes.
- Remote access sharing via the Tedee app.
- Bluetooth 5.2 connection (*approx 6 ft. range*).
- Biometic data stored locally.
- Powered by 4 AAA batteries.



TUBULAR ENTRY SETS

DSA offers two EMTEK® brass tubular entry sets for standard double bore prep - Square or Full Plate. Each style comes with the option of an interior knob or lever handle, and is available in Satin Nickel or Flat Black finishes.

HANDLE SPECIFICATIONS

- 2 3/8″ or 2 3/4″ backset
- Available for DP-50 Rated doors
- 1 3/4″ or 2 1/4″ thick doors
- Active set only
- Flat Black (US19) or Satin Nickel (US15)



Square Entry Set



Round Knob
Laurent Knob

Square Lever
Dumont Lever

Baden

Full Plate Entry Set



Round Knob
Laurent Knob

Square Lever
Dumont Lever

Orion

EMTEK® EMPOWERED™ 2
Smart Lock Upgrade



Enjoy stylish design and keyless capabilities with EMTEK's **EMPowered™ 2** smart lock upgrade for tubular entrysets. Instead of fumbling for your keys, or hiding spares for guests, EMPowered allows you to conveniently use the Yale Access App on your smart phone to pair with your lock and automatically unlock the door as you approach.

You can manage access from anwhere, receive an activity feed that logs all visitors, and integrate with your home automation devices easily. EMTEK **EMPowered™ 2** now includes improved digital keypad options with Biometric Fingerprint Access and Keyed or Key-Free touch pads.



2 3/8" or 2 3/4" backset | Flat Black or Satin Nickel | Active set only | Available for DP-50 Rated doors

Full Plate



Round Knob
Laurent Knob

Square Lever
Dumont Lever

Orion

Square *Keyed*



Round Knob
Laurent Knob

Square Lever
Dumont Lever

Baden

Square *Touch*



Round Knob
Laurent Knob

Square Lever
Dumont Lever

Baden



Touch
Key-Free



Touch
Keyed

WARRANTY QUICK GUIDE



PREMIUM SPECIES

Mahogany and Knotty Alder

DSA's limited manufacturer warranty applies only to prehung units installed in residential homes and purchased through a verified DSA Dealer.



All units not ordered factory finished by DSA must be stained and sealed with three coats of UV top coat on all six sides of the door within 30 days.



Mahogany and Knotty Alder doors must be installed with a sufficient overhang where there is minimal direct sunlight and shielded from the elements.



Multipoint locks are recommended for doors taller than 80" to prevent potential door warpage.



Damage caused from improper, or non-sanctioned, modifications made to DSA doors is not covered under our manufacturer's limited warranty.



Inspect your door for damage often. Clean it regularly with mild dish soap and a soft microfiber cloth. Yearly application of clear coat is recommended.



DSA's warranty does not include damage to Mahogany or Knotty Alder doors due to application of black paint or black stain.



DSA does not warranty any unit installed with a glass storm door, which can capture heat and cause damage to your wood door.



In the case of a warranty concern, please submit a claim by email to Warranty@DSADoors.com

Scan to view our Standard Warranty online.

DSA doors are also backed by a **10-year warranty** on all standard **Insulated Glass**, guaranteeing each unit against seal failure and internal fogging. Laminated Impact Glass comes with a 1-year warranty.



HIGH PERFORMANCE

Accoya®

DSA's limited manufacturer warranty applies only to prehung units installed in residential homes and purchased through a verified DSA Dealer.



All units not ordered factory finished by DSA must be stained and sealed with three coats of UV top coat on all six sides of the door within 30 days.



Accoya units do not require an overhang for warranty coverage and are suitable for full-sun placement.



Multipoint locks are recommended for doors taller than 80" to prevent potential door warpage.



Damage caused from improper, or non-sanctioned, modifications made to DSA doors is not covered under our manufacturer's limited warranty.



Inspect your door for damage often. Clean it regularly with mild dish soap and a soft microfiber cloth. Yearly application of clear coat is recommended.



Black paint and/or stain can be used on Accoya doors. Light or transparent stain colors are not recommended for Accoya.



DSA does not warranty any unit installed with a glass storm door, which can capture heat and cause damage to your wood door.



In the case of a warranty concern, please submit a claim by email to Warranty@DSADoors.com

Scan to view our Accoya® Warranty online.

DOOR INDEX

8'0" DOORS

Aberdeen 1LT 38
Aberdeen 6LT TDL 39
Aberdeen Burlwood 40
Aberdeen Leaded 6LT 38
Aberdeen Redwood 41
Aberdeeen Solid Panel 41
Aberdeen Signature SDL 69
Alexandria 1 Lite 21
Alexandria Etched 4LT 17
Alexandria Etched 6LT 17
Alexandria Leaded 3LT TDL 18
Alexandria 3LT TDL 22
Alexandria 4LT TDL 25
Alexandria 6LT TDL 26
Alexandria 8LT TDL 28
Alexandria 12LT TDL 29
Alexandria Signature SDL 69
Bifold Doors 104
Biscane Impact Rated. 124
Breezeport 4 Lite 44
Breezeport 6 Lite 44
Breezeport Full Lite 45
Briarcliff 79
Carlo Horizontal 8LT 99
Carlo Tri Lite 99
Carlo Square 7LT/14PNL 99
Clearwater Impact Rated. 133
Colonial 6 Panel 74
Flores 4LT Square 96
Flores Diagonal 3LT 96
Flores Diamond 3LT 96
Flores Vertical 3LT 96
Dutch 6LT TDL 83
Hampshire with Iron 86
Hampshire Tessera 1LT 86
Kenmure 80
Keowee 6LT TDL 59
Linville 6LT TDL 79
Luca Horizontal 3LT 92
Luca Horzontal 4LT 92
Luca 3LT Square 92
Luca 4LT Thin 92
Lucie Impact Rated. 130
Meadowlands 6LT TDL 84
Meadowlands 9LT TDL 84
Milan San Donato 91
Milan Solid Panel 91
Milan Thin Lite 91
Milan Wide Lite 91
Naples Impact Rated. 127
Oconee 6LT TDL 61
Pinehurst 4LT TDL 48
Pinehurst 6LT TDL 48
Pinehurst 8LT TDL 49
Pinehurst Full 4LT SDL 50
Pinehurst Full 4LT Wide SDL 50
Pinehurst Full 6LT SDL 50
Pinehurst Full 8LT SDL 50
Pinehurst Solid Panel 47
Porthole 81
Sierra 1 Lite 95
Sierra Solid Panel 95
Sierra Grooved Panel 95
Sierra Modern Plank 95
Slimline Bristol 114
Slimline Classic 4LT 113
Slimline Classic 6LT 113
Slimline Classic 8LT 113
Slimline Classic 10LT 113
Slimline Classic 12LT 113
Slimline Exeter 114
Slimline Full Glass - Abstract 110
Slimline Full Glass - Clear 110
Slimline Full Glass - Madrid 110
Slimline Full Glass - Plaza 110
Slimline Glasgow 114
Slimline Horizontal 3LT Thin 117
Slimline Horizontal 3LT Wide 118
Slimline Horizontal 4LT Thin 117
Slimline Horizontal 4LT Wide 118
Slimline Horizontal 5LT Thin 117
Slimline Horizontal 5LT Wide 118
Slimline Horizontal 6LT Thin 117
Slimline Horizontal 6LT Wide 118
Slimline Horizontal 7LT Thin 117
Slimline Horizontal 7LT Wide 118
Slimline London 114
Slimline Oxford 114
Tiffany 4LT TDL 32
Tiffany 6LT TDL 33
Tiffany 8LT TDL. 32
Tiffany 9LT TDL 34
Tiffany Diamond 7LT TDL 34
Tiffany Solid Panel 35
Tiffany Solid Panel with Speakeasy 35
Trinity 2 Panel 63
Trinity 2LT TDL 64
Trinity 9LT TDL 64
Trinity 12LT TDL 64
Trintiy Tessera 1LT 64
Tuscany 3LT TDL 53
Tuscany 6LT TDL 53
Tuscany Glencoe 54
Urban 1LT 57
Urban 2LT SDL 57
Urban 3LT SDL. 57

Urban 4LT SDL 57
Urban 6LT SDL 57
Urban 7LT SDL 57
Urban 8LT SDL 57
Urban 9LT SDL 57
Urban Twin LT 57
Venice Impact Rated 136
Wakefield Burlwood 66
Wakefield Tessera 67

6'8" DOORS

Aberdeen 1LT 38
Aberdeen Burlwood 40
Aberdeen SDL 69
Alexandria 1 Lite 21
Alexandria Etched 4LT 17
Alexandria Etched 6LT 17
Alexandria 4LT TDL 25
Alexandria 6LT TDL 26
Alexandria Signature SDL 69
Belle Meade 73
Biscayne Impact Rated 124
Breezeport 4 Lite 44
Brentwood 4LT TDL 73
Carlo Horizontal 7LT 99
Carlo Square 6LT/12PNL 99
Colonial 6 Panel 74
Decatur Hendersonville 73,85
Dutch 4LT TDL 82
Lakewood 4LT TDL 73
Louisburg 4LT TDL 74
Luca Horizontal 3LT 92
Luca Horizontal 4LT 92
Luca 3LT Square 92
Luca 4LT Thin 92
Madison 9LT TDL 76
Milan San Donato 91
Milan Solid Panel 91
Milan Thin Lite 91
Milan Wide Lite 91
Naples Impact Rated 127
Oconee 6LT TDL 61
Tiffany 6LT TDL 33
Tuscany 3LT TDL 53
Tuscany 6LT TDL 53

DSA
Master Crafted Doors

