TRŪSTILE®
A MARVIN BRAND

TRUSTILE WOOD ENTRY SYSTEMS

DESIGN THAT MOVES YOU





See page 30 for product details.

THE TRUSTILE STORY

Since 1995, TruStile has put design at the center of our products and processes. From the materials we select to our exacting craft and design, we engineer for quality that sets the tone for the whole home. In collaboration with our parent company, Marvin®, we have created a family of premium entry systems that don't just transform a space, but how you feel inside it. Make the entry to your new home a most welcoming invitation with an exceptional entrance by TruStile.

EXCELLENCE IN ENTRY SYSTEMS

TRŪSTILE®
A MARVIN BRAND

MARVIN®



TRUSTILE **RESERVE**

System Code	**TMF1000-103B**
Layout	**ES103**
Door Style	**TMF1000**
Sidelite	**DSG100**
Wood Species	**Mahogany**
Finish	**Ebony**
Glass	**White Lami**



TABLE OF CONTENTS

Wood Entry Systems 4
Entry System Selection Guide 6
Architectural Styles Overview 8
Modern 10
Traditional 22
Modern Farmhouse 30
French Country 36
Coastal 42
Mediterranean 48
Craftsman 54
Cape Cod 60
Entry System Layouts 66
Door Style Reference Guide 68
Outswing Doors 83
Transom and Sidelite Options 84
Construction and Acetylation 86
Profile Options and Mull Construction 88
Wood Species and Stain Options 90
Hinge, Sill, Glass and Multipoint Lock Options 92
Entry System Comparison 94
Warranty and Overhang Requirements 95
Design Tools 96

TRUSTILE ENTRY SYSTEMS MATERIAL CONSTRUCTION



Resilient Wood Entry Systems™

The Resilient Wood Entry System sets the tone of quality for the whole home using the most durable painted construction without sacrificing any design options.



- Engineered with resilient Accoya®, an acetylated wood product, which brings unprecedented reliability and durability to wood.
- Tricoya® top layers provide exceptional stability, durability and paintability, for outdoor applications.
- Most configurations delivered pre-hung with an Accoya built jamb and a premium prime finish, ready to paint to match your design.
- 10-year warranty with limited and no-overhang applications, depending on system design specifications, for both inswing and outswing units.

Choose the Material Best Suited for Your Project

Both material construction options have been extensively tested and proven in partnership with the Marvin® Research and Development team.



Reserve Wood Entry Systems™

The Reserve Wood Entry System elevates the refined elegance of your home with the beauty of stained natural wood.



- Engineered with a laminated veneer lumber (LVL) core and Tricoya® layers to provide exceptional stability and durability.
- 10 natural wood species available with an extensive collection of premium factory stain options.
- Premium appearance standards ensure industry-leading grain and color matching.
- 5-year limited warranty with industry standard overhang requirements for both inswing and outswing units.

TRUSTILE ENTRY SYSTEMS

TWO WAYS TO CREATE YOUR ENTRY SYSTEM

Start designing at
www. trustile.com/configurator
Details on page 96.

Select From Our Featured Entry Systems

We've created over 80 featured entry systems that capture the current trends of popular architectural styles. Start with the style most closely matching your vision for your home and tailor it to match your tastes and requirements.

Or Build Your Own Entry System

Design your custom entry system in a few simple steps. Choose the right material for your project. Select from over 500 door styles and endless design options. Then finalize the details to your exact specifications.

Select From Over 80 Featured Entry Systems

See all options in each architectural section starting on page 9.



1 Choose Construction



TruStile Resilient



TruStile Reserve

See construction details on pages 82-83.

2 Choose a System Layout



See all entry system layouts on pages 66-67.

3 Choose a Door Style



See over 500 door style options on pages 68-78.

4 Choose Sidelites & Transoms



Explore sidelite and transom options on pages 80 -81.



MODERN



TRADITIONAL



MODERN FARMHOU



COASTAL*



MEDITERRANEAN



CRAFTSMAN

** Architectural category only. Impact and hurricane ratings not currently available. See your TruStile dealer to verify compatibility with your local building code.*



SE



FRENCH COUNTRY





CAPE COD

Wood is a natural product and the finish and color will vary depending on the wood species and lighting on the job site. The images printed within this catalog are a representation of TruStile species and stain colors and do not replace seeing the stain and wood samples in person. Please visit your local TruStile dealer to request a factory finished stain sample.

IMPACTFUL

SOPHISTICATED

AUTHENTIC

TruStile has curated over 80 featured designs across eight architectural styles to make it easy to find the right look for your new entrance.





MODERN

SLEEK

CONTEMPORARY

STRIKING

TRUSTILE **RESERVE**

System Code	TMIR6001-102B
Layout	ES102
Door Style	TMIR6001
Sidelite	DSG100
Profile	¼" Kerf Cut Reveal
Wood Species	Mahogany
Finish	White Haze
Glass	Clear

MODERN



TRUSTILE **RESILIENT**

System Code	**TM3100-111B**
Layout	**ES111**
Door Style	**TM3100**
Sidelite	**DSG100**
Transom	**DSG100**
Profile	**SS Sticking**
Wood Species	**Resilient Wood**
Finish	**SW 7069 Iron Ore**
Glass	**Clear**



MODERN

TRUSTILE **RESERVE**

System Code	**TMIR9001-108A**
Layout	**ES108**
Door Style	**TMIR9001**
Sidelite	**FL100**
Transom	**TRG100**
Profile	**¼" Kerf Cut Reveal**
Wood Species	**Mahogany**
Finish	**Slate**
Glass	**Clear**

Shown with revered configuration and right handing.

MODERN



TRUSTILE **RESERVE**

System Code	**TM9340-105C**
Layout	**ES105**
Door Style	**TM9340**
Sidelite	**TM9340**
Profile	**¼" Kerf Cut Reveal**
Wood Species	**Rift Sawn White Oak**
Finish	**Grey Mist**
Glass	**White Lami**



MODERN

TRUSTILE **RESERVE**

System Code	**TMIR1002-102B**
Layout	**ES102**
Door Style	**TMIR1002**
Sidelite	**DSG100**
Profile	**¼" Kerf Cut Reveal**
Wood Species	**Walnut**
Finish	**Ebony**
Glass	**Clear**

MODERN



TRUSTILE **RESERVE**

System Code	**TM6100-105A**
Layout	**ES105**
Door Style	**TM6100**
Sidelite	**TM1000**
Profile	**SS Sticking**
Wood Species	**Rift Sawn White Oak**
Finish	**White Haze**
Glass	**Clear**



MODERN

TRUSTILE **RESERVE**

System Code	**TMIR6000-106B**
Layout	**ES106**
Door Style	**TMIR6000**
Sidelite	**DSG100**
Transom	**DSG100**
Profile	**1/4" Kerf Cut Reveal**
Wood Species	**Mahogany**
Finish	**Cinnamon**
Glass	**Clear**



TRUSTILE **RESILIENT**

System Code	**TMIR4000-108A**
Layout	**ES108**
Door Style	**TMIR4000**
Sidelite	**FL100**
Transom	**FL100**
Profile	**1/4" Kerf Cut Reveal**
Wood Species	**Resilient Wood**
Finish	**SW 2735 Rockweed**
Glass	**Clear**



MODERN

TRUSTILE **RESERVE**

System Code	**TMF1000-103A**
Layout	**ES103**
Door Style	**TMF1000**
Sidelite	**FL100**
Wood Species	**Plain Sawn White Oak**
Finish	**Nutmeg**
Glass	**Clear**



TRUSTILE **RESERVE**

System Code	**TM9350-105A**
Layout	**ES105**
Door Style	**TM9350**
Sidelite	**FL100**
Profile	**1/4" Kerf Cut Reveal**
Wood Species	**Walnut**
Finish	**Ebony**
Glass	**Clear**

Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.

Featured Modern Entry Systems in this Catalog



TMIR6001-102B
pg 10



TM3100-111B
pg 12



TMIR9001-108A
pg 13



TM9340-105C
pg 14



TMIR1002-102B
pg 15



TM6100-105A
pg 16



TMIR6000-106B
pg 17



TMIR4000-108A
pg 18



TMF1000-103A
pg 19



TM9350-105A
pg 20

Other Featured Modern Entry Systems



TMF1000-103B
pg 2



TMIR5101-103B
pg 68



TMF1000-102D
online



TM5100-105A
online



TM9160-102A
online



TM9310-111A
online



TMIR6080-108A
online



TM6001-ES102A
online



TM4000-105C
online



TM9000-108A
online

See more door style options on pages 68-75.





TRADITIONAL

CLASSIC

POLISHED

TIMELESS

TRUSTILE **RESILIENT**

System Code	TS3070-204A
Layout	ES204
Door Style	TS3070
Transom	FL100
Profile	QB Sticking/B Panel
Wood Species	Resilient Wood
Finish	SW 7069 Iron Ore
Glass	Clear

TRADITIONAL



TRUSTILE **RESERVE**

System Code	**TS3000-109D**
Layout	**ES109**
Door Style	**TS3000**
Sidelite	**FL300**
Transom	**TRG100**
Profile	**QB Sticking/B Panel**
Wood Species	**Mahogany**
Finish	**Nutmeg**
Glass	**Clear**



TRUSTILE **RESERVE**

System Code	**FL616-109C**
Layout	**ES109**
Door Style	**FL616**
Sidelite	**FL310**
Transoms	**TRG100 and TRG200**
Profile	**SS Sticking/C Panel**
Wood Species	**Plain Sawn White Oak**
Finish	**Hazelnut**
Glass	**Clear**

TRADITIONAL



TRUSTILE **RESERVE**

System Code	**TS6020-108D**
Layout	**ES108**
Door Style	**TS6020**
Sidelite	**TS3070**
Transom	**TRG600**
Profile	**OG Sticking/D Panel**
Wood Species	**Mahogany**
Finish	**Ebony**
Glass	**Clear**



TRADITIONAL

TRUSTILE **RESILIENT**

System Code	**TS3100-109C**
Layout	**ES109**
Door Style	**TS3100**
Sidelite	**FL110**
Transom	**TRG100**
Profile	**OS Sticking/A Panel**
Wood Species	**Resilient Wood**
Finish	**SW 6990 Caviar**
Glass	**Clear**

TRADITIONAL



TRUSTILE **RESERVE**

System Code	**TS4060-504A**
Layout	**ES504**
Door Style	**TS4060**
Transom	**TRG110**
Profile	**CB Sticking/B Panel**
Wood Species	**Mahogany**
Finish	**Cinnamon**
Glass	**Clear**

Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.

Featured Traditional Entry Systems in this Catalog



TS3070-204A
pg 22



TS3000-109D
pg 24



FL616-109C
pg 25



TS6020-108D
pg 26



TS3100-109C
pg 27



TS4060-504A
pg 28

Other Featured Traditional Entry Systems



TS3300-108C
online



TS4000-105A
online



TS3280-104D
online



TS3160-504A
online



PL234-104C
online



TS4300-308C
pg 76

See more door style options on pages 68-78.





Right: Pair of TS4100 interior doors

MODERN FARMHOUSE

FRESH

RELAXED

UPDATED

TRUSTILE **RESILIENT**

System Code	FL400-108C
Layout	ES108
Door Style	FL400
Sidelite	FL400
Transom	TRG400
Profile	BV Sticking
Wood Species	Resilient Wood
Finish	SW 9130 Evergreen Fog
Glass	Clear

MODERN FARMHOUSE



TRUSTILE **RESERVE**

System Code	**FL1001-108C**
Layout	**ES108**
Door Style	**FL1001**
Sidelite	**FL501**
Transom	**TRG400**
Profile	**BV Sticking/C Panel**
Wood Species	**Quarter Sawn White Oak**
Finish	**Grey Mist**
Glass	**Clear**

MODERN FARMHOUSE



TRUSTILE **RESERVE**

System Code	**PL104-205C**
Layout	**ES205**
Door Style	**PL104**
Sidelite	**PL102**
Profile	**SS Sticking/C Panel**
Wood Species	**Plain Sawn White Oak**
Finish	**Grey Mist**
Glass	**Clear**

MODERN FARMHOUSE



TRUSTILE **RESERVE**

System Code	**PL106-204A**
Layout	**ES204**
Door Style	**PL106**
Transom	**TRG100**
Profile	**SS Sticking/C Panel**
Wood Species	**Walnut**
Finish	**Amaretto**
Glass	**Clear**

Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.

Featured Modern Farmhouse Entry Systems in this Catalog



FL400-108C
pg 30



FL1001-108C
pg 32



PL104-205C
pg 33



PL106-204A
pg 34

Other Featured Modern Farmhouse Entry Systems



PL224-105C
online



FL300-204A
online



PL206-108C
online



PL119-106D
online

See more door style options on pages 68-78.





FRENCH COUNTRY

ORNATE

CHARMING

ELEGANT

TRUSTILE **RESERVE**

System Code	TS5030-108D
Layout	ES108
Door Style	TS5030
Sidelite	FL110
Transom	TRG100
Profile	BV Sticking/A Panel
Wood Species	Walnut
Finish	Clear
Glass	Clear

FRENCH COUNTRY



TRUSTILE **RESILIENT**

System Code	**TS3160-201**
Layout	**ES201**
Door Style	**TS3160** *Common Arch Pair*
Profile	**OG Sticking/B Panel**
Wood Species	**Resilient Wood**
Finish	**SW 6227 Meditative**



FRENCH COUNTRY

TRUSTILE **RESERVE**

System Code	**TS4200-105C**
Layout	**ES105**
Door Style	**TS4200**
Sidelite	**TS3130**
Profile	**OG Sticking/B Panel**
Wood Species	**Mahogany**
Finish	**Caramel**
Glass	**Clear**

FRENCH COUNTRY



TRUSTILE **RESILIENT**

System Code	**TS5020-201**
Layout	**ES201**
Door Style	**TS5020** *Common Arch Pair*
Profile	**OG Sticking/B Panel**
Wood Species	**Resilient Wood**
Finish	**SW 9580 Cracked Pepper**
Glass	**Beveled**

Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.

Featured French Country Entry Systems in this Catalog



TS5030-108D
pg 36



TS3160-201
pg 38



TS4200-105C
pg 39



TS5020-201
pg 40

Other Featured French Country Entry Systems



FL800-108C
online



PL106-109C
online



PL109-102C
online



TS4000-108D
online

See more door style options on pages 68-78.





COASTAL*

BREEZY

WELCOMING

CASUAL

TRUSTILE **RESERVE**

System Code	FL810-105C
Layout	ES105
Door Style	FL810
Sidelite	FL401
Profile	OG Sticking/B Panel
Wood Species	Mahogany
Finish	White Haze
Glass	Clear

* Coastal represents an architectural category only. Impact and hurricane ratings not currently available. See your TruStile dealer to verify compatibility with your local building code.



TRUSTILE **RESERVE**

System Code	**TMP1000-107B**
Layout	**ES107**
Door Style	**TMP1000**
Sidelite	**DSG100**
Transom	**DSG100**
Profile	**1/4" Kerf Cut Reveal**
Wood Species	**Rift Sawn White Oak**
Finish	**White Haze**
Glass	**Clear**



COASTAL

TRUSTILE **RESERVE**

System Code	**PL145-105C**
Layout	**ES105**
Door Style	**PL145**
Sidelite	**PL145**
Profile	**SS Sticking/VG Panel**
Wood Species	**Walnut**
Finish	**Slate**
Glass	**Clear**



TRUSTILE **RESERVE**

System Code	**TS3130-109C**
Layout	**ES109**
Door Style	**TS3130**
Sidelite	**TS3130**
Transom	**TRG100**
Profile	**SS Sticking/C Panel**
Wood Species	**Rift Sawn White Oak**
Finish	**Grey Mist**
Glass	**Clear**

Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.

Featured Coastal Entry Systems in this Catalog



FL810-105C
pg 42



TMP1000-107B
pg 44



PL145-105C
pg 45



TS3130-109C
pg 46

Other Featured Coastal Entry Systems



TM9250-115B
online



TS3070-106D
online



TS5000-102C
online



TS4140-108C
online

See more door style options on pages 68-78.





MEDITERRANEAN

WARM

VIBRANT

GRAND

TRUSTILE **RESERVE**

System Code	PL145-201
Layout	ES201
Door Style	PL145
Profile	QB Sticking/VG Panel
Wood Species	Walnut
Finish	Clear
Glass	Clear



TRUSTILE **RESERVE**

System Code	**TS3130-201**
Layout	**ES201**
Door Style	**TS3130**
Profile	**BM Sticking/B Panel**
Wood Species	**Walnut**
Finish	**Slate**

MEDITERRANEAN



TRUSTILE **RESERVE**

System Code	**VG3000-105C**
Layout	**ES105**
Door Style	**VG3000**
Sidelite	**TS3000**
Profile	**SS Sticking/VG Panel**
Wood Species	**Walnut**
Finish	**Clear**
Glass	**Clear**

MEDITERRANEAN



TRUSTILE **RESILIENT**

System Code	**VG1000-101**
Layout	**ES101**
Door Style	**VG1000**
Profile	**Standard V-Groove**
Wood Species	**Resilient Wood**
Finish	**SW 6328 Fireweed**

Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.

Featured Mediterranean Entry Systems in this Catalog



PL145-201
pg 48



TS3130-201
pg 50



VG3000-105C
pg 51



VG1000-101
pg 52

Other Featured Mediterranean Entry Systems



TS8000-101
online



TS6080-105
online



VG2020-101
online



PL176-204A
online

See more door style options on pages 68-78.





CRAFTSMAN

AUTHENTIC

PRECISE

COMFORTING

TRUSTILE **RESERVE**

System Code	PL333-105C
Layout	ES105
Door Style	PL333 (Small Dentil Bird Ledge)
Sidelite	PL130 (Small Dentil Bird Ledge)
Profile	SS Sticking/C Panel
Wood Species	Plain Sawn White Oak
Finish	Grey Mist
Glass	Clear



TRUSTILE **RESERVE**

System Code	**FL618-205C**
Layout	**ES205**
Door Style	**FL618 (Common Arch Pair)**
Sidelite	**FL315 (Common Arch Pair)**
Profile	**QR Sticking/B Panel**
Wood Species	**Mahogany**
Finish	**White Haze**
Glass	**Clear**



CRAFTSMAN

TRUSTILE **RESILIENT**

System Code	**PL236-109C**
Layout	**ES109**
Door Style	**PL236**
Sidelite	**PL104**
Transoms	**TRG200 and TRG300**
Profile	**SS Sticking/C Panel**
Wood Species	**Resilient Wood**
Finish	**SW 7006 Extra White**
Glass	**Clear**



TRUSTILE **RESERVE**

System Code	**PL243-105C**
Layout	**ES105**
Door Style	**PL243 (Small Dentil Bird Ledge)**
Sidelite	**PL232 (Small Dentil Bird Ledge)**
Profile	**SS Sticking/C Panel**
Wood Species	**Rift Sawn White Oak**
Finish	**Hazelnut**
Glass	**White Lami**

Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.

Featured Craftsman Entry Systems in this Catalog



PL333-105C
pg 54



FL618-205C
pg 56



PL236-109C
pg 57



PL243-105C
pg 58

Other Featured Craftsman Entry Systems



PL234-105C
online



PL136-108C
online



PL143-103C
online



PL343-102C
online

See more door style options on pages 68-78.





CAPE COD

HISTORIC

AMBITIOUS

STATELY

TRUSTILE **RESERVE**

System Code	PL224-109C
Layout	ES109
Door Style	PL224
Sidelite	PL222
Transoms	TRG100
Profile	OG Sticking/A Panel
Wood Species	Rift Sawn White Oak
Finish	Ebony
Glass	Clear

CAPE COD



TRUSTILE **RESERVE**

System Code	**PL106-308C**
Layout	**ES308**
Door Style	**PL106**
Sidelite	**PL103**
Transom	**TRG110**
Profile	**QR Sticking/A Panel**
Wood Species	**Plain Sawn White Oak**
Finish	**Hazelnut**
Glass	**White Lami**



CAPE COD

TRUSTILE **RESERVE**

System Code	**TS2210-105C**
Layout	**ES105**
Door Style	**TS2210**
Sidelite	**TS2210**
Profile	**CB Sticking/B Panel**
Wood Species	**Walnut**
Finish	**Champagne**
Glass	**Clear**

CAPE COD



TRUSTILE **RESILIENT**

System Code	**PL224-101**
Layout	**ES101**
Door Style	**PL224**
Profile:	**CB Sticking/A Panel**
Wood Species	**Resilient Wood**
Finish	**SW 0018 Teal Stencil**
Glass	**Clear**

Choose One of Our **Featured Entry Systems**

Designed by TruStile and ready to order through your local dealer.

Featured Cape Cod Entry Systems in this Catalog



PL224-109C
pg 60



PL106-308C
pg 62



TS2210-105C
pg 63



PL224-101
pg 64

Other Featured Cape Cod Entry Systems



TS4140-105C
pg 75



TS5060-104D
online



PL109-109C
online



FL1000-308C
online

See more door style options on pages 68-78.

Entry System Layouts

Begin every project by selecting your entry system layout. From a single door, or a door and one sidelite, to a pair of doors with matching sidelites and transoms, this key will get you off to the right start.

SINGLE DOOR SYSTEMS



PAIRED DOOR SYSTEMS





ARCH- AND RADIUS-TOP SYSTEMS **



* ES101 and ES201 are available for TruStile Resilient Wood Entry Systems™ with no overhang applications.

** Arch- and radius-top systems are only available on TruStile Reserve Wood Entry Systems™. VG door styles not available with radius or arch tops.


ES102


ES504


ES109


ES107

TRUSTILE (TS) SERIES



TS1000 TS1010 TS1030 TS1050 TS2000 TS2010 TS2020 TS2030



TS2040 TS2050 TS2060 TS2070 TS2080 TS2090 TS2130 TS2160



TS2170 TS2180 TS2190 TS2200 TS2210 TS2220 TS2230 TS2240



TS2250 TS2260 TS3000 TS3010 TS3020 TS3030 TS3040 TS3050



TS3060 TS3070 TS3080 TS3090 TS3100 TS3110 TS3120 TS3130

TRUSTILE (TS) SERIES



TS3140 TS3150 TS3160 TS3170 TS3180 TS3190 TS3210 TS3220



TS3230 TS3240 TS3250 TS3260 TS3270 TS3280 TS3290 TS3300



TS3310 TS3320 TS3330 TS3340 TS3350 TS3260 TS3370 TS3380



TS4000 TS4010 TS4020 TS4030 TS4040 TS4050 TS4060 TS4070



TS4100 TS4110 TS4120 TS4130 TS4140 TS4150 TS4170 TS4190



TruStile Resilient TS3070-201A
See page 23 for complete specs.



TruStile Reserve TS4140-105C
with PL100 sidelites.

TRUSTILE (TS) SERIES











FRENCH LITE (FL) SERIES


FL100 FL101 FL102 FL103 FL110 FL111 FL112 FL113


FL200 FL210 FL212 FL453 FL215 FL260* FL262* FL300


FL301 FL302 FL304 FL305 FL306 FL310 FL314 FL315


FL316 FL360* FL362* FL400 FL401 FL410 FL411 FL420


FL421 FL430 FL431 FL440 FL501 FL450 FL451 FL452

** These styles only available as sidelites.*


TruStile Resilient FL400-108C
See page 31 for complete specs.

FRENCH LITE (FL) SERIES



FL453 FL455 FL460* FL462* FL500 FL510 FL511 FL520



FL521 FL530 FL531 FL560* FL562* FL563* FL600 FL601



FL602 FL603 FL606 FL607 FL608 FL609 FL610 FL616



FL617 FL618 FL619 FL800 FL810 FL820 FL821 FL830



FL831 FL840 FL841 FL850 FL900 FL901 FL1000 FL1001

** These styles only available as sidelites.*

FRENCH LITE (FL) SERIES



FL1010 FL1011 FL1020 FL1021 FL1040 FL1041 FL1200 FL1210



FL1220 FL1221 FL1230 FL1231 FL1232 FL1240 FL1241 FL1300



FL1310 FL1400 FL1500 FL1501 FL1510 FL1511 FL1520 FL1521



FL1530 FL1531 FL1540 FL1800 FL1801 FL1810 FL1811 FL1820



FL1821 FL1830 FL1831

PANEL LITE (PL) SERIES



PL100 PL102 PL103 PL104 PL105 PL106 PL108 PL109



PL119 PL130 PL132 PL133 PL134 PL136 PL142 PL143



PL144 PL145 PL146 PL152 PL153 PL154 PL155 PL156



PL158 PL159 PL160 PL162 PL163 PL164 PL165 PL166



PL168 PL169 PL172 PL173 PL174 PL175 PL176 PL178

PANEL LITE (PL) SERIES



PL179 PL180 PL182 PL183 PL184 PL185 PL186 PL188



PL189 PL190 PL192 PL193 PL194 PL195 PL196 PL198



PL199 PL200 PL202 PL203 PL204 PL205 PL206 PL208



PL209 PL219 PL220 PL222 PL223 PL224 PL225 PL226



PL228 PL229 PL230 PL232 PL233 PL234 PL236 PL242



TruStile Resilient PL224-101
See page 64 for complete specs.

PANEL LITE (PL) SERIES


PL243 PL244 PL260 PL262 PL263 PL264 PL265 PL266


PL268 PL269 PL280 PL282 PL283 PL284 PL285 PL286


PL288 PL289 PL300 PL302 PL303 PL304 PL305 PL306


PL308 PL309 PL319 PL330 PL332 PL333 PL334 PL336


PL343 PL344 PL410 PL410 PL410 PL410 PL410

TRU&MODERN (TM) SERIES


TM1000


TM1010


TM1011


TM1012


TM1013


TM2000


TM2010


TM2011


TM2012


TM2013


TM2014


TM2015


TM2016


TM2017


TM2100


TM3000


TM3001


TM3010


TM3011


TM3080


TM3081


TM3100


TM3101


TM4000


TM4001


TM4010


TM4011


TM4081


TM4100


TM4101


TM5000


TM5001


TM5010


TM5080


TM5081


TM5100


TM5101


TM6000


TM6001


TM6081

TruStile Reserve TM9350-105A
See page 18 for complete specs.



TRU&MODERN (TM) SERIES















TruStile Reserve TMIR6000-106B
See page 17 for complete specs.

TRU&MODERN INFINITE RAIL (TMIR) SERIES


TMIR1001 TMIR1002 TMIR1012 TMIR1014 TMIR2000 TMIR2001 TMIR2011 TMIR2012 TMIR2200 TMIR3000


TMIR3001 TMIR3080 TMIR3081 TMIR3100 TMIR3101 TMIR3200 TMIR4000 TMIR4001 TMIR4002 TMIR4008


TMIR4020 TMIR4080 TMIR4081 TMIR4100 TMIR4101 TMIR4200 TMIR5000 TMIR5001 TMIR5080 TMIR5081


TMIR5100 TMIR5101 TMIR6000 TMIR6001 TMIR6080 TMIR6081 TMIR6100 TMIR6101 TMIR7000 TMIR8000


TMIR9000 TMIR9001 TMIR10000 TMIR11000 TMIR12000 TMIR13000

TRU&MODERN FLUSH (TMF) SERIES



TMF1000 TMF1001* TMF1002* TMF1011 TMF2011 TMF2020 TMF3000 TMF3011



TMF4011 TMF4100 TMF5000 TMF5011 TMF6011 TMF6110 TMF7011 TMF8011



TMF9011 TMF10011 TMF11011 TMF12011 TMF13011

** Arrows indicate grain direction.*



TMF1000-103B in mahogany with Ebony finish and white lami glass





TruStile Resilient TMFG5010-105A

TRU&MODERN FLUSH WITH GLASS (TMFG) SERIES



TMFG1010 TMFG1011 TMFG1012 TMFG1013 TMFG2010 TMFG2011



TMFG2012 TMFG2013 TMFG2014 TMFG2015 TMFG2016 TMFG2017



TMFG3010 TMFG3011 TMFG4010 TMFG4011 TMFG5010 TMFG6010



TruStile Resilient VG1000-101
See page 52 for complete specs.

TRU&MODERN PLANK (TMP) SERIES







V-GROOVE (VG) SERIES





** Resilient only*



TruStile Resilient TS3070-201
See page 44 for complete specs.



Resilient TS4200-101 outswing entry system with One Step (OS) sticking and Raised (A) panel.

Outswing Doors for Residential Applications

The Resilient and Reserve Wood Entry System is available for residential outswing applications including porch, side of house, and garage entrances.

TruStile Resilient Entry Systems™

- Engineered with resilient Accoya® and Tricoya® — acetylated wood solutions that bring unprecedented reliability and durability to wood for painted outdoor applications.
- Available in single and double door configurations, featuring an aluminum outswing sill with an oak threshold. Transoms and sidelites are not yet available.
- Features Emtek® solid brass non-removable pin hinges paired with a solid Accoya® frame for maximum performance.
- GU-Secury Automatic multipoint lock required for applications without an overhang and dark painted colors.
- Most configurations are delivered pre-hung with a premium prime finish, ready to paint to match your design.
- 10-year warranty available on residential projects with reduced and no overhang openings, depending on system design specifications.

TruStile Reserve Entry Systems™

- Elevates the refined elegance of your home with the beauty of stained natural wood.
- Engineered with a laminated veneer lumber (LVL) core and Tricoya® layers to provide exceptional stability and durability.
- Single doors and double doors (per leaf) available up to 48" wide and 120" tall.
- 10 natural wood species available with an extensive collection of premium factory stain options.
- Premium appearance standards ensure industry-leading grain and color matching.
- 5-year limited warranty on residential projects, with industry standard overhang requirements.
- Features Emtek® solid brass non-removable pin hinges.



Resilient PL143-101 outswing entry sistem with Roman Ogee (OG) sticking and Raised (A) panel



Reserve FL451-101 outswing entry system in select alder with White Haze finish, Bevel (BV) sticking, Raised (F) panel and clear glass.

Transoms

Select from this extensive collection of transoms to complement your entry door.



IN-SASH SQUARE TRANSOMS

Available in 1- to 18-lites.





ARCH- AND RADIUS-TOP TRANSOMS

Available only for TruStile Reserve





DIRECT SET SIDELITES AND TRANSOMS

Maximize the amount of natural light available.



Sidelites

Select from this extensive collection of sidelites to complement your entry door. Many panel doors available with glass options.



ONE-LITE IN-SASH SIDELITES



A one-lite in-sash sidelite is a classic look that brings natural light into your entrance.

Order sidelites with stiles and rails as narrow as 1-⅞".



COMPLEMENTARY SIDELITES

We offer a wide selection of sidelites to complement your door style.



FL400 PL142 pl103 FL362



MATCHING DOOR SIDELITES

Many door styles are available as a matching sidelite.



TS3130 pl100 TS5000 TM9340

Note: Most door styles on pages 68-78 can be selected as a sidelite.

Resilient and Reserve Wood Entry Systems Construction

In collaboration with our parent company, Marvin®, we have engineered a family of premium entry systems that don't just transform a space, but how you feel inside it.

TruStile Entry Systems have been extensively tested and proven in partnership with the Marvin Research and Development team.

So, What is Acetylation?

Acetylation is a process used to enhance the naturally-occuring properties of wood. In simple terms, it 'pickles' the wood, reducing how much water the cells in the wood can absorb.

The process uses acetic anhydride, a derivative of vinegar, to change hydroxyl groups in the wood (which like water) into acetyl groups (which don't like water), resulting in improved performance characteristics without harmful or environmentally unfriendly additives.

Altogether, this means the wood shrinks and swells much less when wet, and is much less susceptible to decay or insect attack. The finished product is highly durable and dimensionally stable, outperforming all known species of wood.

Resilient Wood Entry Systems™



Stile & Rail Door Construction



Flush Door Construction

Reserve Wood Entry Systems™



Stile & Rail Door Construction



Flush Door Construction

Wood Performance Every Home Can Rely On

Learn more about the innovative, durable materials used in making our entry systems.

tricoya®

As the sister brand to Accoya®, Tricoya® is an acetylated wood panel product that achieves the same ultra-high levels of durability and stability in the most extreme and challenging climates and outdoor applications. Tricoya is used as a stable core material within the Reserve™ Wood Entry system and a durable, paintable surface layer of our Resilient™ Entry system.

- Doesn't shrink or swell like other wood products
- Superior paintability and consistent surface across the entire door
- Complies with CARB 93120 for No Added Formaldehyde

accoya®

Accoya® is an acetylated, modified wood product that is unsurpassed when it comes to durability, stability and withstanding the test of any climate.

As part of the TruStile Resilient™ Entry System, Accoya® is used for the core and frame components for durability, stability, and superior rot resistance.

- Doesn't shrink or swell like other wood species
- 100% real wood. A sustainable and durable material
- Solid wood core provides superior screw holding on door edge



Profile Options

PANEL PROFILES



Raised (A) Panel



Scoop (B) Panel
Also available with bladder-press panel



Flat (C) Panel



Double Hip (D) Panel



Senior Raised (E) Panel



Senior Bevel (F) Panel



Standard V-Groove (VG) Panel

STICKING PROFILES



Square Stick (SS) Sticking



Roman Ogee (OG) Sticking



One Step (OS) Sticking



Quarter Bead (QB) Sticking



Quarter Round (QR) Sticking



Bevel (BV) Sticking



Cove & Bead (CB) Sticking

APPLIED MOULDINGS



Cove (CV) Applied Moulding



Low Profile Bolection (LP) Moulding



Bolection (BM)
Moulding



Big Bolection (BB)
Moulding

SIMULATED DIVIDED LITE BARS (SDL)



Square Stick (SS) SDL Glass



Roman Ogee (OG) SDL Glass



One Step (OS) SDL Glass



Quarter Bead (QB) SDL Glass



Quarter Round (QR) SDL Glass



Bevel (BV) SDL Glass



Cove & Bead (CB) SDL Glass

TRUE DIVIDED LITE BARS (TDL)



Square Stick (SS) TDL Glass



Roman Ogee (OG) TDL Glass



One Step (OS) TDL Glass



Quarter Bead (QB) TDL Glass



Quarter Round (QR) TDL Glass



Bevel (BV) TDL Glass



Cove & Bead (CB) TDL Glass

Frame Profile and Mull Construction

All Reserve Wood frame parts undergo a wood dip treatment to protect against fungus and insects. Resilient Wood frames don't require dipping.

FRAME OPTIONS

Single Rabbet Frame
with Back-to-Back Mull Posts



Default for all door applications

Double Rabbet Frame
with Back-to-Back Mull Post



Accommodates screen door applications

UNIFRAME MULL POST OPTIONS

Single Rabbet Frame
with 4 9⁄16" Uniframe Mull Posts



Single Rabbet Frame
with 6 - 9⁄16" Uniframe Mull Posts



Double rabbet frame,uniframe, and screen doors are available on TruStile Reserve Wood Entry Systems™ only

Wood Species for Reserve Entry Systems

The Reserve Wood Entry System™ elevates the refined elegance of your home with the beauty of stained natural wood. Available in 10 natural wood species with an extensive collection of premium factory stain options.



Consider the Resilient™ Wood Entry System for paint-grade applications.



Mahogany



Genuine Mahogany



Cherry



Douglas Fir *(Vertical Grain)*



Select Alder



Walnut



Plain Sawn White Oak



Quarter Sawn White Oak



Rift Sawn White Oak



Clear Pine

Paint-Grade Mahogany and Paint-Grade Douglas Fir not shown.

Stain Options

TruStile uses stains from ICA, a leading European finish manufacturer, for factory-finished entry systems. We begin by applying either a clear or tinted base stain with UV inhibitors (unfinished doors also get this base coat). Then a total of five coats of finish are applied. This includes two seal coats and three topcoat layers of finish giving a robust dry film finish thickness. Slight color and sheen differences might occur between interior and exterior finishes.



White oak is available as rift sawn, plain sawn or quarter sawn. Plain sawn white oak shown above.

The color of the finish can vary depending on the color of the wood, lighting on the job site, and natural exposure to oxidation and sunlight. To get the best example of the stain color on a specific species, please visit your TruStile dealer.

Hinge Options

Entry systems include 4-1/2" × 4-1/2" TruStile ball-bearing hinges; available in 11 finish options.
Emtek® and Baldwin® hinges can be specified and are available in 5" × 5" size and solid brass.


US3 Bright Brass


US19 Flat Black


US5 Antique Brass


US4 Satin Brass


US10A Antique Bronze


10B Oil-Rubbed Bronze


US14 Polished Nickel


US15 Satin Nickel


US15A Antique Nickel


US26 Polished Chrome


US26D Satin Chrome

Sill Options

Choose from the sill options below to complete your entry system.


Oak Adjustable


Hydrosill


ADA


Solid Wood


Solid Wood with Brass Interlock*


Wood Outswing

Solid wood sills available in genuine mahogany and plain sawn white oak.

** Only available on TruStile Reserve Entry Systems™.*

Insulated Glass Options

Complete your grand entrance with one of our many insulated glass options, including LoE and several decorative patterns.


Clear (LoE 272)*


Frosted

White Lami


Aqualite


Bevel


Single Glue Chip


Obscure


Rain


English Reeded


Wavy Seedy (Glacier)

** Clear glass also available as LoE 366, LoE 340, LoE 180, Low Iron and Clear Lami.*

Multipoint Lock Option

TruStile offers an automatic locking system from GU-Secury which is required for certain warranty coverage.



See our website for details.
www.trustile.com/multipoint

Comparison of Resilient and Reserve Wood Entry Systems

		Resilient Wood Entry Systems™ with Reduced Overhang	**Resilient Wood Entry Systems™** with No Overhang Required	**Reserve Wood Entry Systems™** Standard Overhang Required
Door Styles		Over 500 standard door styles	Over 500 standard door styles	Over 500 standard door styles
Maximum Door Size				
Single	Flush Door Styles	47" × 118"	47" × 96"	48" × 120"
	Stile & Rail Door Styles	48" ×118"	48" × 96"	
Pairs	Flush Door Styles	94" × 118"	72" × 96"	96" × 120"
	Stile & Rail Door Styles	96" × 118"	72" × 96"	
System Layouts		Most options available	ES101 and ES201 only	All options available
Finish		Painted, user applied	Painted, user applied	Factory prime, stained finish or user applied
Overhang Requirements		Reduced overhang requirements*	No overhang requirements*	Standard overhang requirements*
Application		Residential Not Available for Commercial	Residential Not Available for Commercial	Residential Not Available for Commercial
Limited Warranty		10 year**	10 year**	5 year factory primed or finished; 3 year unfinished**
Maintenance		Painted finish should be inspected annually and re-applied as needed	Painted finish should be inspected annually and re-applied as needed	Top coat finish should be inspected annually and re-applied as needed
Dark Finishes / Paint		Warrantied when ordered with factory multi-point lock	Warrantied when ordered with factory multi-point lock	Warrantied when ordered with factory multi-point lock
Wood Screen / Storm Door		Not available	Not available	Available
Sills		Five different sill options available	Hydrosill™	Six different sill options available
Multipoint Lock		GU-Secury Automatic multipoint lock available	GU-Secury Automatic multipoint lock required for pairs	GU-Secury Automatic multipoint lock available

* *Refer to TruStile Resilient limited warranty for overhang requirements*

** *Additional requirements may apply, please refer to TruStile warranty*

Industry-Leading Warranty Coverage

TruStile Wood Entry Systems come backed with industry-leading warranty coverage. Door systems that are factory finished by TruStile are warrantied to be free from manufacturing defects for 5 years from date of purchase for the Reserve Wood Entry System™ and 10 years from date of purchase for the Resilient Wood Entry System™ depending on application and specifications. Door systems purchased raw and unfinished are warrantied to be free from manufacturing defects for 3 years from date of purchase. Due to its aging characteristics, Alder door systems are warrantied for 1 year from date of purchase.

Please see **www.trustile.com/warranties** for specific detail warranty information for each product.

Requirements for Warranty Coverage

Your TruStile Entry Door should be viewed as a piece of well-engineered fine furniture. Careful steps have been taken to design the product to perform in proper exterior openings. However, finishes and natural wood both weather and break down over time. This weathering process increases with greater exposure to the elements. TruStile Wood Entry systems, like those sold by other manufacturers, require proper overhang protection to meet warranty requirements (see diagram below for details). Proper overhang helps to protect both the finish and the natural wood from moisture and UV damage. Even with proper overhang, the topcoat of any stained natural wood door must be inspected annually and reapplied during early signs of fading. Maintaining the topcoat will maximize the life of your natural wood door and is also required to maintain TruStile warranty coverage.

Overhang Requirements



Standard Overhang

Required for Reserve Wood Entry System™ warranty coverage



Reduced Overhang

Required for warranty coverage on:

- Resilient Wood Entry Systems with sidelites and/or transoms
- Resilient single and pair units with oak adjustable sill
- Resilient pair units without multi-point locks



No Overhang Required

Warranty coverage available for Resilient single and pair units meeting the following:

- Hydrosill™ required
- 3'6 × 8'0 maximum single door width
- 6'0 × 8'0 maximum pair width
- Multi-point lock required for no overhang coverage on pairs

Design Tools

Design, Configure and Visualize Your Projects



Door Visualizer

Imagine the possibilities for your home with the TruStile Door Visualizer. Customize your door's style and materials and see changes in real-time.

Share a link to your configured door with others or download a PDF tear sheet, high resolution image or 3D model for use in modeling programs.

www.trustile.com/visualizer



Project Configurator

Design your own door package. Specify the height, width and location of all components within a door and save to a project.

Project Configurator projects can be exported as a door schedule that opens directly in Microsoft® Excel, as a PDF of drawings or CAD models to import directly into your plans.

www.trustile.com/configurator



See page 45 for product specs.

TRŪSTILE®
A MARVIN BRAND

TruStile Doors, LLC
1111 East 71st Avenue
Denver, CO 80229
888.286.3931

www.trustile.com

Copyright © 2025, TruStile Doors, LLC. All rights reserved. Effective July 3, 2025.