



HALEX®

BEYOND THE CURRENT

Electrical Distributors



PRODUCT CATALOG

JANUARY 2026

TABLE OF CONTENTS

Catalog Parts Numbering System	2
Best Sellers	5

UNIVERSAL STRAPS

One and Two Hole Straps	8
-------------------------------	---

ELECTRICAL METALLIC TUBING FITTINGS

Set-Screw Connectors	10-11
Set-Screw Couplings	12
Compression Connectors	13-14
EMT To LQD Compression Couplings	14
Compression Couplings	15
EMT To RGD Compression Couplings	15
Rain Tight Compression Connectors	16
Rain Tight Compression Couplings	17
Flex-To-EMT Couplings	17
EMT Insulation Bushings	18
EMT-To-Rigid Combination Couplings	18
EMT-To-Non-Metallic Combination Couplings ...	18
EMT-To-Box Offset Connectors - Set-Screw Type	19
EMT-To-Box Offset Connectors - Compression Type	19
EMT-To-EMT Pull Elbows	19
EMT RGD 90° Pull Elbow	19
EMT-To-Box Pull Elbows	20
EMT / Rigid-To-EMT / Rigid Combination Elbows	20
EMT / Rigid-To-Box Combination Elbows	20
EMT-To-EMT Inside-Corner Pull Elbows	20
90° Compression Elbows - Short Radius	21
90° Compression Elbows - Large Radius	21
90° Compression Connector	21
90° Set-Screw Elbows - Large Radius	21
90° Elbows	22
45° Elbows	22
Speed Thread One Hole Strap	23
One-Hole Straps	23
EMT RGD Clampbacks	23
Two-Hole Straps	24
EMT RGD Strut Clamps	24
Drive Straps	24
EMT / Rigid Combo Conduit Bodies	25-30
Conduit Body Cover	30

FLEXIBLE METALLIC CONDUIT FITTINGS

Screw-In Connectors	32
Screw-In Couplings	32
Set-Screw Connectors	33
Saddle Connectors	33
Squeeze Connectors	34
AC (BX) Connectors	34
Clamp Connectors	35
Duplex Connectors	35
90° Duplex Connectors	35
Flex-To-EMT Couplings	36
MC Snap-In Connectors	36
MC Snap-In Duplex Connector	36
Cut-In Snap Lock Connector	37
MC-AC-Flex Double Snap Connector	37
Double Snap In Lock 90° BX Connector	37
AC / MC One-Hole Strap	37
BX Strap	37
90° Connectors	38
Anti-Short Bushings	38

NON-METALLIC SHEATHED CABLE FITTINGS

Push-In Cable Connectors	40
Plastic Cable Connectors	40
Clamp Connectors	40
Clamp Connectors - Service Entrance	40
Clamp Connectors - Snap-In	41

Clamp Connectors - Two-Piece	41
Clamp Connectors - Combination	41
Saddle Connectors	41
Duplex Connectors	42
Water-Tight UF Connectors	42
EMT-To-Non-Metallic Combination Couplings ...	42
One-Hole Straps	42

LIQUID-TIGHT CONDUIT FITTINGS

Straight Liquid Tight Connectors - One-Piece	44
Straight Liquid Tight Connectors - Multi-Piece...	44
90° Liquid Tight Connectors - One-Piece	45
90° Liquid Tight Connectors - Multi-Piece	45
Straight Liquid Tight Connectors	46
45° Liquid Tight Connectors	46
90° Liquid Tight Connectors	47
Straight Quick-Set Liquid Tight Connectors	47
90° Quick-Set Liquid Tight Connectors	48
LQD EMT Couplings	48
LQD RGD Couplings	48
Screw-In Couplings	48

RIGID CONDUIT FITTINGS

Set-Screw Connectors	50
Set-Screw Couplings	50-51
Compression Connectors	51
Compression Couplings	52
Rigid-To-EMT Couplings	52
Rigid Three-Piece Couplings	52
Aluminum Couplings	53
90° Short Radius Elbows	53
Rigid Couplings	53
Rigid To Rigid Pull Elbows	54
EMT/Rigid-To-EMT/Rigid Combo Elbows	54
Pull Elbow Couplings	54
EMT/Rigid-To-Box Combo Elbow	54
90° Large Radius Elbows	54
Rigid-To-Box Pull Elbows	55
45° Rigid Elbows	55
90° Short Radius Elbows	55
90° Rigid Elbows	55
90° Elbows - Aluminum	56
Offset Nipples	56
Chase Nipples	56
Conduit Nipples	57-59
Water-Tight Conduit Hubs	60
Water-Tight Conduit Hubs With Bonding Screw ..	60
Box Spacers	60
Conduit Bushings	61
Plastic Bushings	61
Reducing Washers	62
Conduit Locknuts	62-63
Sealing Conduit Locknuts	63
Grounding Locknuts	63-64
Insulated Metallic Grounding Bushing	64
Clamp Backs	64
Reducing Bushings	65
One-Hole Strap Malleable Iron	65
Clamp Back And One Hole Strap	65
Speed Thread One Hole Strap	66
One-Hole Straps	66
Two-Hole Straps	67
Rigid / EMT Combo Conduit Bodies	67-69
Mogul Pulling Elbows - Type LB	70
Threaded Conduit Bodies - No Cover	71-72
Threaded Conduit Bodies - With Stamped Cover	72-74
Service Entrance ELL	74
Conduit Body Covers	74
Conduit Body Gaskets	74

SERVICE ENTRANCE FITTINGS

One Hole Ground Strap	76
One-Hole Straps (SE & SEU Cable)	76
Two-Hole Straps (SE & SEU Cable)	76
Water-Tight Connectors	76
Service Entrance Caps - Clamp Type	77
Oval Service Entrance Caps	78
Oval Service Entrance Cable Hoods	78
Slip-Fit Mast Heads	78
PVC Service Entrance Caps	78
Conduit Sill Plates	79
Clamp Connectors - Service Entrance	79
Kenny Clamps	79
Offset Bottom Reducers	80
Conduit Supports (Lag Screw)	80
Conduit Supports (Bolt Nut Washer)	80
Service Drop Brackets	80
Fork Bolts	80
Adjustable Porcelain Wireholder	81
Porcelain Wireholders	81
Roof Flashings	81
Electric Pane Washers	81
Long Service Entrance ELL	82
Wedge Clamp Connectors	82

ACCESSORIES

Cable Staples For SEU and Range Cable	84
Plastic Insulating Staples	84
Strain Relief Cord Connector	84
Non-Metallic Strain Relief Cord Connector	84
Knockout Seals	85
3 Piece Knockout Seals	85
Switch Box Supports	85
Snap In Bushings	85
Universal Snap In Bushings	86
Nail Plates	86
Jack Chain	86
"S" Hook	86
"Sky Tie" Cable Clamps	86
Extension Springs	87
Duct Seal	87
Fixture Hangers	87
Conduit Hangers	87
SPEED THREAD Conduit Hanger	87
Beam Clamps	88

GROUNDING AND BONDING FITTINGS

Ground Clamps (Bare Wire)	90
Ground Clamps (Bare Wire) - For Direct Burial ..	91
Ground Clamps (Armored Cable)	92
Ground Rod Clamps	92
Ground Screws	92
Ground Wires	92
Ground Clips	93
Split Bolt Connectors	93
Split Bolt Connectors (With Spacer Bar)	93
Solderless Terminal Lugs	93

DISCONNECT

Fused ACD	96
Non-Fused AC Disconnects	96
Non-Metallic ACD	96
AC Whips	96

INDEX

.....	97 - 101
-------	----------

There are four CCPs/Carlton

Halex uses UL ratings

1.800.749.3261

halexco.com



INTRODUCTION: PARTS NUMBERING SYSTEM

Halex uses a part numbering system that allows users to quickly distinguish three key pieces of information: **Material Type, Trade Size, and Pack Format**. The first digit of our part number defines material type. The last two numerals define the trade size. Finally, if there is a B at the end of a part number it identifies it as a bulk or high-count item. Below is a key and an example so you can familiarize yourself with the numbering system:

12105B

1 = Zinc 05 = 1/2" B = BULK

First Digit	Material Type
0, 1	Zinc
3	Brass, Bronze, Copper, Malleable Iron
5	Zinc Die Cast or Stamped Aluminum
7	Plastic
8, 9	Zinc with Insulated Throat or Gasket

At Halex, our packaging system is meticulously crafted to ensure the highest quality and convenience for our customers and end users. Below, you'll find an overview of our packaging and how it is presented in our catalog.

- **PCS/PKG Column:** Indicates the number of individual pieces in one sellable pack.
- **TOTAL CTN QTY Column:** Indicates the number of sellable packs in one carton.

A sellable unit can be an individually labeled piece, or multiple pieces inside a bag, box, or Contractor Clear Pack. A carton contains multiple sellable units grouped together. Please see the example below for further clarification.

Last Digits	Trade Size
03	3/8"
05	1/2"
07	3/4"
10	1"
12	1 1/4"
15	1 1/2"
20	2"
25	2 1/2"
30	3"
35	3 1/2"
40	4"

Example: ONE-HOLE STRAPS

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/4"	96112	4 / BAG	10 BAGS	2.54
	1 1/4"	96114	1 / BAG	10 BAGS	1.12

In this scenario, part number **96114** is an *individually labeled* piece and sold separately, and there are **10 pieces in the carton**. In comparison, part number **96112** is a *bagged item* that has **4 pieces per package** and a **total of 40 pieces in the carton** (4 pieces per bag x 10 bags = 40 total pieces).

Corrosion Resistant Air Conditioner Disconnects


ABOUT THE NMHNF60R

The 60 AMP Non Metallic Non-Fusible ACD is the latest in a line of innovative products from Halex. This ACD is made with the electrical and HVAC professionals in mind. The patent pending knock out seals are easier to take out so installers remove the right size faster and with less effort. In addition this product uses a proprietary material to extend the products life in costal applications. Easy to stock. Easy to sell. Easy to install. Halex is proud to take these products Beyond the Current.

PRODUCT BENEFITS

- **Designed for costal applications:** Innovative corrosion resistant material. PPE-PS (polyphenylene-polystyrene) resist the effects of coastal salt air better than anything on the market
- **NEMA 3R rating and UL94V-0 fire rating**
- **Concentric Knock Outs:** Knock out the correct size with less effort and more accuracy
- **Built in security:** The disconnect has a durable padlock feature for securing the box after installation
- **Easier installation:** Durable 180° swing hinge makes working within the disconnect box easier
- **Simplify mounting:** Requires just 2 points for safe secure mounting to walls

60 AMP Non-Fusible



NMHNF60R

SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
60 AMP	NMHNF60R	Single Box	1 BOX	0.75
60 AMP	NMHNF60R10	MasterPack	10 BOXES	7.50

Speed Thread One Hole Conduit Straps

PRODUCT BENEFITS

Speed Thread conduit straps come pre-threaded with a captive screw. They are easier to install, reducing installation time by up to 30%. Never lose a screw again because these screws are captive and will not fall out during installation. Simplify your job, and your parts list, by having both the screw and strap all in one.



NEW CONTRACTOR CLEAR PACKS



RGD

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61705B	40 / CCP	4 CCP's	7.4
	3/4"	61707B	20 / CCP	4 CCP's	5.3

EMT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61305B	50 / CCP	4 CCP's	6.3
	3/4"	61307B	40 / CCP	4 CCP's	7.8

BEST SELLERS

EMT SET SCREW CONNECTORS

12101B Page 10



FLEX CLAMP COMBINATION CONNECTORS

05711B Page 37



FLEX AC/MC ONE-HOLE STRAPS

62180B Page 39



NM PUSH-IN CONNECTORS

75105B Page 42



NM CLAMP CONNECTORS

05103B Page 42

05107B Page 46



BEST SELLERS



**RGD THREADED CONDUIT BODY
WITH COVER AND GASKET TYPE LB**

58607B Page 76




ACC NAIL PLATES

62899 Page 90



ACD 60 AMP NON-FUSED AC DISCONNECT

HNF60R Page 100



- *One and Two Hole Straps.... 8*



UNIVERSAL ONE AND TWO HOLE STRAPS

UNIVERSAL ONE AND TWO HOLE STRAPS

UNV

UNIVERSAL ONE-HOLE STRAPS

Steel

- **APPLICATION:** Use to support EMT, RGD, FMC, or LQD conduit. Indoors or outdoors.
- **FEATURES:**
 - 1/2" Fits - EMT, RGD, FMC, LQD
 - 3/4" Fits - EMT, RGD, FMC, LQD



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62105B	75 / CCP	4 CCP's	8.4
	3/4"	62107B	50 / CCP	4 CCP's	9.6

UNIVERSAL TWO-HOLE STRAPS

Steel

- **APPLICATION:** Use to support EMT, RGD, FMC, or LQD conduit. Indoors or outdoors.
- **FEATURES:**
 - 1/2" Fits - EMT, RGD, FMC, LQD
 - 3/4" Fits - EMT, RGD, FMC, LQD



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62205B	80 / CCP	4 CCP's	7.0
	3/4"	62207B	80 / CCP	4 CCP's	8.4





- Set-Screw Connectors..... 10-11
- Set-Screw Couplings..... 12
- Compression Connectors/ Couplings..... 13-17
- Combination Couplings..... 17-18
- Insulation Bushings..... 18
- Offset Connectors 19
- Elbows 19-22
- Straps.....23-24
- Clampbacks..... 23
- Strut Clamps 24
- Conduit Hangers 25
- Conduit Bodies25-30

ELECTRICAL METALLIC TUBING FITTINGS

**** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-rated, meaning they are approved for use in both EMT and RGD conduit systems.****

SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only. Not rated for burial.
- **FEATURES:**
 - 1/2" and 3/4" Concrete tight
 - 1"- 4" Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	12101B	50 / CCP	4 CCP's	32.71
	3/4"	12301B	25 / CCP	4 CCP's	28.21
	3/4"	12111B	20 / CCP	4 CCP's	28.76
BULK	1"	12110B	20 / BOX	1 BOX	31.25
	1 1/4"	12112B	25 / BOX	1 BOX	26.29
	1 1/2"	12115B	15 / BOX	1 BOX	22.51
	2"	12120B	10 / BOX	1 BOX	21.57
	2 1/2"	12125B	12 / BOX	1 BOX	9.82
	3"	12130B	12 / BOX	1 BOX	12.73
	3 1/2"	12135B	10 / BOX	1 BOX	12.29
	4"	12140B	6 / BOX	1 BOX	9.24

WITH INSULATED THROAT



BULK	1/2"	92105B	50 / BOX	1 BOX	31.55
	3/4"	92107B	25 / BOX	1 BOX	
	1"	92110B	20 / BOX	1 BOX	23.31
	1 1/4"	92112B	25 / BOX	1 BOX	
	1 1/2"	92115B	15 / BOX	1 BOX	16.95
	2"	92120B	10 / BOX	1 BOX	
	2 1/2"	92125B	12 / BOX	1 BOX	
	3"	92130B	12 / BOX	1 BOX	
	3 1/2"	92135B	10 / BOX	1 BOX	
	4"	92140B	6 / BOX	1 BOX	

SET-SCREW CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62705B	50 / CCP	4 CCP's	48.98
	3/4"	62707B	25 / CCP	4 CCP's	28.52
	1"	62711B	20 / CCP	4 CCP's	37.56
BULK	1"	62710B	20 / BOX	1 BOX	45.41
	1"	62770B	15 / BOX	1 BOX	
	1 1/4"	62712B	25 / BOX	1 BOX	9.12
	1 1/2"	62715B	25 / BOX	1 BOX	6.32
	2"	62720B	20 / BOX	1 BOX	12.70
	2 1/2"	62725B	12 / BOX	1 BOX	15.22
	3"	62730B	12 / BOX	1 BOX	10.64
	3 1/2"	62735B	12 / BOX	1 BOX	
	4"	62740B	6 / BOX	1 BOX	15.19



WITH INSULATED THROAT

CCP	1/2"	82705B	50 / CCP	4 CCP's	51.66
	3/4"	82707B	25 / CCP	4 CCP's	39.66
BULK	1"	82710B	20 / BOX	1 BOX	45.41
	1 1/4"	82712B	25 / BOX	1 BOX	9.09
	1 1/2"	82715B	25 / BOX	1 BOX	11.52
	2"	82720B	20 / BOX	1 BOX	
	2 1/2"	82725B	12 / BOX	1 BOX	
	3"	82730B	12 / BOX	1 BOX	
	3 1/2"	82735B	6 / BOX	1 BOX	
	4"	82740B	6 / BOX	1 BOX	15.16



SET-SCREW COUPLINGS

Zinc Die Cast



- **APPLICATION:** Used to join two lengths of EMT conduit together. Use one coupling for every 10" of pipe Indoors only.
- **FEATURES:**
 - 1/2" and 3/4" Concrete tight
 - 1"- 4" Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	12201B	50 / CCP	4 CCP's	34.81
	3/4"	12401B	25 / CCP	4 CCP's	26.91
	1"	12211B	15 / CCP	4 CCP's	22.36
BULK	1"	12210B	20 / BOX	1 BOX	29.65
	1 1/4"	12212B	25 / BOX	1 BOX	30.14
	1 1/2"	12215B	15 / BOX	1 BOX	23.95
	2"	12220B	5 / BOX	1 BOX	12.92
	2 1/2"	12225B	12 / BOX	1 BOX	10.28
	3"	12230B	12 / BOX	1 BOX	13.10
	3 1/2"	12235B	10 / BOX	1 BOX	
	4"	12240B	6 / BOX	1 BOX	10.43

SET-SCREW COUPLINGS

Steel



- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62805B	50 / CCP	4 CCP's	43.10
	3/4"	62807B	25 / CCP	4 CCP's	36.66
	1"	62809B	10 / CCP	4 CCP's	19.96
BULK	1"	62810B	10 / BOX	1 BOX	27.20
	1 1/4"	62812B	25 / BOX	1 BOX	11.02
	1 1/2"	62815B	25 / BOX	1 BOX	14.14
	2"	62820B	20 / BOX	1 BOX	13.78
	2 1/2"	62825B	12 / BOX	1 BOX	20.74
	3"	62830B	12 / BOX	1 BOX	21.93
	3 1/2"	62835B	6 / BOX	1 BOX	13.64
	4"	62840B	6 / BOX	1 BOX	

COMPRESSION CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	02101B	50 / CCP	4 CCP's	46.56
	3/4"	02301B	25 / CCP	4 CCP's	34.31
	1"	02111B	15 / CCP	4 CCP's	45.76
BULK	1"	02110B	20 / BOX	1 BOX	45.45
	1 1/4"	02112B	25 / BOX	1 BOX	36.66
	1 1/2"	02115B	15 / BOX	1 BOX	34.36
	2"	02120B	10 / BOX	1 BOX	32.03
	2 1/2"	02125B	12 / BOX	1 BOX	13.84
	3"	02130B	12 / BOX	1 BOX	16.86
	3 1/2"	02135B	10 / BOX	1 BOX	17.63
	4"	02140B	6 / BOX	1 BOX	12.49



WITH INSULATED THROAT

BULK	1/2"	82105B	25 / BOX	4 BOXES	36.66
	3/4"	82107B	25 / BOX	1 BOX	
	1"	82110B	20 / BOX	1 BOX	
	1 1/4"	82112B	25 / BOX	1 BOX	
	1 1/2"	82115B	15 / BOX	1 BOX	
	2"	82120B	10 / BOX	1 BOX	
	2 1/2"	82125B	12 / BOX	1 BOX	
	3"	82130B	12 / BOX	1 BOX	
	3 1/2"	82135B	10 / BOX	1 BOX	
	4"	82140B	6 / BOX	1 BOX	



2-PIECE DESIGN

BULK	3/4"	02007B	25 / BOX	1 BOX	2.37
------	------	--------	----------	-------	------



COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62305B	25 / CCP	4 CCP's	33.68
	3/4"	62307B	25 / CCP	4 CCP's	51.76
	1"	62311B	10 / CCP	4 CCP's	27.86
BULK	1"	62310B	10 / BOX	1 BOX	21.45
	1 1/4"	62312B	25 / BOX	1 BOX	5.34
	1 1/2"	62315B	20 / BOX	1 BOX	11.25
	2"	62320B	15 / BOX	1 BOX	11.44
	2 1/2"	62325B	12 / BOX	1 BOX	21.96
	3"	62330B	12 / BOX	1 BOX	
	3 1/2"	62335B	6 / BOX	1 BOX	
	4"	62340B	6 / BOX	1 BOX	

WITH INSULATED THROAT



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	82305B	25 / CCP	4 CCP's	28.42
	3/4"	82307B	25 / CCP	4 CCP's	51.76
BULK	1"	82310B	10 / BOX	1 BOX	21.45
	1 1/4"	82312B	25 / BOX	1 BOX	5.34
	1 1/2"	82315B	20 / BOX	1 BOX	11.25
	2"	82320B	15 / BOX	1 BOX	11.44
	2 1/2"	82325B	12 / BOX	1 BOX	22.52
	3"	82330B	12 / BOX	1 BOX	23.04
	3 1/2"	82335B	6 / BOX	1 BOX	
	4"	82340B	6 / BOX	1 BOX	

EMT TO LQD COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to join EMT and LQD conduit together. Indoors only.
- **FEATURES:** Concrete tight



Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	60105B	25 / BOX	1 BOX	
	3/4"	60107B	20 / BOX	1 BOX	
	1"	60110B	10 / BOX	1 BOX	

COMPRESSION COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	22205B	45 / CCP	4 CCP's	55.78
	3/4"	02401B	25 / CCP	4 CCP's	46.19
	1"	02211B	12 / CCP	4 CCP's	36.40
BULK	1"	02210B	20 / BOX	1 BOX	54.15
	1 1/4"	02212B	25 / BOX	1 BOX	46.08
	1 1/2"	02215B	15 / BOX	1 BOX	42.14
	2"	02220B	10 / BOX	1 BOX	36.07
	2 1/2"	02225B	12 / BOX	1 BOX	15.95
	3"	02230B	12 / BOX	1 BOX	21.11
	3 1/2"	02235B	10 / BOX	1 BOX	
	4"	02240B	6 / BOX	1 BOX	15.12



EMT TO RGD SET-SCREW COMBINATION COUPLINGS

Steel

- **APPLICATION:** Used to join EMT conduit to Rigid metal conduit. Indoors only.



Contact us for Canadian
regulatory listings

SET-SCREW

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 1/2"	15304B	25 / BOX	1 BOX	3.96
	3/4" - 3/4"	15306B	25 / BOX	1 BOX	5.06
	1"	17310B	10 / BOX	1 BOX	



COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to join two lengths of EMT conduit together. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62401B	35 / CCP	4 CCP's	55.91
	3/4"	62402B	20 / CCP	4 CCP's	41.71
	1"	62411B	10 / CCP	4 CCP's	31.16
BULK	1"	62410B	10 / BOX	1 BOX	33.60
	1 1/4"	62412B	25 / BOX	1 BOX	12.28
	1 1/2"	62415B	20 / BOX	1 BOX	11.75
	2"	62420B	15 / BOX	1 BOX	11.41
	2 1/2"	62425B	12 / BOX	1 BOX	31.22
	3"	62430B	6 / BOX	1 BOX	16.59
	3 1/2"	62435B	6 / BOX	1 BOX	
	4"	62440B	6 / BOX	1 BOX	28.91



RAIN TIGHT COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to connect EMT conduit to steel outlet box, load center, or other metal enclosure in a wet location. Outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62501B	45 / CCP	4 CCP's	44.56
	3/4"	62502B	25 / CCP	4 CCP's	35.44
	1"	62570B	10 CCP	4 CCP's	39.91
BULK	1/2"	62505B	50 / BOX	1 BOX	6.43
	3/4"	62507B	25 / BOX	1 BOX	4.14
	1"	62510B	15 / BOX	1 BOX	4.06
	1 1/4"	62512B	20 / BOX	1 BOX	8.58
	1 1/2"	62515B	10 / BOX	1 BOX	4.95
	2"	62520B	10 / BOX	1 BOX	6.52
	2 1/2"	62525B	6 / BOX	1 BOX	11.74
	3"	62530B	6 / BOX	1 BOX	11.87
	3 1/2"	62535B	6 / BOX	1 BOX	
	4"	62540B	6 / BOX	1 BOX	16.04

WITH INSULATED THROAT



BULK	1/2"	92505B	50 / BOX	1 BOX	6.43
	3/4"	92507B	25 / BOX	1 BOX	4.28
	1"	92510B	15 / BOX	1 BOX	4.06
	1 1/4"	92512B	20 / BOX	1 BOX	4.95
	1 1/2"	92515B	10 / BOX	1 BOX	
	2"	92520B	10 / BOX	1 BOX	
	2 1/2"	92525B	6 / BOX	1 BOX	
	3"	92530B	6 / BOX	1 BOX	
	3 1/2"	92535B	6 / BOX	1 BOX	
	4"	92540B	6 / BOX	1 BOX	

RAIN TIGHT COMPRESSION COUPLINGS

Steel

- **APPLICATION:** Used to connect two lengths of EMT conduit together in a wet location. Outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	62601B	35 / CCP	4 CCP's	59.55
	3/4"	62602B	20 / CCP	4 CCP's	36.56
	1"	62603B	10 / CCP	4 CCP's	33.16
BULK	1"	62610B	15 / BOX	1 BOX	4.91
	1 1/4"	62612B	20 / BOX	1 BOX	9.30
	1 1/2"	62615B	10 / BOX	1 BOX	5.54
	2"	62620B	10 / BOX	1 BOX	7.29
	2 1/2"	62625B	6 / BOX	1 BOX	12.21
	3"	62630B	6 / BOX	1 BOX	14.84
	4"	62640B	6 / BOX	1 BOX	21.88



FLEX-TO-EMT COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - 1/2" steel reduced wall and aluminum flexible metal conduit to EMT
 - 3/4" - 1" flexible metal conduit to EMT



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
<i>SET-SCREW TYPE</i>					
BULK	1/2" - 3/8"	15105B	25 / BOX	1 BOX	
	1/2" - 1/2"	15305B	25 / BOX	1 BOX	21.75
	3/4" - 3/4"	15307B	25 / BOX	1 BOX	27.51

*COMPRESSION TO SCREW-IN TYPE*

BULK	1/2"	04905B	50 / BOX	1 BOX	41.95
	3/4"	04907B	25 / BOX	1 BOX	28.95
	1"	04910B	25 / BOX	1 BOX	

*CLAMP TYPE*

BULK	1/2"	90605B	25 / BOX	1 BOX	
------	------	--------	----------	-------	--



INSULATION BUSHINGS

PVC

- **APPLICATION:** Used to protect cables from abrasion from edge of EMT. Installed directly onto conduit. Indoors only.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	75005B	100 / BOX	1 BOX	5.63
	3/4"	75007B	75 / BOX	1 BOX	5.13
	1"	75010B	50 / BOX	1 BOX	4.15
	1 1/4"	75012B	25 / BOX	1 BOX	3.20
	1 1/2"	75015B	25 / BOX	1 BOX	3.20
	2"	75020B	25 / BOX	1 BOX	3.46
	2 1/2"	27625B	25 / BOX	1 BOX	
	3"	27630B	25 / BOX	1 BOX	
	3 1/2"	27635B	25 / BOX	1 BOX	
	4"	27640B	25 / BOX	1 BOX	

EMT-TO-NON-METALLIC COMBINATION COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to non-metallic sheathed cable, fits 12/2 or equivalent size and should be limited to one cable per coupling for optimal performance. Indoors only.



Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2" - NM	15301B	25 / CCP	4 CCP's	17.58
BULK	1/2" - NM	15303B	50 / BOX	1 BOX	32.25

EMT-TO-BOX OFFSET CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit to a metal outlet box or enclosure where an offset is desired. Indoors only. Not rated for wet locations



Contact us for Canadian
regulatory listings

SET-SCREW TYPE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	03705B	10 / BOX	1 BOX	12.27
	3/4"	03707B	10 / BOX	1 BOX	17.85



COMPRESSION TYPE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	03905B	20 / BOX	1 BOX	
	3/4"	03907B	10 / BOX	1 BOX	
	1"	13905B	10 / BAG	1 BOX	



EMT-TO-EMT PULL ELBOWS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT conduit together at a 90° bend. Dry location.

Contact us for Canadian
regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
WITHOUT GASKET					
UPC	1/2"	14405	1 / BAG	15 BAGS	2.29
	3/4"	14407	1 / BAG	10 BAGS	3.11

WITH NEOPRENE GASKET

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	94405	1 / BAG	10 BAGS	2.10
	3/4"	94407	1 / BAG	5 BAGS	1.72
	1"	94410	1 / BAG	5 BAGS	3.36



**EMT-TO-BOX PULL ELBOWS***Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to a metal box or enclosure to form a 90° bend. Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
<i>WITHOUT NEOPRENE GASKET</i>					
BULK	1/2"	14305B	10 / BOX	1 BOX	
	3/4"	14307B	5 / BOX	1 BOX	

**EMT TO RIGID COMBINATION ELBOWS***Zinc Die Cast*

- APPLICATION:** Use as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. Rain tight when used with Rigid conduit. Indoors or outdoors. Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94505B	10 / BOX	1 BOX	
	3/4"	94507B	5 / BOX	1 BOX	
	1"	94510B	25 / BOX	1 BOX	
	1 1/4"	94512B	20 / BOX	1 BOX	

**EMT TO RIGID-TO BOX COMBINATION ELBOWS***Zinc Die Cast*

- APPLICATION:** Used to connect a run of threaded rigid or IMC conduit to an outlet box or other metal enclosure. Suitable for outdoor locations when protected by overhead cover. Indoors or outdoors. Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94705B	10 / BOX	1 BOX	
	3/4"	94707B	5 / BOX	1 BOX	
	1"	94710B	25 / BOX	1 BOX	
	1 1/4"	94712B	20 / BOX	1 BOX	

EMT-TO-EMT INSIDE CORNER ELBOW*Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit together on a 90° Inside corner. Indoors only 

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	14605B	10 / BOX	1 BOX	
	3/4"	14607B	5 / BOX	1 BOX	



90° COMPRESSION ELBOWS - SHORT RADIUS*Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to steel outlet box or enclosure where a close radius is desired. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	02905B	25 / BOX	1 BOX	50.88
	3/4"	02907B	20 / BOX	1 BOX	55.21

**90° COMPRESSION ELBOWS - LARGE RADIUS***Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a close radius is desired. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	02805B	20 / BOX	1 BOX	29.77
	3/4"	02807B	10 / BOX	1 BOX	22.19

**90° COMPRESSION CONNECTOR***Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a close radius is desired. Indoors only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	18810B	10 / BOX	1 BOX	

**90° SET-SCREW ELBOWS - LARGE RADIUS***Zinc Die Cast*

- APPLICATION:** Used to connect EMT conduit to a steel outlet box or enclosure where a large radius is desired. Indoors only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	02705B	20 / BOX	1 BOX	24.43
	3/4"	02707B	10 / BOX	1 BOX	19.59



90° ELBOWS

- APPLICATION:** Used to connect EMT conduit together to allow for 90° bends. Indoors or outdoors.

Steel
ULContact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64405B	50 / BOX	1 BOX	14.09
	3/4"	64407B	50 / BOX	1 BOX	25.91
	1"	64410B	25 / BOX	1 BOX	13.41
	1 1/4"	64412B	20 / BOX	1 BOX	15.55
	1 1/2"	64415B	15 / BOX	1 BOX	31.26
	2"	64420B	10 / BOX	1 BOX	33.67
	2 1/2"	64425B	1 / BOX	1 BOX	
	3"	64430B	1 / BOX	1 BOX	
	3 1/2"	64435B	1 / BOX	1 BOX	
	4"	64440B	1 / BOX	1 BOX	

45° ELBOWS

- APPLICATION:** Used to connect EMT conduit together to allow for 45° bends. Indoors or outdoors.

Steel
ULContact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64505B	50 / BOX	1 BOX	
	3/4"	64507B	50 / BOX	1 BOX	
	1"	64510B	35 / BOX	1 BOX	
	1 1/4"	64512B	30 / BOX	1 BOX	
	1 1/2"	64515B	15 / BOX	1 BOX	
	2"	64520B	15 / BOX	1 BOX	
	2 1/2"	64525B	1 / BOX	1 BOX	
	3"	64530B	1 / BOX	1 BOX	
	3 1/2"	64535B	1 / BOX	1 BOX	
	4"	64540B	1 / BOX	1 BOX	

SPEED THREAD™

Steel

Contact us for Canadian
regulatory listings

ONE HOLE STRAP SPEED THREAD

- APPLICATION:** Used to connect two lengths of EMT conduit together in a dry location. Indoors. Captive screw included.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61305B	50 / CCP	4 CCP's	6.3
	3/4"	61307B	40 / CCP	4 CCP's	7.8

ONE-HOLE STRAPS

Steel

- APPLICATION:** To support EMT conduit where greater load bearing is required. Both one-hole straps and two-hole straps are rated for the same weight and are pull tested to the same standards. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61505B	100 / CCP	4 CCP's	48.28
	3/4"	61507B	100 / CCP	4 CCP's	34.40
	1"	61511B	50 / CCP	4 CCP's	26.08
BULK	1 1/4"	61512B	50 / BOX	1 BOX	41.81
	1 1/2"	61515B	25 / BOX	1 BOX	38.91
	2"	61520B	20 / BOX	1 BOX	47.83
	2 1/2"	61125B	50 / BOX	1 BOX	
	3"	61130B	25 / BOX	1 BOX	
	3 1/2"	61135B*	25 / BOX	1 BOX	20.23
	4"	61140B*	20 / BOX	1 BOX	16.33

*Both EMT and RGD



EMT/RGD COMBINATION CLAMPBACKS

Malleable Iron

- APPLICATION:** Used to provide spacing between mounting surface and conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	33210B	25 / BOX	1 BOX	
	1 1/4"	33212B	10 / BOX	1 BOX	
	1 1/2"	33215B	10 / BOX	1 BOX	
	2"	33220B	5 / BOX	1 BOX	
	2 1/2"	33225B	25 / BOX	1 BOX	
	3"	33230B	10 / BOX	1 BOX	
	3 1/2"	33235B	10 / BOX	1 BOX	
	4"	33240B	10 / BOX	1 BOX	



TWO-HOLE STRAPS

Steel

- APPLICATION:** To support EMT conduit where greater load bearing is required. Both one-hole straps and two-hole straps are rated for the same weight and are pull tested to the same standards. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61605B	100 / CCP	4 CCP's	19.58
	3/4"	61602B	50 / CCP	4 CCP's	
	1"	61610B	50 / CCP	4 CCP's	14.70
BULK	1 1/4"	61612B	25 / BOX	1 BOX	16.80
	1 1/2"	61615B	25 / BOX	1 BOX	16.93
	2"	61620B	50 / BOX	1 BOX	26.39
	2 1/2"	61225B	25 / BOX	1 BOX	4.07
	3"	61230B	25 / BOX	1 BOX	
	3 1/2"	61235B	25 / BOX	1 BOX	7.00
	4"	61240B	20 / BOX	1 BOX	6.60



EMT / RGD STRUT CLAMPS

- **APPLICATION:** Used to secure conduit to strut. Indoors and outdoors.

Steel



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	18705B	100 / BOX	1 BOX	
	3/4"	18707B	100 / BOX	1 BOX	
	1"	18710B	100 / BOX	1 BOX	
	1 1/4"	18712B	100 / BOX	1 BOX	
	1 1/2"	18715B	50 / BOX	1 BOX	
	2"	18720B	50 / BOX	1 BOX	
	2 1/2"	18725B	50 / BOX	1 BOX	
	3"	18730B	25 / BOX	1 BOX	
	3 1/2"	18735B	25 / BOX	1 BOX	
	4"	18740B	25 / BOX	1 BOX	

DRIVE STRAPS

- **APPLICATION:** To secure EMT conduit to a wood or masonry surface. Indoors or outdoors.

Steel



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61401B	200 / CCP	4 CCP's	74.16
	3/4"	61402B	150 / CCP	4 CCP's	61.96
BULK	1"	61410B	100 / BOX	1 BOX	21.83



**CONDUIT HANGERS***Steel*

- **APPLICATION:** Use to secure and suspend conduit from overhead supports. Indoors or outdoors. Faster and easy installation, captive screw is included. Indoors or outdoors. Refer to chart below to match the appropriate conduit size with the corresponding product trade size.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT	EMT	RGD	CONDUIT SIZE
UPC	#2	67820	1 / BAG	20 BAGS	2.21	1"	1"	
	#2 1/2	67825	1 / BAG	15 BAGS	1.85	1 1/4"		
	#3	67830	1 / BAG	15 BAGS	1.97	1 1/2"	1 1/4"	
	#4	67840	1 / BAG	10 BAGS	1.49		1 1/2"	
	#5	67850	1 / BAG	20 BAGS	4.21	2"	2"	
	#6	67860	1 / BAG	10 BAGS	3.71	2 1/2"	2 1/2"	
	#7	67870	1 / BAG	5 BAGS	2.18	3 1/2"	3 1/2"	
BULK	#0	67800B	100 / BOX	1 BOX	7.39	1/2"	1/2"	
	#1	67810B	100 / BOX	1 BOX	8.09	3/4"	3/4"	
	#2	67820B	100 / BOX	1 BOX	10.32	1"	1"	
	#2	67821B	100 / BOX	1 BOX	10.30			
	#2 1/2	67825B	100 / BOX	1 BOX				
	#3	67830B	100 / BOX	1 BOX	11.56	1 1/2"	1 1/2"	
	#4	67840B	100 / BOX	1 BOX	13.99		1 1/2"	
	#5	67850B	50 / BOX	1 BOX	10.37	2"	2"	
	#6	67860B	50 / BOX	1 BOX	18.11	2 1/2"	2 1/2"	
	#7	67870B	50 / BOX	1 BOX	20.41	3 1/2"	3 1/2"	
	#8	67880B	25 / BOX	1 BOX	10.99			
	#9	67890B	10 / BOX	1 BOX	6.04	4"	4"	

*Conduit hangers featuring our **SPEED THREAD** technology are also available. Designed with a captive screw for quicker, easier installation. See page 113 for details.*

EMT / RIGID CONDUIT BODIES*Aluminum**WITH COVER AND GASKET ASSEMBLED*

Contact us for Canadian regulatory listings

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH GASKET & COVER					
BULK	1/2"	56205B	10 / BOX	1 BOX	
	3/4"	56207B	10 / BOX	1 BOX	
	1"	56210B	5 / BOX	1 BOX	
	1 1/4"	56212B	2 / BOX	1 BOX	
	1 1/2"	56215B	2 / BOX	1 BOX	
	2"	56220B	5 / BOX	1 BOX	



ELECTRICAL METALLIC TUBING FITTINGS

EMT

EMT/RGD CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: C WITH COVER AND GASKET					
BULK	1/2"	56405B	10 / BOX	1 BOX	
	3/4"	56407B	10 / BOX	1 BOX	
	1"	56410B	5 / BOX	1 BOX	
	1 1/4"	56412B	2 / BOX	1 BOX	
	1 1/2"	56415B	2 / BOX	1 BOX	
	2"	56420B	5 / BOX	1 BOX	

TYPE: LB WITH COVER AND GASKET					
BULK	1/2"	57505B	10 / BOX	1 BOX	
	3/4"	57507B	10 / BOX	1 BOX	
	1"	57510B	5 / BOX	1 BOX	
	1 1/4"	57512B	2 / BOX	1 BOX	
	1 1/2"	57515B	2 / BOX	1 BOX	
	2"	57520B	5 / BOX	1 BOX	

TYPE: T WITH COVER AND GASKET					
BULK	1/2"	56805B	10 / BOX	1 BOX	
	3/4"	56807B	10 / BOX	1 BOX	
	1"	56810B	5 / BOX	1 BOX	
	1 1/4"	56812B	2 / BOX	1 BOX	
	1 1/2"	56815B	2 / BOX	1 BOX	
	2"	56820B	5 / BOX	1 BOX	

TYPE: LR WITH COVER AND GASKET					
BULK	1/2"	56505B	10 / BOX	1 BOX	
	3/4"	56507B	10 / BOX	1 BOX	
	1"	56510B	5 / BOX	1 BOX	
	1 1/4"	56512B	2 / BOX	1 BOX	
	1 1/2"	56515B	2 / BOX	1 BOX	
	2"	56520B	5 / BOX	1 BOX	

TYPE: X WITH COVER AND GASKET					
BULK	1/2"	55505B	5 / BOX	1 BOX	
	3/4"	55507B	5 / BOX	1 BOX	
	1"	55510B	2 / BOX	1 BOX	
	1 1/4"	55512B	1 / BOX	1 BOX	
	1 1/2"	55515B	1 / BOX	1 BOX	
	2"	55520B	1 / BOX	1 BOX	



EMT / RIGID CONDUIT BODIES*WITHOUT COVER AND GASKET ASSEMBLED**Aluminum*

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE LL: WITHOUT COVER AND GASKET					
BULK	1/2"	57305B	10 / BOX	1 BOX	
	3/4"	57307B	10 / BOX	1 BOX	
	1"	57310B	5 / BOX	1 BOX	
	1 1/4"	57312B	2 / BOX	1 BOX	
	1 1/2"	57315B	2 / BOX	1 BOX	
	2"	57320B	5 / BOX	1 BOX	



TYPE: C WITHOUT COVER AND GASKET					
BULK	1/2"	57905B	10 / BOX	1 BOX	
	3/4"	57907B	10 / BOX	1 BOX	
	1"	57910B	5 / BOX	1 BOX	
	1 1/4"	57912B	2 / BOX	1 BOX	
	1 1/2"	57915B	2 / BOX	1 BOX	
	2"	57920B	5 / BOX	1 BOX	



TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	57605B	10 / BOX	1 BOX	
	3/4"	57607B	10 / BOX	1 BOX	
	1"	57610B	5 / BOX	1 BOX	
	1 1/4"	57612B	2 / BOX	1 BOX	
	1 1/2"	57615B	2 / BOX	1 BOX	
	2"	57620B	5 / BOX	1 BOX	



TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	55805B	10 / BOX	1 BOX	
	3/4"	55807B	10 / BOX	1 BOX	
	1"	55810B	5 / BOX	1 BOX	
	1 1/4"	55812B	2 / BOX	1 BOX	
	1 1/2"	55815B	2 / BOX	1 BOX	
	2"	55820B	5 / BOX	1 BOX	



TYPE: LR WITHOUT COVER AND GASKET					
BULK	1/2"	57705B	10 / BOX	1 BOX	
	3/4"	57707B	10 / BOX	1 BOX	
	1"	57710B	5 / BOX	1 BOX	
	1 1/4"	57712B	2 / BOX	1 BOX	
	1 1/2"	57715B	2 / BOX	1 BOX	
	2"	57720B	5 / BOX	1 BOX	



SET SCREW CONDUIT BODIES

Aluminum

WITH COVER AND GASKET ASSEMBLED

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.



Contact us for Canadian
regulatory listings

SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
------	--------	-----------	---------------	--------

TYPE: LL WITH COVER AND GASKET

BULK	1/2"	57005B	10 / BOX	1 BOX	
	3/4"	57007B	10 / BOX	1 BOX	
	1"	57010B	5 / BOX	1 BOX	
	1 1/4"	57012B	2 / BOX	1 BOX	
	1 1/2"	57015B	2 / BOX	1 BOX	
	2"	57020B	1 / BOX	1 BOX	
	2 1/2"	57025B	1 / BOX	1 BOX	
	3"	57030B	1 / BOX	1 BOX	
	3 1/2"	57035B	1 / BOX	1 BOX	
	4"	57040B	1 / BOX	1 BOX	

TYPE: C WITH COVER AND GASKET

BULK	1/2"	57105B	10 / BOX	1 BOX	
	3/4"	57107B	10 / BOX	1 BOX	
	1"	57110B	5 / BOX	1 BOX	
	1 1/4"	57112B	2 / BOX	1 BOX	
	1 1/2"	57115B	2 / BOX	1 BOX	
	2"	57120B	1 / BOX	1 BOX	
	2 1/2"	57125B	1 / BOX	1 BOX	
	3	57130B	1 / BOX	1 BOX	
	3 1/2"	57135B	1 / BOX	1 BOX	
	4"	57140B	1 / BOX	1 BOX	

TYPE: LB WITH COVER AND GASKET

BULK	1/2"	58705B	10 / BOX	1 BOX	
	3/4"	58707B	10 / BOX	1 BOX	
	1"	58710B	5 / BOX	1 BOX	
	1 1/4"	58712B	2 / BOX	1 BOX	
	1 1/2"	58715B	2 / BOX	1 BOX	
	2"	58720B	1 / BOX	1 BOX	
	2 1/2"	58725B	1 / BOX	1 BOX	
	3"	58730B	1 / BOX	1 BOX	
	3 1/2"	58735B	1 / BOX	1 BOX	
	4"	58740B	1 / BOX	1 BOX	

SET SCREW CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

TYPE: T WITH COVER AND GASKET

BULK	1/2"	56705B	10 / BOX	1 BOX	
	3/4"	56707B	10 / BOX	1 BOX	
	1"	56710B	5 / BOX	1 BOX	
	1 1/4"	56712B	2 / BOX	1 BOX	
	1 1/2"	56715B	2 / BOX	1 BOX	
	2"	56720B	1 / BOX	1 BOX	
	2 1/2"	56725B	1 / BOX	1 BOX	
	3"	56730B	1 / BOX	1 BOX	
	3 1/2"	56735B	1 / BOX	1 BOX	
	4"	56740B	1 / BOX	1 BOX	

**TYPE: LR WITH COVER AND GASKET**

BULK	1/2"	58505B	10 / BOX	1 BOX	
	3/4"	58507B	10 / BOX	1 BOX	
	1"	58510B	5 / BOX	1 BOX	
	1 1/4"	58512B	2 / BOX	1 BOX	
	1 1/2"	58515B	2 / BOX	1 BOX	
	2"	58520B	1 / BOX	1 BOX	
	2 1/2"	58525B	1 / BOX	1 BOX	
	3"	56930B	1 / BOX	1 BOX	
	3 1/2"	56935B	1 / BOX	1 BOX	
	4"	56940B	1 / BOX	1 BOX	

**SET SCREW CONDUIT BODIES****WITHOUT COVER AND GASKET ASSEMBLED**

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITHOUT COVER AND GASKET					
BULK	1/2"	59305B	10 / BOX	1 BOX	
	3/4"	59307B	10 / BOX	1 BOX	
	1"	59310B	5 / BOX	1 BOX	
	1 1/4"	59312B	2 / BOX	1 BOX	
	1 1/2"	59315B	2 / BOX	1 BOX	
	2"	59320B	1 / BOX	1 BOX	
	2 1/2"	59325B	1 / BOX	1 BOX	
	3"	59330B	1 / BOX	1 BOX	
	3 1/2"	59335B	1 / BOX	1 BOX	
	4"	59340B	1 / BOX	1 BOX	



ELECTRICAL METALLIC TUBING FITTINGS

EMT

SET SCREW CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: C WITHOUT COVER AND GASKET					
BULK	1/2"	59005B	10 / BOX	1 BOX	
	3/4"	59007B	10 / BOX	1 BOX	
	1"	59010B	5 / BOX	1 BOX	
	1 1/4"	59012B	2 / BOX	1 BOX	
	1 1/2"	59015B	2 / BOX	1 BOX	
	2"	59020B	1 / BOX	1 BOX	
	2 1/2"	59025B	1 / BOX	1 BOX	
	3"	59030B	1 / BOX	1 BOX	
	3 1/2"	59035B	1 / BOX	1 BOX	
	4"	59040B	1 / BOX	1 BOX	



TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	58105B	10 / BOX	1 BOX	
	3/4"	58107B	10 / BOX	1 BOX	
	1"	58110B	5 / BOX	1 BOX	
	1 1/4"	58112B	2 / BOX	1 BOX	
	1 1/2"	58115B	2 / BOX	1 BOX	
	2"	58120B	1 / BOX	1 BOX	
	2 1/2"	58125B	1 / BOX	1 BOX	
	3"	58130B	1 / BOX	1 BOX	
	3 1/2"	58135B	1 / BOX	1 BOX	
	4"	58140B	1 / BOX	1 BOX	



TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	57405B	10 / BOX	1 BOX	
	3/4"	57407B	10 / BOX	1 BOX	
	1"	57410B	5 / BOX	1 BOX	
	1 1/4"	57412B	2 / BOX	1 BOX	
	1 1/2"	57415B	2 / BOX	1 BOX	
	2"	57420B	1 / BOX	1 BOX	
	2 1/2"	57425B	1 / BOX	1 BOX	
	3"	57430B	1 / BOX	1 BOX	
	3 1/2"	57435B	1 / BOX	1 BOX	
	4"	57440B	1 / BOX	1 BOX	

SET SCREW CONDUIT BODIES ALUMINUM CONTINUED FROM PREVIOUS PAGE

TYPE: LR WITHOUT COVER AND GASKET

BULK	1/2"	57805B	10 / BOX	1 BOX	
	3/4"	57807B	10 / BOX	1 BOX	
	1"	57810B	5 / BOX	1 BOX	
	1 1/4"	57812B	2 / BOX	1 BOX	
	1 1/2"	57815B	2 / BOX	1 BOX	
	2"	57820B	1 / BOX	1 BOX	
	2 1/2"	57825B	1 / BOX	1 BOX	
	3"	57830B	1 / BOX	1 BOX	
	3 1/2"	57835B	1 / BOX	1 BOX	
	4"	57840B	1 / BOX	1 BOX	

**CONDUIT BODY COVER - WITH PLATED SCREWS**

- **APPLICATION:** Used to replace broken or missing covers on conduit bodies to keep them sealed and secure. Indoor only.

Zinc

 Contact us for Canadian regulatory listings

BULK	1/2"	19305B	25 / BOX	1 BOX	
	3/4"	19307B	25 / BOX	1 BOX	
	1"	19310B	25 / BOX	1 BOX	
	1 1/4" - 1 1/2"	19315B	25 / BOX	1 BOX	
	2"	19320B	25 / BOX	1 BOX	
	2 1/2" - 3"	19330B	25 / BOX	1 BOX	
	3 1/2" - 4"	19340B	10 / BOX	1 BOX	







FLEXIBLE METALLIC CONDUIT FITTINGS

• Screw-In Connectors.....	34
• Screw-In Couplings.....	34
• Set-Screw Connectors.....	35
• Saddle Connectors	35
• Squeeze Connectors	36
• AC (BX) Connectors.....	36
• Clamp Connectors.....	37
• Duplex Connectors	37
• 90° Duplex Connectors.....	37
• Flex-to-EMT Couplings.....	38
• MC Snap-In Connectors.....	38
• MC Snap-In Duplex Connectors.....	38
• Cut-In Snap Lock Connector	39
• MC-AC-FLEX Double Snap Connector	39
• Double Snap-In 90 ° BX Connector	39
• AC / MC One-Hole Strap.....	39
• BX Strap.....	39
• 90° Connectors.....	40
• Anti-Short Bushings	40

SCREW-IN CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit to steel outlet box, load center or other metal enclosure. Indoors only.
- **SUITABLE FOR:**
 - 1/2" - Steel, reduced wall steel and aluminum flexible metal conduit
 - 3/8", 3/4" to 1 1/4" and 2" - Flexible metal conduit
 - 1 1/2" - Steel and reduced wall flexible metal conduit



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	04403B	50 / CCP	4 CCP's	28.08
	1/2"	04405B	50 / CCP	4 CCP's	28.90
BULK	3/4"	04407B	25 / BOX	1 BOX	24.81
	1"	04410B	25 / BOX	1 BOX	41.19
	1 1/4"	04412B	10 / BOX	1 BOX	28.99
	1 1/2"	04415B	10 / BOX	1 BOX	15.19
	2"	04420B	10 / BOX	1 BOX	24.31

WITH INSULATED THROAT



BULK	3/8" (1/2" KO)	84403B	50 / BOX	1 BOX	27.35
	1/2"	84405B	50 / BOX	1 BOX	27.25
	3/4"	84407B	25 / BOX	1 BOX	
	1"	84410B	25 / BOX	1 BOX	
	1 1/4"	84412B	10 / BOX	1 BOX	
	1 1/2"	84415B	10 / BOX	1 BOX	
	2"	84420B	10 / BOX	1 BOX	

SCREW-IN COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two pieces of flexible metallic conduit. Indoors only.
- **SUITABLE FOR:**
 - 1/2" - Steel, reduced wall steel and aluminum flexible metal conduit
 - 3/8", 3/4" to 1 1/4" and 2" - Flexible metal conduit
 - 1 1/2" - Steel and reduced wall flexible metal conduit



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	04505B	50 / BOX	1 BOX	28.45
	3/4"	04507B	25 / BOX	1 BOX	21.50
	1"	04510B	100 / BOX	1 BOX	
	1 1/4"	04512B	50 / BOX	1 BOX	
	1 1/2"	04515B	25 / BOX	1 BOX	
	2"	04520B	25 / BOX	1 BOX	

SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect steel or aluminum flexible metallic conduit to a steel outlet box or other metal enclosure. Indoors only.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	04805B	25 / BOX	1 BOX	26.08
	3/4"	04807B	25 / BOX	1 BOX	40.01

WITH INSULATED THROAT

BULK	1/2"	84805B	25 / BOX	1 BOX	27.25
	3/4"	84807B	25 / BOX	1 BOX	40.01



SADDLE CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure. Indoors only.
- **SUITABLE FOR:**
 - #14-2 to the largest size fittable NM sheathed cable
 - #14-2 with ground steel and aluminum armored cable -.470" diameter,
 - 3/8" steel flexible metal conduit, aluminum cont. corrugated metal clad cable 0.510-0.620" diameter
 - Aluminum smooth sheath metal clad cable 0.410-0.500" diameter
 - Aluminum interlocked metal clad cable 0.462-0.548" diameter
 - Steel interlocked metal clad cable 0.422-0.552" diameter

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	06703B	50 / CCP	4 CCP's	37.06

WITH INSULATED THROAT

BULK	3/8" (1/2" KO)	86703B	50 / BOX	1 BOX	37.15
------	----------------	--------	----------	-------	-------



SQUEEZE CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic conduit and steel AC cable to a steel outlet box, load center or other metal enclosure. All sizes up to 1" are compatible with AC, MC, and FMC. Sizes 1 1/4" and larger exclusively compatible with FMC. Indoors only.
- **SUITABLE FOR:**
 - 3/8" steel flexible conduit,
 - .561 steel and .538 - .599
 - Aluminum interlocked metal clad cable
 - 1/2" steel flexible metal conduit and #4-2 wire steel armored cable
 - 3/4" steel flexible metal conduit and #6-3 wire steel armored cable
 - 1" steel and reduced wall steel flexible metal conduit and #2-2 wire steel armored cable
 - 1 1/4" - 4" steel flexible metal conduit



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	04205B	25 / CCP	4 CCP's	23.60
BULK	3/8" (1/2" KO)	04203B	50 / BOX	1 BOX	32.86
	3/4"	04207B	25 / BOX	1 BOX	33.30
	1"	04210B	10 / BOX	1 BOX	20.54
	1 1/4"	04212B	10 / BOX	1 BOX	28.63
	1 1/2"	04215B	5 / BOX	1 BOX	19.47
	2"	04220B	10 / BOX	1 BOX	20.76
	2 1/2"	04225B	10 / BOX	1 BOX	9.57
	3"	04230B	5 / BOX	1 BOX	7.00
	3 1/2"	04235B	2 / BOX	1 BOX	3.37
	4"	04240B	1 / BOX	1 BOX	2.16

WITH INSULATED THROAT



BULK	1/2"	84205B	25 / BOX	1 BOX	
	3/4"	84207B	25 / BOX	1 BOX	28.50
	1"	84210B	10 / BOX	1 BOX	22.25
	1 1/4"	84212B	10 / BOX	1 BOX	
	1 1/2"	84215B	5 / BOX	1 BOX	22.25
	2"	84220B	10 / BOX	1 BOX	20.59

AC (BX) CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect AC (BX) cable to a steel outlet box or other metal enclosure. Indoors only.
- **SUITABLE FOR:**
 - #14-2 steel armored cable



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	05803B	100 / CCP	4 CCP's	49.62

CLAMP CONNECTORS

Zinc Die Cast

- **APPLICATION:** In a dry location, use to connect flexible metallic conduit, AC, MC, or NM cable to steel outlet box or other enclosure. Indoors only.
- **SUITABLE FOR:**
 - #14/2 thru #12/3 with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - 3/8" steel flexible metal conduit, aluminum continuous corrugated metal clad cable 0.365"-0.519" diameter
 - Aluminum smooth sheath metal clad cable 0.345" - 0.525" diameter
 - Aluminum interlocked metal clad cable 0.455" - 0.575" diameter
 - Rectangular aluminum continuous corrugated metal clad cable 0.277" x 0.375", steel interlocked metal clad cable 0.435" - 0.547" diameter



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	05711B	50 / CCP	4 CCP's	26.18
BULK	1/2"	05705B	25 / BOX	1 BOX	
	1"	05710B	10 / BOX	1 BOX	
	1 1/4"	05712B	10 / BOX	1 BOX	
	2"	05720B	5 / BOX	1 BOX	



DUPLEX CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect two pieces of flexible metallic conduit, AC, MC, or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening. Indoors only.
- **SUITABLE FOR:**
 - #14-2 thru #12-3 wire with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - #14-2 wire with ground aluminum armored cable
 - 3/8" FMC, aluminum smooth sheath metal clad cable 0.410"-0.500" diameter
 - 3/8" FMC, aluminum interlocked metal clad cable 0.460"-0.538" diameter
 - 3/8" FMC, steel interlocked metal clad cable 0.438"-0.560" diameter



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	15803B	25 / CCP	4 CCP's	30.84



FLEX-TO-EMT COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - 1/2" steel, steel reduced wall and aluminum flexible metal conduit to EMT
 - 3/4" - 1" flexible metal conduit to EMT



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
<i>SET-SCREW TYPE</i>					
BULK	1/2" - 3/8"	15105B	25 / BOX	1 BOX	
	1/2" - 1/2"	15305B	25 / BOX	1 BOX	21.75
	3/4" - 3/4"	15307B	25 / BOX	1 BOX	27.51



<i>COMPRESSION TO SCREW-IN TYPE</i>					
BULK	1/2"	04905B	50 / BOX	1 BOX	41.95
	3/4"	04907B	25 / BOX	1 BOX	28.95
	1"	04910B	25 / BOX	1 BOX	



<i>CLAMP TYPE</i>					
BULK	1/2"	90605B	25 / BOX	1 BOX	

MC SNAP-IN CONNECTORS

Steel

- **APPLICATION:** Used to connect aluminum or steel AC, aluminum MC, and steel flexible metal conduit. Indoors only.
- **SUITABLE FOR:**
 - Aluminum and steel armored cable with #14-2 - #10-2 wire; steel flexible metal conduit, .45 diameter aluminum interlocked MC cable.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	65705B	50 / BOX	1 BOX	43.25

MC SNAP-IN DUPLEX CONNECTORS

Steel

- **APPLICATION:** Used to connect aluminum or steel AC and MC cables. Indoors only.
- **SUITABLE FOR:**
 - Aluminum and steel armored cable with #14-2 - #12-4 wire; steel MC cable with #14-2 - #10-2 wire; aluminum MC cable with #14-2 - #12-4 wire.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	65805B	25 / BOX	1 BOX	32.65

CUT-IN SNAP LOCK CONNECTORS

Steel

- APPLICATION:** Use these connectors provide significant labor savings when connecting metal clad or armored cable in old work electrical box installations. Indoors only

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	85803NB	25 / BOX	1 BOX	8.75



MC-AC-FLEX DOUBLE SNAP CONNECTORS

Zinc Die Cast

- APPLICATION:** Used for installing metal clad or armored cable to steel boxes or enclosures. Indoors only.
- SUITABLE FOR:**
 - AL and steel AC 14-2 to 10-3
 - AL and steel MC / MCI - A / HCF 14-2 to 10-3
 - AL and steel 3/8" FMC / RWFC

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	85703NB	50 / CCP	4 CCP's	33.66



DOUBLE SNAP-IN LOCK 90° BX CONNECTOR

Zinc Die Cast

- APPLICATION:** Use these connectors provide significant labor savings when connecting 90° bend metal clad or armored cable in old work electrical box installations. Indoors only

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	11103B	25 / BOX	1 BOX	
	1/2"	11105B	25 / BOX	1 BOX	



AC / MC ONE-HOLE STRAPS



- APPLICATION:** Used to secure AC / MC cable range of .475 to .580 to a wood, masonry or similar surface. 0.196 in hole size. Indoors only.

Contact us for Canadian regulatory listings

Steel

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8"	62180B	200 / CCP	4 CCP's	50.00



BX STRAP

Zinc Die Cast

- APPLICATION:** Used to secure AC cable to a wall or other surface.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/4"	12502B	100 / BOX	1 BOX	
	1/2"	12505B	100 / BOX	1 BOX	
	14/2" -10/3"	12543B	100 / BOX	1 BOX	



FLEXIBLE METALLIC CONDUIT FITTINGS

FLEX

90° CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metal conduit, aluminum and steel AC and MC cable to a steel outlet box or other metal enclosure. Indoors only.
- **SUITABLE FOR:**
 - 3/8"- 3/4" steel and aluminum armored cable, steel and aluminum interlocked metal clad cable, flexible cord, and flexible metal conduit
 - 1" - 4" flexible metal conduit



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	11001B	35 / CCP	4 CCP's	33.30
BULK	1/2"	11005B	25 / BOX	1 BOX	33.75
	3/4"	11007B	10 / BOX	1 BOX	21.48
	1"	11010B	5 / BOX	1 BOX	17.25
	1 1/4"	11012B	10 / BOX	1 BOX	20.01
	1 1/2"	11015B	5 / BOX	1 BOX	5.39
	2"	11020B	5 / BOX	1 BOX	6.07
	2 1/2"	11025B	2 / BOX	1 BOX	6.43
	3"	11030B	1 / BOX	1 BOX	3.66
	3 1/2"	11035B	1 / BOX	1 BOX	
	4"	11040B	1 / BOX	1 BOX	7.88

WITH INSULATED THROAT

BULK	3/8" (1/2" KO)	91003B	25 / BOX	1 BOX	21.75
	1/2"	91005B	25 / BOX	1 BOX	37.51
	3/4"	91007B	10 / BOX	1 BOX	22.25
	1"	91010B	5 / BOX	1 BOX	
	1 1/4"	91012B	10 / BOX	1 BOX	
	1 1/2"	91015B	5 / BOX	1 BOX	
	2"	91020B	6 / BOX	1 BOX	

ANTI-SHORT BUSHINGS

Polyethylene

- **APPLICATION:** Used to protect wire within flexible metallic conduit. Indoors only.
- **SUITABLE FOR:**
 - ¹ Fits cable range: 14/2, 14/3, 12/2
 - ² Fits cable range: 14/2, 12/3, 6/1, 4/1
 - ³ Fits cable range: 12/4, 10/2, 10/3, 2/1



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	0 (5/16")	75400BP¹	1000 / BOX	1 BOX	0.88
	1 (3/8")	75401BP²	1000 / BOX	1 BOX	2.28
	2 (7/16")	75402BP³	500 / BOX	1 BOX	1.28
	3 (1/2")	75403BP³	250 / BOX	1 BOX	1.64
	4 (3/4")	75404BP³	250 / BOX	1 BOX	1.28



- *Push-In
Cable Connectors..... 42*
- *Plastic
Cable Connectors..... 42*
- *Clamp Connectors 42*
- *Clamb Connectors
Service Entrance 42*
- *Clamp Connectors
Snap-In 43*
- *Clamp Connectors
Two-Piece 43*
- *Clamp Connectors
Combination 43*
- *Saddle Connectors 43*
- *Duplex Connectors 44*
- *Water-Tight
UF Connectors 44*
- *EMT-To-Non-Metallic
Combination
Couplings..... 44*
- *One-Hole Straps 44*

NON-METALLIC SHEATHED CABLE FITTINGS

NON-METALLIC SHEATHED CABLE FITTINGS

NM

PUSH-IN CABLE CONNECTORS

Nylon



- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design for quick, easy two-step installation and no locknuts required. Dry location. Only one non-metallic cable should go through.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	75105B	100 / CCP	4 CCP's	8.08

PLASTIC CABLE CONNECTORS

PVC



- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design. Dry location.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	75111B	35 / CCP	4 CCP's	11.54
BULK	3/4"	75102B	25 / BOX	1 BOX	8.07

CLAMP CONNECTORS

Zinc Die Cast



- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Dry location.



Contact us for Canadian regulatory listings

¹ Fits NM cable: #14/2, 12/2, 12/3, AWG or 2 #14/2 AWG

² Fits NM cable: #12/3 - 8/3 AWG or flex cord 0.460" - 0.720" diameter

³ Fits NM cable: #14/2 - 6/3 AWG or 3 #10/3 AWG or flex cord 0.450" - 0.730" diameter

⁴ Fits NM cable: #6/3 - 2/3 AWG or flex cord 0.800" - 1.350" diameter; or SE cable 3 conductor or 3 #1/0 min; 3 conductor or 3 #2/0 max

⁵ Fits NM cable, flex cords, multi-flex cords; fitting range 0.835" - 1.520" diameter or SE cable 2 conductor 4/0

⁶ Fits NM cable, flex cords, multi-flex cords; fitting range 1.085" - 1.520" diameter

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	05103B ¹	100 / CCP	4 CCP's	47.72
	3/4"	05107B ²	50 / CCP	4 CCP's	41.36
	1"	05110B ³	25 / CCP	4 CCP's	33.10
BULK	1 1/4"	05112B ⁴	10 / BOX	1 BOX	21.49
	1 1/2"	05115B ⁵	5 / BOX	1 BOX	22.25
	2"	05120B ⁶	10 / BOX	1 BOX	45.83

CLAMP CONNECTORS - SERVICE ENTRANCE

Zinc



- APPLICATION:** Used to connect oval service cable to steel outlet box or other metal enclosure. Dry location.



Contact us for Canadian regulatory listings

¹ Fits SE oval cable: 1.065 x 0.635 - 1.250" x 0.740"

² Fits SE oval cable: 1.405 x 0.875 - 1.450" x 0.857"

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	05310B	25 / BOX	1 BOX	
	1 1/4"	05312B	10 / BOX	1 BOX	21.49
	1 1/2"	05315B	5 / BOX	1 BOX	11.64
	2"	05320B	10 / BOX	1 BOX	18.88

CLAMP CONNECTORS - SNAP-IN

Zinc

- APPLICATION:** Used to connect non-metallic sheathed cable to a steel outlet box or other metal enclosure. Snap-in design for quick, easy two-step installation and no locknuts required. Dry Location. Only UL approved for one non-metallic cable.

¹ Fits NM cable: #14/2 - 12/2 or flex cord .209" - .450" diameter

² Fits NM cable: #10/3 - 8/2, SE oval 0.36 x 0.61 - 0.51 x 0.80 or SER cable 0.05" - 0.75" diameter



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	85103NB ¹	100 / CCP	4 CCP's	44.76
BULK	3/4"	85107NB ²	50 / BOX	1 BOX	38.75

CLAMP CONNECTORS - TWO-PIECE

Zinc Electro-Plated Steel

- APPLICATION:** Used to secure #14 - #10 non-metallic sheathed cable to a steel outlet box or other metal enclosure. No locknut is required. Dry location.

¹ NM cable wire range .160 - .560

² NM cable wire range .200 - .850

³ NM cable wire range .250 - 1.000

⁴ NM cable wire range .312 - 1.200

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	65103B ¹	100 / BOX	1 BOX	38.51
	3/4" - 1"	65110B ²	50 / BOX	1 BOX	37.51
	1 1/4"	65112B ³	25 / BOX	1 BOX	30.23
	1 1/2"	65115B ⁴	25 / BOX	1 BOX	



CLAMP CONNECTORS - COMBINATION

Zinc Die Cast

- APPLICATION:** Used to connect flexible metallic conduit, AC, MC, or NM cable to steel outlet box or other enclosure. Miscellaneous: 3/8" size fits 1/2" knockout. Dry location. Fits AC cable - steel 14/2 - 10/2, 0.463 - 0.59 and aluminum 14/2 - 10/2, 0.47 - 0.552; MCI cable - steel 14/2 - 10/3, 0.46 - 0.55 and aluminum 14/2 - 10/3 0, .465 - 0.585; MCI-A cable - aluminum 12/2 - 10/2, 0.435 - 0.518; HCF MCI-A cable - aluminum 12/2-10/2, 0.416 - 0.495; FMC steel and aluminum 3/8"



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	05711B	50 / CCP	10 CCP's	26.18

SADDLE CONNECTORS

Zinc Die Cast

- APPLICATION:** Used to connect flexible metallic conduit, AC, MC and NM sheathed cable to a steel outlet box or other metal enclosure. Dry location.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	06703B	50 / CCP	4 CCP's	37.06

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" (1/2" KO)	86703B	50 / BOX	1 BOX	37.15



DUPLEX CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect two pieces of flexible metallic conduit, AC, MC, or NM sheathed cable, to a steel outlet box or other metal enclosure when using only one knockout opening. Dry location.
- **SUITABLE FOR:**
 - #14-2 thru #12-3 wire with ground NM sheathed cable
 - #14-2 wire steel armored cable
 - #14-2 wire with ground aluminum armored cable
 - 3/8" FMC, aluminum smooth sheath metal clad cable 0.410" - 0.500" diameter
 - 3/8" FMC, aluminum interlocked metal clad cable 0.460" - 0.538" diameter
 - 3/8" FMC, steel interlocked metal clad cable 0.438" - 0.560" diameter



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	3/8" (1/2" KO)	15803B	25 / CCP	4 CCP's	30.84

WATER-TIGHT UF CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to secure #14 - #12 UF cable to a waterproof box with threaded hub. Dry location.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06605B	25 / BOX	1 BOX	25.83
	3/4"	06607B	25 / BOX	1 BOX	37.83

EMT-TO-NON-METALLIC COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join EMT conduit to non-metallic sheathed cable. Dry location.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	15301B	25 / CCP	4 CCP's	17.58
BULK	1/2"	15303B	50 / BOX	1 BOX	32.25

ONE-HOLE STRAPS

Steel

- **APPLICATION:** Used to secure non-metallic sheathed cable or service entrance cable (SEU, SE) to a wood, masonry or similar surface. Dry location.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#12/2 - #14/2	62171B	100 / BOX	1 BOX	13.83



LIQUID-TIGHT CONDUIT FITTINGS

- *Straight Liquid-Tight Connectors One-Piece* 46
- *Straight Liquid-Tight Connectors Multi-Piece* 46
- *90 Degree Liquid-Tight Connectors One-Piece* 47
- *90 Degree Liquid-Tight Connectors Multi-Piece* 47
- *Straight Liquid-Tight Connectors*..... 48
- *45 Degree Liquid-Tight Connectors*..... 48
- *90 Degree Liquid-Tight Connectors*..... 49
- *Straight Quick-Set Liquid Tight Connectors*..... 49
- *90 Degree Quick-Set Liquid Tight* 50
- *LQD/EMT Couplings*.....50
- *LQD/RGD Couplings*.....50
- *Screw-In Couplings*.....50

STRAIGHT LIQUID TIGHT CONNECTORS - ONE-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Straight connection. One-piece design allows for quick and easy installation.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06305B	25 / BOX	1 BOX	15.14
	3/4"	06307B	10 / BOX	1 BOX	22.83

WITH INSULATED THROAT

BULK	3/4"	86307B	10 / BOX	1 BOX	22.83
------	------	---------------	----------	-------	-------

STRAIGHT LIQUID TIGHT CONNECTORS - MULTI-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Multi-piece straight connection.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	16203B	25 / BOX	1 BOX	16.14
	1/2"	16205B	25 / BOX	1 BOX	14.20
	3/4"	16207B	10 / BOX	1 BOX	19.25
	1"	16210B	10 / BOX	1 BOX	28.95
	1 1/4"	16212B	4 / BOX	1 BOX	25.05
	1 1/2"	16215B	2 / BOX	1 BOX	15.83
	2"	16220B	2 / BOX	1 BOX	18.39

WITH INSULATED THROAT

BULK	3/8"	96203B	25 / BOX	1 BOX	
	1/2"	96205B	25 / BOX	1 BOX	
	3/4"	96207B	10 / BOX	1 BOX	22.83
	1"	96210B	10 / BOX	1 BOX	
	1 1/4"	96212B	4 / BOX	1 BOX	25.05
	1 1/2"	96215B	2 / BOX	1 BOX	16.51
	2"	96220B	2 / BOX	1 BOX	
	2 1/2"	96225B	1 / BOX	1 BOX	2.21
	3"	96230B	1 / BOX	1 BOX	3.22



90° LIQUID TIGHT CONNECTORS - ONE-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic conduit to a steel outlet box or other metal enclosure. Indoors or outdoors.
- **FEATURES:** 90 degree connection. One-piece design allows for quick and easy installation.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06805B	25 / BOX	1 BOX	19.45



90° LIQUID TIGHT CONNECTORS - MULTI-PIECE

Zinc Die Cast

- **APPLICATION:** Used to connect flexible metallic or type B non-metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Multi-piece 90 degree connection.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	16903B	25 / BOX	1 BOX	21.14
	1/2"	16905B	25 / BOX	1 BOX	22.38
	3/4"	16907B	10 / BOX	1 BOX	28.35
	1"	16910B	5 / BOX	1 BOX	35.25
	1 1/4"	16914B	4 / BOX	1 BOX	44.51
	1 1/2"	16915B	2 / BOX	1 BOX	28.51
	2"	16920B	2 / BOX	1 BOX	41.71

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2"	96920B	2 / BOX	1 BOX	41.71
	2 1/2"	96925B	1 / BOX	1 BOX	3.80



STRAIGHT LIQUID TIGHT CONNECTORS

Malleable Iron/Steel/Zinc

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** Straight connection



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	66203B	25 / BOX	1 BOX	15.56
	1/2"	66205B	25 / BOX	1 BOX	16.34
	3/4"	66206B	10 / BOX	1 BOX	31.83
	1"	66210B	5 / BOX	1 BOX	11.68
	1 1/4"	66212B	5 / BOX	1 BOX	12.34
	1 1/2"	66215B	2 / BOX	1 BOX	16.23
	2"	66220B	2 / BOX	1 BOX	28.85
	2 1/2"	66225B	1 / BOX	1 BOX	
	3"	66230B	1 / BOX	1 BOX	
	3 1/2"	66235B	1 / BOX	1 BOX	
	4"	66240B	1 / BOX	1 BOX	

WITH INSULATED THROAT

BULK	3/8"	86203B	25 / BOX	1 BOX	
	1/2"	86205B	25 / BOX	1 BOX	16.34
	3/4"	86207B	10 / BOX	1 BOX	24.14
	1"	86210B	5 / BOX	1 BOX	8.79
	1 1/4"	86212B	5 / BOX	1 BOX	12.34
	1 1/2"	86215B	2 / BOX	1 BOX	16.23
	2"	86220B	2 / BOX	1 BOX	28.85
	2 1/2"	86225B	1 / BOX	1 BOX	2.62
	3"	86230B	1 / BOX	1 BOX	3.91
	4"	86240B	1 / BOX	1 BOX	6.56



45° LIQUID TIGHT CONNECTORS

Malleable Iron/ Steel

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** 45 degree connection.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	66503B	10 / BOX	1 BOX	29.95
	1/2"	66505B	10 / BOX	1 BOX	27.96
	3/4"	66507B	10 / BOX	1 BOX	14.64
	1"	66510B	5 / BOX	1 BOX	13.94
	1 1/4"	66512B	5 / BOX	1 BOX	19.79
	1 1/2"	66515B	2 / BOX	1 BOX	24.25
	2"	66520B	2 / BOX	1 BOX	37.89

WITH INSULATED THROAT

BULK	2 1/2"	86525B	1 / BOX	1 BOX	4.94
------	--------	---------------	---------	-------	------



90° LIQUID TIGHT CONNECTORS

Malleable Iron/Steel/Zinc

- **APPLICATION:** Used to connect flexible metallic liquid tight conduit to a steel outlet box or other metal enclosure or hub. Indoors or outdoors.
- **FEATURES:** 90 degree connection.




Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	66903B	10 / BOX	1 BOX	
	1/2"	66905B	10 / BOX	1 BOX	30.75
	3/4"	66907B	10 / BOX	1 BOX	19.14
	1"	66910B	5 / BOX	1 BOX	16.34
	1 1/4"	66912B	5 / BOX	1 BOX	24.83
	1 1/2"	66915B	2 / BOX	1 BOX	31.89
	2"	66920B	2 / BOX	1 BOX	42.51
	2 1/2"	66925B	1 / BOX	1 BOX	
	3"	66930B	1 / BOX	1 BOX	
	3 1/2"	66935B	1 / BOX	1 BOX	
	4"	66940B	1 / BOX	1 BOX	



WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	86903B	10 / BOX	1 BOX	
	1/2"	86905B	10 / BOX	1 BOX	31.25
	3/4"	86907B	10 / BOX	1 BOX	19.14
	1"	86910B	5 / BOX	1 BOX	16.34
	1 1/4"	86912B	5 / BOX	1 BOX	24.83
	1 1/2"	86915B	2 / BOX	1 BOX	27.25
	2"	86920B	2 / BOX	1 BOX	
	2 1/2"	86925B	1 / BOX	1 BOX	6.12



STRAIGHT QUICK-SET LIQUID TIGHT CONNECTORS

Nylon

- **APPLICATION:** Used to connect type B non-metallic liquid tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs. Indoors or outdoors.
- **FEATURES:** Straight connection.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	76203B	25 / BOX	1 BOX	
	1/2"	76205B	25 / BOX	1 BOX	7.52
	3/4"	76207B	10 / BOX	1 BOX	11.59
	1"	76210B	5 / BOX	1 BOX	8.25
	1 1/4"	76212B	5 / BOX	1 BOX	1.24
	1 1/2"	76215B	2 / BOX	1 BOX	0.64
	2"	76220B	2 / BOX	1 BOX	1.01



90° QUICK-SET LIQUID TIGHT CONNECTORS

Nylon

- **APPLICATION:** Used to connect type B non-metallic liquid tight conduit to a weatherproof outlet box, pool/spa equipment motor, central air conditioning unit or various other electrical enclosures or hubs. Indoors or outdoors.
- **FEATURES:** 90 degree connection



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	76905B	10 / BOX	1 BOX	9.45
	3/4"	76907B	10 / BOX	1 BOX	12.51
	1"	76910B	5 / BOX	1 BOX	10.60
	1 1/4"	76912B	5 / BOX	1 BOX	9.47
	1 1/2"	76915B	2 / BOX	1 BOX	5.13
	2"	76920B	2 / BOX	1 BOX	8.18

EMT TO LQD COMPRESSION COUPLINGS

Zinc Die Cast/Steel

- **APPLICATION:** Used to join EMT and LQD conduit together. Indoors only.
- **FEATURES:** Concrete tight



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	60105B	25 / BOX	1 BOX	
	3/4"	60107B	20 / BOX	1 BOX	
	1"	60110B	10 / BOX	1 BOX	

LQD TO RGD COMBINATION COUPLINGS

Steel

- **APPLICATION:** Used to connect EMT conduit to a liquid tight conduit or AC whip. Outdoor use.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	93503B	20 / BOX	1 BOX	
	1/2"	93505B	20 / BOX	1 BOX	
	3/4"	93507B	10 / BOX	1 BOX	
	1"	93510B	5 / BOX	1 BOX	
	1 1/4"	93512B	5 / BOX	1 BOX	
	1 1/2"	93515B	12 / BOX	1 BOX	
	2"	93520B	5 / BOX	1 BOX	

SCREW-IN COUPLINGS

PVC

- **APPLICATION:** Used to connect two lengths of type B non-metallic liquid tight conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	74505B	30 / BOX	1 BOX	1.81
	3/4"	74507B	25 / BOX	1 BOX	1.92



RIGID CONDUIT FITTINGS

**** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.****

- Set-Screw Connectors..... 52
- Set Screw Couplings.. 52-53
- Compression Connectors. 53
- Compression Couplings... 54
- EMT to RGD
Combination Couplings .. 54
- Couplings..... 54-55
- EMT/RGD Strut Clamps . 56
- Elbows..... 57-59
- Nipples..... 59-62
- Water-Tight
Conduit Hubs..... 62
- Spacers
and Bushings 62-64
- Reducing Washers..... 65
- LQD/RGD Couplings 65
- Locknuts 66-67
- Insulated Metallic Ground
Bushing..... 68
- Clamp Backs 68
- Reducing Bushing..... 69
- Straps..... 69-71
- Conduit Body Gasket..... 70
- EMT/RGD Conduit
Bodies..... 71-73
- Mogul Pulling Elbows 74
- Threaded Conduit
Bodies..... 75-78
- Conduit Body Cover..... 78

SET-SCREW CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT, Rigid or IMC conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2 inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	62905B	50 / BOX	1 BOX	
	3/4"	62907B	25 / BOX	1 BOX	
	2 1/2"	12125B	12 / BOX	1 BOX	9.82
	3"	12130B	12 / BOX	1 BOX	12.73
	3 1/2"	12135B	10 / BOX	1 BOX	12.29
	4"	12140B	6 / BOX	1 BOX	9.24

WITH INSULATED THROAT

BULK	2 1/2"	92125B	12 / BOX	1 BOX	
	3"	92130B	12 / BOX	1 BOX	
	3 1/2"	92135B	10 / BOX	1 BOX	
	4"	92140B	6 / BOX	1 BOX	

SET-SCREW CONNECTORS

Steel



- **APPLICATION:** Used to connect EMT, Rigid or IMC conduit to steel outlet box, load center, or other metal enclosure. Indoors only.
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2 inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	62725B	12 / BOX	1 BOX	15.22
	3"	62730B	12 / BOX	1 BOX	10.64
	3 1/2"	62735B	6 / BOX	1 BOX	
	4"	62740B	6 / BOX	1 BOX	15.19

WITH INSULATED THROAT

BULK	2 1/2"	82725B	12 / BOX	1 BOX	
	3"	82730B	12 / BOX	1 BOX	
	3 1/2"	82735B	6 / BOX	1 BOX	
	4"	82740B	6 / BOX	1 BOX	15.16

SET-SCREW COUPLINGS

Steel



- **APPLICATION:** Used to join two lengths of EMT, Rigid or IMC conduit together. Indoors only.
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2 1/2 inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	62825B	12 / BOX	1 BOX	20.74
	3"	62830B	12 / BOX	1 BOX	21.93
	3 1/2"	62835B	6 / BOX	1 BOX	13.64
	4"	62840B	6 / BOX	1 BOX	

SET-SCREW COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT conduit together. Use one coupling for every 10" of pipe Indoors only.
- **FEATURES:** • 1" - 4" Concrete tight when taped
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	12225B	12 / BOX	1 BOX	10.28
	3"	12230B	12 / BOX	1 BOX	13.10
	3 1/2"	12235B	10 / BOX	1 BOX	
	4"	12240B	6 / BOX	1 BOX	10.43



COMPRESSION CONNECTORS

Zinc Die Cast

- **APPLICATION:** Used to connect EMT, threadless Rigid or IMC conduit to a steel outlet box, load center, or other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	02125B	12 / BOX	1 BOX	13.84
	3"	02130B	12 / BOX	1 BOX	16.86
	3 1/2"	02135B	10 / BOX	1 BOX	17.63
	4"	02140B	6 / BOX	1 BOX	12.49

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	82125B	12 / BOX	1 BOX	
	3"	82130B	12 / BOX	1 BOX	
	3 1/2"	82135B	10 / BOX	1 BOX	
	4"	82140B	6 / BOX	1 BOX	



COMPRESSION CONNECTORS

Steel

- **APPLICATION:** Used to join threadless Rigid or IMC conduit to a steel outlet box OR other metal enclosure. Indoors only.
- **FEATURES:** Concrete tight
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	63505B	25 / BOX	1 BOX	37.14
	3/4"	63507B	25 / BOX	1 BOX	37.14
	1"	63510B	5 / BOX	1 BOX	1.60
	1 1/4"	63512B	5 / BOX	1 BOX	2.48
	1 1/2"	63515B	2 / BOX	1 BOX	1.51
	2"	63520B	2 / BOX	1 BOX	2.11



CONTINUATION FROM PREVIOUS PAGE



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	62325B	12 / BOX	1 BOX	21.96
	3"	62330B	12 / BOX	1 BOX	
	3 1/2"	62335B	6 / BOX	1 BOX	
	4"	62340B	6 / BOX	1 BOX	

WITH INSULATED THROAT

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	82405B	20 / BOX	1 BOX	
	3/4"	82407B	10 / BOX	1 BOX	
	1"	82410B	5 / BOX	1 BOX	
	1 1/4"	82412B	5 / BOX	1 BOX	
	1 1/2"	82415B	12 / BOX	1 BOX	
	2"	82420B	12 / BOX	1 BOX	
	2 1/2"	82325B	12 / BOX	1 BOX	22.52
	3"	82330B	12 / BOX	1 BOX	23.04
	3 1/2"	82335B	6 / BOX	1 BOX	
	4"	82340B	6 / BOX	1 BOX	

COMPRESSION COUPLINGS

Zinc Die Cast

- **APPLICATION:** Used to join two lengths of EMT, threadless Rigid or IMC conduit together. Indoors only.
- **DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	02225B	12 / BOX	1 BOX	15.95
	3"	02230B	12 / BOX	1 BOX	21.11
	3 1/2"	02235B	10 / BOX	1 BOX	
	4"	02240B	6 / BOX	1 BOX	15.12

ALUMINUM COUPLINGS

Aluminum

- **APPLICATION:** Used to join threaded Rigid or IMC conduit together. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	54012	1 / BAG	5 BAGS	1.08
	2"	54020	1 / BAG	3 BAGS	1.09

90° SHORT RADIUS ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect Rigid or IMC conduit to an outlet box where a close radius is desired. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	19005	1 / BAG	20 BAGS	2.26
	3/4"	19007	1 / BAG	10 BAGS	1.90



COMPRESSION COUPLINGS

Steel

- APPLICATION:** Used to join two lengths of threadless Rigid or IMC conduit together. Indoors only.
- DUAL-RATED FITTINGS:** Electrical fittings in the EMT and RGD categories, sized 2½ inches and above, are dual-listed, meaning they are approved for use in both EMT and RGD conduit systems.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	63605B	10 / BOX	1 BOX	1.41
	3/4"	63607B	10 / BOX	1 BOX	2.14
	1"	63610B	5 / BOX	1 BOX	2.26
	1 1/4"	63612B	5 / BOX	1 BOX	3.99
	1 1/2"	63615B	2 / BOX	1 BOX	1.85
	2"	63620B	2 / BOX	1 BOX	2.24
	2 1/2"	62425B	12 / BOX	1 BOX	31.22
	3"	62430B	6 / BOX	1 BOX	16.59
	3 1/2"	62435B	6 / BOX	1 BOX	
	4"	62440B	6 / BOX	1 BOX	28.91



RIGID THREE-PIECE COUPLINGS

Malleable Iron

- APPLICATION:** Used as a threaded coupling between lengths of threaded Rigid or IMC conduit, when neither can be rotated. Indoors or outdoors.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	65505B	25 / BOX	1 BOX	
	3/4"	65507B	25 / BOX	1 BOX	6.64
	1"	65510B	10 / BOX	1 BOX	
	1 1/4"	65512B	10 / BOX	1 BOX	
	1 1/2"	65515B	10 / BOX	1 BOX	
	2"	65520B	10 / BOX	1 BOX	
	2 1/2"	65525B	10 / BOX	1 BOX	
	3"	65530B	1 / BOX	1 BOX	
	3 1/2"	65535B	1 / BOX	1 BOX	
	4"	65540B	1 / BOX	1 BOX	



Steel

EMT TO RGD SET-SCREW COMBINATION COUPLINGS

- APPLICATION:** Used to join EMT conduit to Rigid metal conduit. Indoors only.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 1/2"	15304B	25 / BOX	1 BOX	3.96
	3/4" - 3/4"	15306B	25 / BOX	1 BOX	5.06
	1"	17310B	10 / BOX	1 BOX	

EMT / RGD STRUT CLAMPS

Steel

- APPLICATION:** Used to secure conduit to strut. Indoors and outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	18705B	100 / BOX	1 BOX	
	3/4"	18707B	100 / BOX	1 BOX	
BULK	1/2"	18705B	100 / BOX	1 BOX	
	3/4"	18707B	100 / BOX	1 BOX	
	1"	18710B	100 / BOX	1 BOX	
	1 1/4"	18712B	100 / BOX	1 BOX	
	1 1/2"	18715B	50 / BOX	1 BOX	
	2"	18720B	50 / BOX	1 BOX	
	2 1/2"	18725B	50 / BOX	1 BOX	
	3"	18730B	25 / BOX	1 BOX	
	3 1/2"	18735B	25 / BOX	1 BOX	
	4"	18740B	25 / BOX	1 BOX	

RIGID COUPLINGS

Steel



- APPLICATION:** Used to join threaded Rigid or IMC conduit together. Indoors or outdoors.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64001B	100 / BOX	1 BOX	12.37
	1/2"	64005B	100 / BOX	1 BOX	12.28
	3/4"	64007B	50 / BOX	1 BOX	9.23
	1"	64010B	30 / BOX	1 BOX	
	1 1/4"	64012B	25 / BOX	1 BOX	
	1 1/2"	64015B	25 / BOX	1 BOX	
	2"	64020B	20 / BOX	1 BOX	
	2 1/2"	64025B	12 / BOX	1 BOX	
	3"	64030B	8 / BOX	1 BOX	
	3 1/2"	64035B	4 / BOX	1 BOX	
	4"	64040B	4 / BOX	1 BOX	

RIGID TO RIGID PULL ELBOWS

Zinc Die Cast

- APPLICATION:** Used as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94105B	10 / BOX	1 BOX	19.66
	3/4"	94107B	5 / BOX	1 BOX	16.27



EMT/RIGID-TO-EMT/RIGID COMBO ELBOWS

Zinc Die Cast

- APPLICATION:** Used as a wire pulling elbow to facilitate wire pulling through a sharp bend in a run of threaded Rigid or IMC conduit. RGD indoors or outdoors. EMT indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94505B	10 / BOX	1 BOX	
	3/4"	94507B	5 / BOX	1 BOX	
	1"	94510B	25 / BOX	1 BOX	
	1 1/4"	94512B	20 / BOX	1 BOX	



PULL ELBOW COUPLINGS

Zinc Die Cast

- APPLICATION:** Used to join threadless Rigid or IMC conduit to a steel outlet box OR other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings

WITH GASKET AND COVER

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	94110B	25 / BOX	1 BOX	
	1 1/4"	94212B	20 / BOX	1 BOX	



RIGID-TO-BOX PULL ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect a run of threaded Rigid or IMC conduit to an outlet box or other metal enclosure. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
WITHOUT GASKET					
UPC	1/2"	14205	1 / BAG	10 BAGS	2.09

WITH GASKET AND COVER

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94205B	10 / BOX	1 BOX	21.05
	3/4"	94207B	5 / BOX	1 BOX	12.13
	1"	94210B	25 / BOX	1 BOX	
	1 1/4"	94312B	20 / BOX	1 BOX	



90° LARGE RADIUS ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect Rigid or IMC conduit to an outlet box where a large radius is desired, for example to accommodate larger gauge wire. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	19205B	25 / BOX	1 BOX	3.06
	3/4"	19207B	10 / BOX	1 BOX	1.08

EMT / RIGID-TO BOX COMBINATION ELBOWS

Zinc Die Cast

- APPLICATION:** Used to connect a run of threaded rigid or IMC conduit to an outlet box or other metal enclosure. Suitable for outdoor locations when protected by overhead cover. Indoors or outdoors.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	94705B	10 / BOX	1 BOX	
	3/4"	94707B	5 / BOX	1 BOX	
	1"	94710B	25 / BOX	1 BOX	
	1 1/4"	94712B	20 / BOX	1 BOX	

Steel

45° RIGID ELBOWS

- APPLICATION:** Used to allow a 45° change of direction in a run of Rigid or IMC conduit. Indoors or outdoors.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64205B	50 / BOX	1 BOX	
	3/4"	64207B	50 / BOX	1 BOX	
	1"	64210B	35 / BOX	1 BOX	
	1 1/4"	64212B	30 / BOX	1 BOX	
	1 1/2"	64215B	15 / BOX	1 BOX	
	2"	64220B	15 / BOX	1 BOX	
	2 1/2"	64225B	1 / BOX	1 BOX	
	3 1/2"	64235B	1 / BOX	1 BOX	
	4"	64240B	1 / BOX	1 BOX	

90° RIGID ELBOWS

Steel

- APPLICATION:** Used to allow a 90° change of direction in a run of Rigid or IMC conduit. Indoors or outdoors.

Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	64105B	50 / BOX	1 BOX	36.35
	3/4"	64107B	50 / BOX	1 BOX	55.85
	1"	64110B	20 / BOX	1 BOX	40.30
	1 1/4"	64112B	20 / BOX	1 BOX	62.00
	1 1/2"	64115B	10 / BOX	1 BOX	44.60
	2"	64120B	10 / BOX	1 BOX	67.50
	2 1/2"	64125B	1 / BOX	1 BOX	
	3"	64130B	1 / BOX	1 BOX	
	3 1/2"	64135B	1 / BOX	1 BOX	
	4"	64140B	1 / BOX	1 BOX	

90° ELBOWS

- APPLICATION:** Used to allow a 90° change of direction in a run of Rigid or IMC conduit. Indoors or outdoors.

Aluminum

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	54112	1 / BAG	5 BAGS	6.39
	2"	54120	1 / BAG	2 BAGS	5.21

**OFFSET NIPPLES***Zinc Die Cast*

Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	04005B	10 / BOX	1 BOX	11.73
	3/4"	04007B	10 / BOX	1 BOX	17.12
	1"	04010B	10 / BOX	1 BOX	21.49
	1 1/4"	04012B	5 / BOX	1 BOX	16.71
	1 1/2"	04015B	5 / BOX	1 BOX	22.66
	2"	04020B	2 / BOX	1 BOX	12.57
	2 1/2"	04025B	2 / BOX	1 BOX	2.87
	3"	04030B	1 / BOX	1 BOX	2.16

**CHASE NIPPLES***Zinc Die Cast*

Contact us for Canadian regulatory listings

- APPLICATION:** Used with a Rigid coupling to terminate threaded conduit to a knockout box or enclosure, where space within the box is limited. Used with a locknut to provide a short raceway between boxes or enclosures. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	07005B	100 / BOX	1 BOX	35.69
	3/4"	07007B	50 / BOX	1 BOX	30.90
	1"	07010B	25 / BOX	1 BOX	24.98
	1 1/4"	07012B	25 / BOX	1 BOX	30.25
	1 1/2"	07015B	25 / BOX	1 BOX	4.54
	2"	07020B	10 / BOX	1 BOX	11.88
	2 1/2"	07025B	10 / BOX	1 BOX	17.20
	3"	07030B	10 / BOX	1 BOX	20.60
	3 1/2"	07035B	10 / BOX	1 BOX	
	4"	07040B	5 / BOX	1 BOX	16.68



CONDUIT NIPPLES

Steel

- **APPLICATION:** Used to connect two steel outlet boxes or other metal enclosures; use to extend a length of threaded Rigid or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/4" X CLOSE	64307B	25 / BOX	1 BOX	
	3/4" x 1 1/2"	64317B	25 / BOX	1 BOX	
	3/4" X 2"	64327B	25 / BOX	1 BOX	
	3/4" x 2 1/2"	65425B	25 / BOX	1 BOX	
	3/4" X 3"	64332B	25 / BOX	1 BOX	
	3/4" x 3 1/2"	65435B	25 / BOX	1 BOX	
	3/4" X 4"	64342B	25 / BOX	1 BOX	
	3/4" X 5"	64352B	25 / BOX	1 BOX	10.97
	3/4" X 6"	64362B	25 / BOX	1 BOX	
	3/4" X 8"	64382B	1 / BOX	1 BOX	0.72
	3/4" X 10"	64392B	1 / BOX	1 BOX	0.90
	3/4" X 12"	64302B	1 / BOX	1 BOX	1.08
	1/2" X CLOSE	64305B	25 / BOX	1 BOX	
	1/2" X 1 1/2"	64311B	25 / BOX	1 BOX	
	1/2" X 2"	64325B	25 / BOX	1 BOX	
	1/2" X 2 1/2"	65325B	25 / BOX	1 BOX	
	1/2" X 3"	64331B	25 / BOX	1 BOX	
	1/2" X 3 1/2"	65335B	25 / BOX	1 BOX	
	1/2" X 4"	64341B	25 / BOX	1 BOX	
	1/2" X 6"	64361B	25 / BOX	1 BOX	
	1/2" x 8"	64381B	1 / BOX	1 BOX	0.52
	1/2" x 12"	64301B	1 / BOX	1 BOX	0.80

CONTINUATION OF CHART PROVIDED ON NEXT PAGE

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1" X CLOSE	64310B	25 / BOX	1 BOX	
	1" X CLOSE	65310B	25 / BOX	1 BOX	
	1" X 2"	65313B	25 / BOX	1 BOX	
	1" X 2 1/2"	64323B	25 / BOX	1 BOX	
	1" X 3"	64333B	25 / BOX	1 BOX	
	1" x 3 1/2"	66335B	25 / BOX	1 BOX	
	1" X 4"	64343B	25 / BOX	1 BOX	12.64
	1" X 5"	64353B	25 / BOX	1 BOX	
	1" X 6"	64363B	25 / BOX	1 BOX	
	1" x 8"	64383B	25 / BOX	1 BOX	1.10
	1" x 10"	64393B	1 / BOX	1 BOX	1.30
	1" x 12"	64303B	1 / BOX	1 BOX	3.80
	1 1/4 X CLOSE	64312B	25 / BOX	1 BOX	
	1 1/4 X 2"	64314B	25 / BOX	1 BOX	
	1 1/4" x 2 1/2"	66325B	25 / BOX	1 BOX	
	1 1/4" X 3"	64334B	25 / BOX	1 BOX	
	1 1/4" x 3 1/2"	65635B	25 / BOX	1 BOX	
	1 1/4" x 4"	64344B	1 / BOX	1 BOX	
	1 1/4" X 5"	64354B	25 / BOX	1 BOX	
	1 1/4" X 6"	64364B	25 / BOX	1 BOX	
	1 -1/4" x 8"	64384B	1 / BOX	1 BOX	1.25
	1 1/4" x 10"	64394B	1 / BOX	1 BOX	1.80
	1 1/4" x 12"	64308B	1 / BOX	1 BOX	
	1 1/2" X CLOSE	64315B	5 / BOX	1 BOX	
	1 1/2" X 2"	64313B	25 / BOX	1 BOX	
	1 1/2" x 2 1/2"	66425B	25 / BOX	1 BOX	
	1 1/2" X 3"	64335B	25 / BOX	1 BOX	
	1 1/2" x 3 1/2"	64635B	25 / BOX	1 BOX	
	1 1/2" x 4"	64345B	25 / BOX	1 BOX	20.53
	1 1/2" x 5"	64355B	25 / BOX	1 BOX	26.37
	1 1/2" X 6"	64365B	25 / BOX	1 BOX	
	1 1/2" x 8"	64385B	1 / BOX	1 BOX	1.50
	1 1/2" x 10"	64395B	1 / BOX	1 BOX	2.00
	1 1/2" x 12"	64605B	1 / BOX	1 BOX	
	2" X CLOSE	64320B	25 / BOX	1 BOX	
	2" x 2 1/2"	64625B	25 / BOX	1 BOX	
	2" X 3"	64336B	25 / BOX	1 BOX	
	2" x 3 1/2"	64735B	25 / BOX	1 BOX	
	2" x 4"	64346B	25 / BOX	1 BOX	24.66
	2" X 5"	64356B	25 / BOX	1 BOX	
	2" X 6"	64366B	25 / BOX	1 BOX	
	2" X 8"	64386B	1 / BOX	1 BOX	
	2" x 10"	64396B	1 / BOX	1 BOX	2.70
	2" x 12"	64306B	1 / BOX	1 BOX	3.06



RIGID CONDUIT FITTINGS

RGD

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2" x CLOSE	64617B	1 / BOX	1 BOX	1.00
	2 1/2" x 3"	64630B	1 / BOX	1 BOX	
	2 1/2" x 3 1/2"	64835B	1 / BOX	1 BOX	
	2 1/2" x 4"	64347B	1 / BOX	1 BOX	1.50
	2 1/2" x 5"	64357B	1 / BOX	1 BOX	1.97
	2 1/2" x 6"	64367B	1 / BOX	1 BOX	2.40
	2 1/2" x 8"	64387B	1 / BOX	1 BOX	3.29
	2 1/2" x 10"	64397B	1 / BOX	1 BOX	
	2 1/2" x 12"	64607B	1 / BOX	1 BOX	5.05
	3" x CLOSE	64618B	1 / BOX	1 BOX	11.64
	3" x 3"	64338B	1 / BOX	1 BOX	
	3" x 3 1/2"	64935B	1 / BOX	1 BOX	
	3" x 4"	64348B	1 / BOX	1 BOX	2.00
	3" x 5"	64358B	1 / BOX	1 BOX	2.60
	3" x 6"	64368B	1 / BOX	1 BOX	3.00
	3" x 8"	64388B	1 / BOX	1 BOX	4.11
	3" x 10"	64398B	1 / BOX	1 BOX	5.28
	3" x 12"	64608B	1 / BOX	1 BOX	6.30
	3 1/2" x CLOSE	64619B	1 / BOX	1 BOX	19.20
	3 1/2" x 4"	64349B	1 / BOX	1 BOX	
	3 1/2" x 5"	64359B	1 / BOX	1 BOX	
	3 1/2" x 6"	64369B	1 / BOX	1 BOX	3.73
	3 1/2" x 8"	64389B	1 / BOX	1 BOX	
	3 1/2" x 10"	64399B	1 / BOX	1 BOX	6.55
	3 1/2" x 12"	64309B	1 / BOX	1 BOX	
	4" x CLOSE	64620B	1 / BOX	1 BOX	21.60
	4" x 4"	64340B	1 / BOX	1 BOX	2.85
	4" x 5"	64350B	1 / BOX	1 BOX	3.80
	4" x 6"	64360B	1 / BOX	1 BOX	4.40
	4" x 8"	64380B	1 / BOX	1 BOX	6.00
	4" x 10"	64390B	1 / BOX	1 BOX	7.75
	4" x 12"	64300B	1 / BOX	1 BOX	9.25



WATER-TIGHT CONDUIT HUBS

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to a load center or other metal enclosure where a water-tight joint is required at knockouts or slip-fit holes. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	91631B	25 / BOX	1 BOX	
	3/4"	91632B	10 / BOX	1 BOX	
	1"	16310B	10 / BOX	1 BOX	
	1 1/4"	16312B	10 / BOX	1 BOX	
	1 1/2"	16315B	10 / BOX	1 BOX	
	2"	16320B	10 / BOX	1 BOX	
	2 1/2"	16325B	2 / BOX	1 BOX	3.35
	3"	16330B	1 / BOX	1 BOX	
	3 1/2"	16335B	1 / BOX	1 BOX	2.82
	4"	16340B	1 / BOX	1 BOX	3.26



WATER-TIGHT CONDUIT HUBS WITH BONDING SCREW

Zinc Die Cast

- **APPLICATION:** Used to connect Rigid or IMC conduit to a load center or other metal enclosure where a water-tight joint is required at knockouts or slip-fit holes. Indoors or outdoors



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06405B	25 / BOX	1 BOX	
	3/4"	06407B	10 / BOX	1 BOX	
	1"	06410B	1 / BOX	1 BOX	
	1 1/4"	06412B	2 / BOX	1 BOX	
	1 1/2"	06415B	2 / BOX	1 BOX	
	2"	06420B	2 / BOX	1 BOX	
	2 1/2"	06425B	1 / BOX	1 BOX	
	3"	06430B	1 / BOX	1 BOX	
	3 1/2"	06435B	5 / BOX	1 BOX	
	4"	06440B	1 / BOX	1 BOX	



BOX SPACERS

Zinc Die Cast

- **APPLICATION:** Used as a raceway between two steel outlet boxes or other metal enclosures. Indoors only.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	16405B	50 / BOX	1 BOX	45.00
	3/4"	16407B	50 / BOX	1 BOX	61.16



CONDUIT BUSHINGS

Zinc Die Cast

- **APPLICATION:** Used with locknut to terminate threaded Rigid or IMC conduit to an outlet box. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	05205B	100 / BOX	1 BOX	32.25
	3/4"	05207B	25 / BOX	1 BOX	37.85
	1"	05210B	50 / BOX	1 BOX	25.91
	1 1/4"	05212B	25 / BOX	1 BOX	
	1 1/2"	05215B	25 / BOX	1 BOX	
	2"	05220B	25 / BOX	1 BOX	
	2 1/2"	05225B	10 / BOX	1 BOX	
	3"	05230B	10 / BOX	1 BOX	
	3 1/2"	05235B	5 / BOX	1 BOX	
	4"	05240B	5 / BOX	1 BOX	

PLASTIC BUSHINGS

Thermoplastic

- **APPLICATION:** Used with locknut to terminate threaded Rigid or IMC conduit to an outlet box. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	75205B	100 / BOX	1 BOX	7.03
	3/4"	75207B	100 / BOX	1 BOX	12.25
	1"	75210B	50 / BOX	1 BOX	10.55
	1 1/4"	75212B	25 / BOX	1 BOX	7.70
	1 1/2"	75215B	25 / BOX	1 BOX	8.20
	2"	75220B	25 / BOX	1 BOX	10.41
	2 1/2"	75225B	10 / BOX	1 BOX	13.51
	3"	75230B	10 / BOX	1 BOX	16.30
	3 1/2"	75235B	5 / BOX	1 BOX	13.25
	4"	75240B	5 / BOX	1 BOX	14.01

REDUCING WASHERS

Steel

- **APPLICATION:** Used to reduce the size of the knockout in a steel outlet box or other metal enclosure. Must use one inside the enclosure opening and one on the outside. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 3/4"	68205B	250 / BOX	1 BOX	
	1" x 1/2"	68305B	250 / BOX	1 BOX	52.25
	1" x 3/4"	68307B	250 / BOX	1 BOX	37.53
	1 1/4" x 1/2"	68405B	100 / BOX	1 BOX	3.14
	1 1/4" x 3/4"	68407B	100 / BOX	1 BOX	3.14
	1 1/4" x 1"	68410B	100 / BOX	1 BOX	2.14
	1 1/2" x 1/2"	68505B	100 / BOX	1 BOX	4.14
	1 1/2" x 3/4"	68507B	100 / BOX	1 BOX	4.14
	1 1/2"-1"	68510B	50 / BOX	1 BOX	
	1 1/2" x 1 1/4"	68512B	100 / BOX	1 BOX	3.14
	2" x 1/2"	68605B	50 / BOX	1 BOX	4.14
	2" x 3/4"	68607B	50 / BOX	1 BOX	4.14
	2" x 1"	68610B	50 / BOX	1 BOX	3.64
	2" x 1 1/4"	68612B	50 / BOX	1 BOX	3.14
	2"-1 1/2"	68615B	25 / BOX	1 BOX	
	2 1/2" - 1/2"	68525B	25 / BOX	1 BOX	
	2 1/2" - 3/4"	68527B	25 / BOX	1 BOX	
	2 1/2" - 1"	68521B	25 / BOX	1 BOX	
	2 1/2" - 1/4"	68522B	25 / BOX	1 BOX	
	2 1/2" - 1 1/2"	68529B	25 / BOX	1 BOX	
	2 1/2"-2"	68720B	25 / BOX	1 BOX	



LQD TO RGD COMBINATION COUPLINGS

Steel

- **APPLICATION:** Used to connect EMT conduit to a liquid tight conduit or AC whip. Outdoor use.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8"	93503B	20 / BOX	1 BOX	
	1/2"	93505B	20 / BOX	1 BOX	
	3/4"	93507B	10 / BOX	1 BOX	
	1"	93510B	5 / BOX	1 BOX	
	1 1/4"	93512B	5 / BOX	1 BOX	
	1 1/2"	93515B	12 / BOX	1 BOX	
	2"	93520B	5 / BOX	1 BOX	



CONDUIT LOCKNUTS

Steel

- APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosure. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	61905B	200 / BOX	1 BOX	22.31
	3/4"	61907B	100 / BOX	1 BOX	16.33
	1"	61910B	100 / BOX	1 BOX	28.61
	1 1/4"	61912B	50 / BOX	1 BOX	18.71
	1 1/2"	61915B	50 / BOX	1 BOX	32.25
	2"	61920B	50 / BOX	1 BOX	14.74
	2 1/2"	61925B	25 / BOX	1 BOX	1.91
	3"	61930B	25 / BOX	1 BOX	4.53
	3 1/2"	61935B	10 / BOX	1 BOX	10.34
	4"	61940B	10 / BOX	1 BOX	11.56

SEALING CONDUIT LOCKNUTS

Steel

- APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures, when moisture proof protection is desired. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	61805B	50 / BOX	1 BOX	11.83
	3/4"	61807B	25 / BOX	1 BOX	9.33
	1"	61810B	25 / BOX	1 BOX	11.83
	1 1/4"	61812B	10 / BOX	1 BOX	9.83
	1 1/2"	61815B	10 / BOX	1 BOX	9.83
	2"	61820B	10 / BOX	1 BOX	13.83
	2 1/2"	96125B	25 / BOX	1 BOX	
	3"	96130B	25 / BOX	1 BOX	
	3 1/2"	96135B	25 / BOX	1 BOX	
	4"	96140B	25 / BOX	1 BOX	

CONDUIT LOCKNUTS

Zinc Die Cast

- APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	01905B	200 / BOX	1 BOX	19.31
	3/4"	01907B	100 / BOX	1 BOX	15.83
	1"	01910B	100 / BOX	1 BOX	24.45
	1 1/4"	01912B	50 / BOX	1 BOX	20.45
	1 1/2"	01915B	50 / BOX	1 BOX	25.20
	2"	01920B	50 / BOX	1 BOX	13.60
	2 1/2"	01925B	25 / BOX	1 BOX	3.55
	3"	01930B	25 / BOX	1 BOX	5.26
	3 1/2"	01935B	10 / BOX	1 BOX	
	4"	01940B	10 / BOX	1 BOX	10.63



GROUNDING LOCKNUTS

Zinc Die Cast

- APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	01805B	100 / BOX	1 BOX	
	3/4"	01807B	100 / BOX	1 BOX	
	1"	01810B	50 / BOX	1 BOX	
	1 1/4"	01812B	50 / BOX	1 BOX	
	1 1/2"	01815B	25 / BOX	1 BOX	
	2"	01820B	20 / BOX	1 BOX	
	2 1/2"	01825B	50 / BOX	1 BOX	
	3"	01830B	50 / BOX	1 BOX	
	3 1/2"	01835B	25 / BOX	1 BOX	
	4"	01840B	25 / BOX	1 BOX	



GROUNDING LOCKNUTS

Steel

- APPLICATION:** Used to secure Rigid, IMC conduit or various threaded fittings to a steel outlet box or other metal enclosures. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	68105B	100 / BOX	1 BOX	
	3/4"	68107B	100 / BOX	1 BOX	
	1"	68110B	50 / BOX	1 BOX	
	1 1/4"	68112B	50 / BOX	1 BOX	
	1 1/2"	68115B	25 / BOX	1 BOX	
	2"	68120B	20 / BOX	1 BOX	
	2 1/2"	68125B	50 / BOX	1 BOX	
	3"	68130B	50 / BOX	1 BOX	
	3 1/2"	68135B	25 / BOX	1 BOX	
	4"	68140B	25 / BOX	1 BOX	



INSULATED METALLIC GROUNDING BUSHING

Zinc Die Cast

- **APPLICATION:** Used with locknut to terminate service conduit to a cabinet. Lug provided for bonding jumper to a neutral bus bar. Indoors or Outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	95205B	25 / BOX	1 BOX	1.61
	3/4"	95207B	25 / BOX	1 BOX	1.86
	1"	95210B	25 / BOX	1 BOX	10.14
	1 1/4"	95212B	20 / BOX	1 BOX	2.74
	1 1/2"	95215B	20 / BOX	1 BOX	3.62
	2"	95220B	10 / BOX	1 BOX	2.09
	2 1/2"	95225B	10 / BOX	1 BOX	17.23
	3"	95230B	10 / BOX	1 BOX	19.99
	3 1/2"	95235B	5 / BOX	1 BOX	15.59
	4"	95240B	5 / BOX	1 BOX	13.63

CLAMP BACKS

Malleable Iron

- **APPLICATION:** Used to provide spacing between mounting surface and Rigid conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	33205B	25 / BOX	1 BOX	29.75
	3/4"	33207B	25 / BOX	1 BOX	

EMT/RGD COMBINATION CLAMPBACKS

Malleable Iron

- **APPLICATION:** Used to provide spacing between mounting surface and conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	33210B	25 / BOX	1 BOX	
	1 1/4"	33212B	10 / BOX	1 BOX	
	1 1/2"	33215B	10 / BOX	1 BOX	
	2"	33220B	5 / BOX	1 BOX	
	2 1/2"	33225B	25 / BOX	1 BOX	
	3"	33230B	10 / BOX	1 BOX	
	3 1/2"	33235B	10 / BOX	1 BOX	
	4"	33240B	10 / BOX	1 BOX	

REDUCING BUSHINGS

Steel

- APPLICATION:** Used to reduce the entry size of a run of threaded conduit. Dry locations only.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/4" x 1/2"	13205B	50 / BOX	1 BOX	20.00
	1" x 1/2"	13305B	50 / BOX	1 BOX	24.61
	1" x 3/4"	13307B	50 / BOX	1 BOX	14.40
	1 1/4" x 1/2"	13405B	25 / BOX	1 BOX	25.76
	1 1/4" x 3/4"	13407B	25 / BOX	1 BOX	
	1 1/4" x 1"	13410B	25 / BOX	1 BOX	13.56
	1 1/2" x 1/2"	13505B	25 / BOX	1 BOX	39.14
	1 1/2" x 3/4"	13507B	25 / BOX	1 BOX	33.14
	1 1/2" - 1"	13510B	25 / BOX	1 BOX	
	1 1/2" - 1 1/4"	13512B	10 / BOX	1 BOX	
	2" x 1/2"	13605B	10 / BOX	1 BOX	8.65
	2" - 1/2"	13607B	10 / BOX	1 BOX	
	2" - 3/4"	13610B	10 / BOX	1 BOX	
	2" - 1"	13612B	10 / BOX	1 BOX	
	2" - 1 1/4"	13615B	10 / BOX	1 BOX	
	2" - 1 1/2"	13715B	5 / BOX	1 BOX	5.65



ONE-HOLE STRAPS

Malleable Iron

- APPLICATION:** Used to secure Rigid or IMC conduit to wood, masonry or similar surfaces where load bearing is required. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	31205B	50 / BOX	1 BOX	27.25
	3/4"	31207B	50 / BOX	1 BOX	32.25
	1"	31210B	25 / BOX	1 BOX	
	1 1/2"	31215B	10 / BOX	1 BOX	
	1 1/4"	31312B	20 / BOX	1 BOX	
	2"	31320B	25 / BOX	1 BOX	
	2 1/2"	31325B	25 / BOX	1 BOX	
	3"	31230B	25 / BOX	1 BOX	
	3 1/2"	31235B	10 / BOX	1 BOX	
	4"	31240B	10 / BOX	1 BOX	



CLAMP BACK AND ONE HOLE STRAP

Malleable Iron

- APPLICATION:** Used to secure Rigid or IMC conduit to mounting surface, and to provide space between conduit and mounting surface. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4"	53212	1 / BAG	10 BAGS	3.66
	2"	53220	1 / BAG	10 BAGS	8.74



CONDUIT BODY GASKETS

- APPLICATION:** Used in conjunction with cover to provide a dust-tight seal to all types of metallic conduit bodies. Indoors or outdoors.

Neoprene

Contact us for Canadian regulatory listings 



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59105B	25 / BOX	1 BOX	0.36
	3/4"	59107B	25 / BOX	1 BOX	0.36
	1"	59110B	25 / BOX	1 BOX	0.36
	1 1/4"-1 1/2"	59115B	20 / BOX	1 BOX	0.56

SPEED THREAD™

ONE HOLE STRAP SPEED THREAD

Steel

- APPLICATION:** Used to join RGD conduit to flexible metallic conduit in a dry or wet location. Outdoors or Indoors.

 Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61705B	40 / CCP	4 CCP's	7.4
	3/4"	61707B	20 / CCP	4 CCP's	5.3

ONE-HOLE STRAPS

Steel

- APPLICATION:** Used to secure Rigid or IMC conduit to wood, masonry or similar surfaces where load bearing is required. Indoors or outdoors.

 Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	61105B	100 / CCP	4 CCP's	33.50
	3/4"	61107B	100 / CCP	4 CCP's	54.90
BULK	1"	61110B	50 / BOX	1 BOX	43.25
	1 1/4"	61112B	50 / BOX	1 BOX	5.23
	1 1/2"	61115B	25 / BOX	1 BOX	41.96
	2"	61120B	10 / BOX	1 BOX	
	2 1/2"	61425B	50 / BOX	1 BOX	
	3 1/2"	61135B*	25 / BOX	1 BOX	20.23
	4"	61140B*	20 / BOX	1 BOX	16.33

*Both EMT and RGD



TWO-HOLE STRAPS

Steel

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	61205B	100 / BOX	1 BOX	20.55
	3/4"	61207B	100 / BOX	1 BOX	24.61
	1"	61210B	50 / BOX	1 BOX	23.43
	1 1/4"	61212B	25 / BOX	1 BOX	16.39
	1 1/2"	61215B	25 / BOX	1 BOX	29.14
	2"	61220B	50 / BOX	1 BOX	23.09
	2 1/2"	61225B	25 / BOX	1 BOX	4.07
	3 1/2"	61235B	25 / BOX	1 BOX	7.73
	4"	61240B	20 / BOX	1 BOX	7.33



EMT / RIGID CONDUIT BODIES

Aluminum

WITH COVER AND GASKET ASSEMBLED

Contact us for Canadian
regulatory listings

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH COVER AND GASKET					
BULK	1/2"	56205B	10 / BOX	1 BOX	
	3/4"	56207B	10 / BOX	1 BOX	
	1"	56210B	5 / BOX	1 BOX	
	1 1/4"	56212B	2 / BOX	1 BOX	
	1 1/2"	56215B	2 / BOX	1 BOX	
	2"	56220B	5 / BOX	1 BOX	



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: C WITH COVER AND GASKET					
BULK	1/2"	56405B	10 / BOX	1 BOX	
	3/4"	56407B	10 / BOX	1 BOX	
	1"	56410B	5 / BOX	1 BOX	
	1 1/4"	56412B	2 / BOX	1 BOX	
	1 1/2"	56415B	2 / BOX	1 BOX	
	2"	56420B	5 / BOX	1 BOX	



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITH COVER AND GASKET					
BULK	1/2"	57505B	10 / BOX	1 BOX	
	3/4"	57507B	10 / BOX	1 BOX	
	1"	57510B	5 / BOX	1 BOX	
	1 1/4"	57512B	2 / BOX	1 BOX	
	1 1/2"	57515B	2 / BOX	1 BOX	
	2"	57520B	5 / BOX	1 BOX	



CONTINUATION OF CHART PROVIDED ON NEXT PAGE

1.800.749.3261
halexco.com

RIGID CONDUIT FITTINGS

RGD

CONTINUATION OF CHART FROM PREVIOUS PAGE.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: T WITH COVER AND GASKET					
BULK	1/2"	56805B	10 / BOX	1 BOX	
	3/4"	56807B	10 / BOX	1 BOX	
	1 "	56810B	5 / BOX	1 BOX	
	1 1/4"	56812B	2 / BOX	1 BOX	
	1 1/2"	56815B	2 / BOX	1 BOX	
	2"	56820B	5 / BOX	1 BOX	



TYPE: LR WITH COVER AND GASKET					
BULK	1/2"	56505B	10 / BOX	1 BOX	
	3/4"	56507B	10 / BOX	1 BOX	
	1"	56510B	5 / BOX	1 BOX	
	1 1/4"	56512B	2 / BOX	1 BOX	
	1 1/2"	56515B	2 / BOX	1 BOX	
	2"	56520B	5 / BOX	1 BOX	



TYPE: X WITH COVER AND GASKET					
BULK	1/2"	55505B	5 / BOX	1 BOX	
	3/4"	55507B	5 / BOX	1 BOX	
	1"	55510B	2 / BOX	1 BOX	
	1 1/4"	55512B	1 / BOX	1 BOX	
	1 1/2"	55515B	1 / BOX	1 BOX	
	2"	55520B	1 / BOX	1 BOX	

EMT / RIGID CONDUIT BODIES

Aluminum

WITHOUT COVER AND GASKET ASSEMBLED

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by NEC), and maintenance. Suitable for outdoor locations when protected by overhead cover.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE LL: WITHOUT COVER AND GASKET					
BULK	1/2"	57305B	10 / BOX	1 BOX	
	3/4"	57307B	10 / BOX	1 BOX	
	1"	57310B	5 / BOX	1 BOX	
	1 1/4"	57312B	2 / BOX	1 BOX	
	1 1/2"	57315B	2 / BOX	1 BOX	
	2"	57320B	5 / BOX	1 BOX	



HALEX®

BEYOND THE CURRENT

halexco.com

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: C WITHOUT COVER AND GASKET					
BULK	1/2"	57905B	10 / BOX	1 BOX	
	3/4"	57907B	10 / BOX	1 BOX	
	1"	57910B	5 / BOX	1 BOX	
	1 1/4"	57912B	2 / BOX	1 BOX	
	1 1/2"	57915B	2 / BOX	1 BOX	
	2"	57920B	5 / BOX	1 BOX	



TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	57605B	10 / BOX	1 BOX	
	3/4"	57607B	10 / BOX	1 BOX	
	1"	57610B	5 / BOX	1 BOX	
	1 1/4"	57612B	2 / BOX	1 BOX	
	1 1/2"	57615B	2 / BOX	1 BOX	
	2"	57620B	5 / BOX	1 BOX	



TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	55805B	10 / BOX	1 BOX	
	3/4"	55807B	10 / BOX	1 BOX	
	1"	55810B	5 / BOX	1 BOX	
	1 1/4"	55812B	2 / BOX	1 BOX	
	1 1/2"	55815B	2 / BOX	1 BOX	
	2"	55820B	5 / BOX	1 BOX	



TYPE: LR WITHOUT GASKET					
BULK	1/2"	57705B	10 / BOX	1 BOX	
	3/4"	57707B	10 / BOX	1 BOX	
	1"	57710B	5 / BOX	1 BOX	
	1 1/4"	57712B	2 / BOX	1 BOX	
	1 1/2"	57715B	2 / BOX	1 BOX	
	2"	57720B	5 / BOX	1 BOX	



MOGUL PULLING ELBOWS - TYPE LB

Aluminum


- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	58212B	5 / BOX	1 BOX	
	1 1/2"	58215B	2 / BOX	1 BOX	
	2"	58220B	2 / BOX	1 BOX	8.46
	2 1/2"	58225B	1 / BOX	1 BOX	
	3"	58230B	1 / BOX	1 BOX	
	3 1/2"	58235B	1 / BOX	1 BOX	
	4"	58240B	1 / BOX	1 BOX	



THREADED CONDUIT BODIES

Aluminum

WITHOUT COVER AND GASKET

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors when gasket and cover are installed.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITHOUT COVER AND GASKET					
BULK	1/2"	59605B	10 / BOX	1 BOX	
	3/4"	59607B	10 / BOX	1 BOX	
	1"	59610B	5 / BOX	1 BOX	
	1 1/4"	59612B	2 / BOX	1 BOX	
	1 1/2"	59615B	2 / BOX	1 BOX	
	2"	59620B	1 / BOX	1 BOX	
	2 1/2"	59625B	1 / BOX	1 BOX	
	3"	59630B	1 / BOX	1 BOX	5.59
	3 1/2"	59635B	1 / BOX	1 BOX	11.00
	4"	59640B	1 / BOX	1 BOX	12.85



TYPE: T WITHOUT COVER AND GASKET					
BULK	1/2"	59805B	10 / BOX	1 BOX	
	3/4"	59807B	10 / BOX	1 BOX	
	1"	59810B	5 / BOX	1 BOX	
	1 1/4"	59812B	2 / BOX	1 BOX	
	1 1/2"	59815B	2 / BOX	1 BOX	
	2"	59820B	1 / BOX	1 BOX	
	2 1/2"	59825B	1 / BOX	1 BOX	6.94
	3"	59830B	1 / BOX	1 BOX	7.50
	3 1/2"	59835B	1 / BOX	1 BOX	
	4"	59840B	1 / BOX	1 BOX	11.53



TYPE: LL WITHOUT COVER AND GASKET					
BULK	1/2"	59905B	10 / BOX	1 BOX	
	3/4"	59907B	10 / BOX	1 BOX	
	1"	59910B	5 / BOX	1 BOX	
	1 1/4"	59912B	2 / BOX	1 BOX	
	1 1/2"	59915B	2 / BOX	1 BOX	
	2"	59920B	1 / BOX	1 BOX	
	2 1/2"	59925B	1 / BOX	1 BOX	3.91
	3"	59930B	1 / BOX	1 BOX	7.31
	3 1/2"	59935B	1 / BOX	1 BOX	
	4"	59940B	1 / BOX	1 BOX	10.71



RIGID CONDUIT FITTINGS

RGD

CONTINUATION OF CHART FROM PREVIOUS PAGE.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LR WITHOUT COVER AND GASKET					
BULK	1/2"	59705B	10 / BOX	1 BOX	
	3/4"	59707B	10 / BOX	1 BOX	
	1"	59710B	5 / BOX	1 BOX	
	1 1/4"	59712B	2 / BOX	1 BOX	
	1 1/2"	59715B	2 / BOX	1 BOX	
	2"	59720B	1 / BOX	1 BOX	
	2 1/2"	59725B	1 / BOX	1 BOX	3.91
	3"	59730B	1 / BOX	1 BOX	7.71
	3 1/2"	59735B	1 / BOX	1 BOX	
	4"	59740B	1 / BOX	1 BOX	11.24

TYPE: C WITHOUT COVER AND GASKET					
BULK	1/2"	59405B	10 / BOX	1 BOX	
	3/4"	59407B	10 / BOX	1 BOX	
	1"	59410B	5 / BOX	1 BOX	
	1 1/4"	59412B	2 / BOX	1 BOX	
	1 1/2"	59415B	2 / BOX	1 BOX	
	2"	59420B	1 / BOX	1 BOX	
	2 1/2"	59425B	1 / BOX	1 BOX	
	3"	59430B	1 / BOX	1 BOX	
	3 1/2"	59435B	1 / BOX	1 BOX	
	4"	59440B	1 / BOX	1 BOX	

THREADED CONDUIT BODIES

Aluminum

WITH STAMPED COVER

- **APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, splicing (with limitations as specified by the NEC), and maintenance. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LB WITH STAMPED COVER					
BULK	1/2"	58605B	10 / BOX	1 BOX	
	3/4"	58607B	10 / BOX	1 BOX	
	1"	58610B	5 / BOX	1 BOX	
	1 1/4"	58612B	2 / BOX	1 BOX	
	1 1/2"	58615B	2 / BOX	1 BOX	
	2"	58620B	1 / BOX	1 BOX	
	2 1/2"	58625B	1 / BOX	1 BOX	
	3"	58630B	1 / BOX	1 BOX	5.59
	3 1/2"	58635B	1 / BOX	1 BOX	11.00
	4"	58640B	1 / BOX	1 BOX	12.85

CONTINUATION OF CHART FROM PREVIOUS PAGE.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: T WITH STAMPED COVER					
BULK	1/2"	58805B	10 / BOX	1 BOX	
	3/4"	58807B	10 / BOX	1 BOX	
	1"	58810B	5 / BOX	1 BOX	
	1 1/4"	58812B	2 / BOX	1 BOX	
	1 1/2"	58815B	2 / BOX	1 BOX	
	2"	58820B	1 / BOX	1 BOX	3.03
	2 1/2"	58825B	1 / BOX	1 BOX	6.94
	3"	58830B	1 / BOX	1 BOX	7.50
	3 1/2"	58835B	1 / BOX	1 BOX	
	4"	58840B	1 / BOX	1 BOX	11.53



TYPE: C WITH STAMPED COVER					
BULK	1/2"	58405B	10 / BOX	1 BOX	
	3/4"	58407B	10 / BOX	1 BOX	
	1"	58410B	5 / BOX	1 BOX	
	1 1/4"	58412B	2 / BOX	1 BOX	
	1 1/2"	58415B	2 / BOX	1 BOX	
	2"	58420B	1 / BOX	1 BOX	
	2 1/2"	58425B	1 / BOX	1 BOX	
	3"	58430B	1 / BOX	1 BOX	
	3 1/2"	58435B	1 / BOX	1 BOX	
	4"	58440B	1 / BOX	1 BOX	



TYPE: LR WITH STAMPED COVER					
BULK	1/2"	58905B	10 / BOX	1 BOX	
	3/4"	58907B	10 / BOX	1 BOX	
	1"	58910B	5 / BOX	1 BOX	
	1 1/4"	58912B	2 / BOX	1 BOX	
	1 1/2"	58915B	2 / BOX	1 BOX	
	2"	58920B	1 / BOX	1 BOX	
	2 1/2"	58925B	1 / BOX	1 BOX	3.91
	3"	58930B	1 / BOX	1 BOX	7.31
	3 1/2"	58935B	1 / BOX	1 BOX	
	4"	58940B	1 / BOX	1 BOX	11.24



RIGID CONDUIT FITTINGS

RGD

THREADED CONDUIT BODIES WITH STAMPED COVER ALUMINUM CONTINUED FROM PREVIOUS PAGE

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
TYPE: LL WITH STAMPED COVER					
BULK	1/2"	58305B	10 / BOX	1 BOX	
	3/4"	58307B	1 / BOX	1 BOX	
	1"	58310B	1 / BOX	1 BOX	
	1 1/4"	58312B	1 / BOX	1 BOX	
	1 1/2"	58315B	2 / BOX	1 BOX	
	2"	58320B	1 / BOX	1 BOX	
	2 1/2"	58325B	1 / BOX	1 BOX	3.91
	3"	58330B	1 / BOX	1 BOX	7.31
	3 1/2"	58335B	1 / BOX	BULK	
	4"	58340B	1 / BOX	1 BOX	10.71



SERVICE ENTRANCE ELL

Aluminum

- APPLICATION:** Used to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59505B	10 / BOX	1 BOX	
	3/4"	59507B	10 / BOX	1 BOX	
	1"	59510B	5 / BOX	1 BOX	
	1 1/4"	59512B	2 / BOX	1 BOX	
	1 1/2"	59515B	1 / BOX	1 BOX	
	2"	59520B	1 / BOX	1 BOX	



LONG SERVICE ENTRANCE ELL

BULK	1 1/4"	59513B	2 / BOX	1 BOX	
	2"	59521B	1 / BOX	1 BOX	

CONDUIT BODY COVERS

Aluminum

- APPLICATION:** Used to cover all styles of metallic conduit bodies. Indoors or outdoors.

Contact us for Canadian regulatory listings 

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59205B	50 / BOX	1 BOX	3.16
	3/4"	59207B	50 / BOX	1 BOX	4.16
	1"	59210B	50 / BOX	1 BOX	4.82
	1 1/4"-1 1/2"	59215B	50 / BOX	1 BOX	8.82
	2"	59220B	25 / BOX	1 BOX	7.37
	3"	59230B	10 / BOX	1 BOX	
	4"	59240B	5 / BOX	1 BOX	





- Straps.....80
- Water-Tight Connectors.....80
- Service Entrance Caps.....81-82
- Sill Plates83
- Clamp Connectors83
- Kenny Clamps83
- Offset Bottom Reducers...84
- Conduit Supports84
- Service Drop Brackets84
- Fork Bolts84
- Porcelain Wireholders.....85
- Service Clevis85
- Service Entrance ELL85
- Wedge Clamp Connectors.86
- Roof Flashings.....86
- Electric Pain Washers.....86

SERVICE ENTRANCE FITTINGS

ONE-HOLE GROUNDED STRAPS

Steel

- APPLICATION:** Use to secure bare solid copper wire to a working surface. Indoors or outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/16"	26212	50 / BAG	20 BAGS	2.58
	1/4"	26214	50 / BAG	10 BAGS	2.72

ONE-HOLE STRAPS (SE & SEU CABLE)

Steel

- APPLICATION:** Use to secure service entrance cable to a wood, masonry or similar surface. Indoors or outdoors. For insulated wire.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#12/2 - #14/2	62171B	100 / BOX	1 BOX	13.83
	3#8 - 3#4	62191B	100 / BOX	1 BOX	21.83
	3#3 - 3#2	62192B	100 / BOX	1 BOX	23.43
	3#1 - 3#2/0	62193B	25 / BOX	1 BOX	19.33
	3#3/0 - 3#4/0	62194B	25 / BOX	1 BOX	22.25

TWO-HOLE STRAPS (SE & SEU CABLE)

Steel

- APPLICATION:** Use to secure service entrance cable (SEU, SER) to a wood, masonry or similar surface. Indoors or outdoors. For insulated wire.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#8 - 3#4	62291B	100 / BOX	1 BOX	22.25
	3#3 - 3#2	62292B	100 / BOX	1 BOX	22.25
	3#1 - 3#2/0	62293B	25 / BOX	1 BOX	6.83
	3#3/0 - 3#4/0	62294B	25 / BOX	1 BOX	

WATER-TIGHT CONNECTORS

Zinc Die Cast

- **APPLICATION:** Use to secure SE/SEU cable to a metal enclosure. Use to connect UF cable to a waterproof box with threaded hub. Indoors or outdoors. The SIZE column below includes the gauge size for each part number



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	06605B	25 / BOX	1 BOX	25.83
	3/4"/#12-3	06607B	25 / BOX	1 BOX	37.83
	3/4" 14/2-12/2	67607B	25 / BOX	1 BOX	
	3/4" 14/3- 10/3	67707B	25 / BOX	1 BOX	
	1" / 3#4	07310B	10 / BOX	1 BOX	19.91
	1" / 3#6	07210B	10 / BOX	1 BOX	
	1" / 3#8	07410B	10 / BOX	1 BOX	
	1 1/4" / 3#3	08112B	10 / BOX	1 BOX	31.91
	1 1/4" / 3#2	08212B	10 / BOX	1 BOX	40.93
	1 1/4" / 3#1	07412B	10 / BOX	1 BOX	
	1 1/2" / 3#2/0	07415B	10 / BOX	1 BOX	
	1 1/2" / 3#1/0	09115B	5 / BOX	1 BOX	
	2" / 3#2/0	10220B	5 / BOX	1 BOX	46.01
	2" / 3#4/0	10420B	5 / BOX	1 BOX	45.51
	2" / 3#4/0	10520B	5 / BOX	1 BOX	45.51
	2" / 3#1/0	07420B	5 / BOX	1 BOX	



SERVICE ENTRANCE CAPS - CLAMP TYPE

Aluminum

- **APPLICATION:** Use in an overhead service entrance. Mounts on top of EMT, Rigid, or IMC conduit. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	58005B	10 / BOX	1 BOX	
	3/4"	58007B	10 / BOX	1 BOX	
	1"	58010B	5 / BOX	1 BOX	
	1 1/4"	58012B	5 / BOX	1 BOX	2.92
	1 1/2"	58015B	3 / BOX	1 BOX	
	2"	58020B	5 / BOX	1 BOX	7.08
	2 1/2"	58025B	1 / BOX	1 BOX	
	3"	58030B	1 / BOX	1 BOX	4.84
	3 1/2"	58035B	1 / BOX	1 BOX	7.20
	4"	58040B	1 / BOX	1 BOX	7.20





OVAL SERVICE ENTRANCE CAPS

Aluminum

- APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#8 - #1	57499B	20 / BOX	1 BOX	
	3#1/0 - 4/0	57699B	10 / BOX	1 BOX	



OVAL SERVICE ENTRANCE CABLE HOODS

PVC

- APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#3 - 1	77631B	10 / BOX	1 BOX	
	3#2/0 - 4/0	77702B	10 / BOX	1 BOX	



OVAL SERVICE ENTRANCE CAPS

PVC

- APPLICATION:** Use in overhead services that utilize SEU cable. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3#2/0 - #4/0	77902B	10 / BOX	1 BOX	
	#2/3	77906B	30 / BOX	1 BOX	



SERVICE ENTRANCE CAPS - SET SCREW TYPE

Aluminum

- APPLICATION:** Use in an overhead service entrance. Mounts on top of EMT, Rigid, or IMC conduit. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2 1/2"	57925B	10 / BOX	1 BOX	



PVC SERVICE ENTRANCE CAPS

PVC

- APPLICATION:** Use in overhead service entrance. Mounts on top of PVC conduit. Serves as connecting point for service entrance wires. Outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	2"	77920	1	2	2.32

SILL PLATES

Aluminum

- APPLICATION:** In conjunction with sealing compound, use to protect the service entrance cable and cover the hole where it enters the dwelling. Outdoors only. The SIZE column below includes the gauge size for each part number.

CABLE SILL PLATES

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	4/0	50504B	20 / BOX	1 BOX	

CONDUIT SILL PLATES

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 3/4"	50505B	10 / BOX	1 BOX	
	1" 3/3	50510B	10 / BOX	1 BOX	
	1 1/4" 3/2	50512B	25 / BOX	1 BOX	
	1 1/2"	50515B	25 / BOX	1 BOX	
	2"	50520B	25 / BOX	1 BOX	



CLAMP CONNECTORS - SERVICE ENTRANCE


Zinc Die Cast

- APPLICATION:** In a dry location, use to connect oval service cable to steel outlet box or other metal enclosure. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1"	05310B	25 / BOX	1 BOX	
	1 1/4"	05312B	10 / BOX	1 BOX	21.49
	1 1/2"	05315B	5 / BOX	1 BOX	11.64
	2"	05320B	10 / BOX	1 BOX	18.88



KENNY CLAMPS

Bronze

- APPLICATION:** Ensures code compliance for grounding electrode conductors installations. Indoors only.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" 1/0	38001B	10 / BOX	1 BOX	
	1/2" 2/0	38002B	10 / BOX	1 BOX	
	1/2" 3/0	38003B	10 / BOX	1 BOX	
	1/2" 2	38020B	10 / BOX	1 BOX	
	1/2" 4	38041B	10 / BOX	1 BOX	
	1/2" 6	38061B	10 / BOX	1 BOX	
	1/2" 8	38081B	10 / BOX	1 BOX	
	1/2" 4	38040B	10 / BOX	1 BOX	
	1/2" 6	38060B	10 / BOX	1 BOX	
	1/2" 8	38080B	10 / BOX	1 BOX	





OFFSET BOTTOM REDUCERS

- APPLICATION:** Use to connect Rigid or IMC conduit to a metal base hub. Indoors or outdoors.

Aluminum



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2"	50920B	50 / BOX	1 BOX	
	2 1/2"	50925B	25 / BOX	1 BOX	

CONDUIT SUPPORTS (LAG SCREW)

Malleable Iron

- APPLICATION:** Use to secure SE conduit to surface of building. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2"	51320B	25 / BOX	1 BOX	
	2 1/2"	51325B	25 / BOX	1 BOX	

CONDUIT SUPPORTS (BOLT NUT WASHER)

Malleable Iron

- APPLICATION:** Use to secure service entrance conduit to the surface of a building. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	2"	33520B	25 / BOX	1 BOX	
	2 1/2"	33525B	25 / BOX	1 BOX	

SERVICE DROP BRACKETS

Steel

- APPLICATION:** Use to secure service entrance pipe to the house. Outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	19/32"	58050	1 / BAG	10 BAGS	19.28

FORK BOLTS

Steel

- APPLICATION:** Used to secure service entrance cables to a structure. Outdoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	12" Bolt	58060	1 / BAG	4 BAGS	6.63



ADJUSTABLE PORCELAIN WIREHOLDER

Porcelain

- APPLICATION:** Use as a holding device for the incoming service entrance wires. Mounts below the overhead service entrance cap. Holds less than 100 lbs. Indoors or outdoor.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4" - 3"	60525B	20 / BOX	1 BOX	



PORCELAIN WIREHOLDERS

Porcelain

- APPLICATION:** Use in overhead services to secure the incoming service entrance wires. SIZE column indicated length of the screw. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
--	------	--------	-----------	---------------	--------

LIGHT DUTY

BULK	1 11/16"	60416B	10 / BOX	1 BOX	
------	----------	--------	----------	-------	--

MEDIUM DUTY

BULK	2 1/4"	60322B	10 / BOX	1 BOX	
------	--------	--------	----------	-------	--

HEAVY DUTY

BULK	2 1/4"	60222B	10 / BOX	1 BOX	
------	--------	--------	----------	-------	--

HEAVY DUTY WITH PIPE HANGER

BULK	2 1/2"	60646B	25 / BOX	1 BOX	
------	--------	--------	----------	-------	--



SERVICE CLEVIS

Porcelain

- APPLICATION:** Used to dead-end service entrance drops at either end. Holds up to 500 lbs. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	3/16" x 3"	60625	1 / BAG	1 BAG	4.01



SERVICE ENTRANCE ELL

Aluminum

- APPLICATION:** Use to gain access to the interior of a raceway for wire pulling, inspections, and maintenance. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	59505B	10 / BOX	1 BOX	
	3/4"	59507B	10 / BOX	1 BOX	
	1"	59510B	5 / BOX	1 BOX	
	1 1/4"	59512B	2 / BOX	1 BOX	
	1 1/2"	59515B	1 / BOX	1 BOX	
	2"	59520B	1 / BOX	1 BOX	

LONG SERVICE ENTRANCE ELL

BULK	1 1/4"	59513B	2 / BOX	1 BOX	
	2"	59521B	1 / BOX	1 BOX	



WEDGE CLAMP CONNECTORS

Aluminum

- APPLICATION:** Use to connect a triplex overhead service entrance cable to a mounting device or building. Indoors or outdoors. In order of parts: 300 lbs, 400 lbs, 500 lbs.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	6 - 2	51061B	50 / BOX	1 BOX	
	4 - 1/0	51062B	25 / BOX	1 BOX	
	2/0-4/0	51063B	25 / BOX	1 BOX	

ROOF FLASHINGS

Steel

- APPLICATION:** Use to prevent water leaks in overhead services where conduit mast penetrates the roof surface. Outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	60812B	25 / BOX	1 BOX	
	1 1/2"	60815B	25 / BOX	1 BOX	
	2"	60820B	25 / BOX	1 BOX	
	2 1/2"	60825B	25 / BOX	1 BOX	

ROOF FLASHINGS

Neoprene

- APPLICATION:** Use to prevent water leaks in overhead services where conduit mast penetrates the roof surface. Outdoors.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4"	20815B	12 / BOX	1 BOX	
	2"	20820B	25 / BOX	1 BOX	
	2 1/2"	20825B	25 / BOX	1 BOX	
	3"	20830B	25 / BOX	1 BOX	

ELECTRIC PANE WASHERS

Steel

- APPLICATION:** Used to secure a panel to a wall. Indoors only.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1 1/4" Diameter	96312	1 / BAG	10 BAGS	0.93



ACCESSORIES

- Cable Staples 88
- Plastic Insulating Staples 88
- Strain Relief Cord Connector..... 88
- Non-Metallic Strain Relief Cord Connector..... 88
- Knockout Seals..... 89
- 3-Piece Knockout Seals.. 89
- Switch Box Supports 89
- Snap-In Bushings 90
- Universal Snap-In Bushings 90
- Nail Plates 90
- Jack Chain 90
- "S" Hook.....90
- "Sky Tie" Cable Clamps... 90
- Extension Springs 91
- Duct Seal..... 91
- Fixture Hangers 87
- Conduit Hangers 91-92
- Beam Clamps 92

CABLE STAPLES FOR SEU AND RANGE CABLE

Steel

- APPLICATION:** Use to secure non-metallic sheathed, armored or SEU cable to wood surfaces. Indoors only.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#14 to #12-2	61010	100 / BOX	1 BOX	1.00
	#14 to #12-2	61050	500 / BOX	1 BOX	4.00
	#14 ro #10-3	62510	100 / BOX	1 BOX	2.00

PLASTIC INSULATING STAPLES

Plastic with Steel Nails

- APPLICATION:** Use to secure non-metallic sheathed cable or UF cable to wood surfaces. Indoors only.

¹ NM cable #14 - #12 and UF cable #14/2 - #12/2

² NM cable #10/2 - #8/2 and UF cable #10/2 - #8/2; #14/3 - #12/3



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2"	27209¹	50 / BAG	25 BAGS	7.66
	3/4"	27309²	50 / BAG	25 BAGS	8.40

STRAIN RELIEF CORD CONNECTOR

Zinc Die Cast

- APPLICATION:** Use to connect S, SO, ST, SJ, SJO, and SJT cord to a steel outlet box or other metal enclosure. For round cable. Indoors only.

Fits wire range: .220 - .260 1

Fits wire range: . 500 - . 625 7

Fits wire range: .300 - .375 2

Fits wire range: . 580 - . 625 8

Fits wire range: .375 - .500 3

Fits wire range: . 625 - . 750 9

Fits wire range: .400 - .500 4

Fits wire range: . 630 - . 720 10

Fits wire range: .440 - .500 5

Fits wire range: . 650 - . 740 11

Fits wire range: .450 - .500 6

Fits wire range: . 750 - . 850 12



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	16911B¹	25 / BOX	1 BOX	22.83
	1/2"	16912B²	25 / BOX	1 BOX	22.83
	1/2"	16913B²	25 / BOX	1 BOX	26.08
	3/4"	19623B¹	25 / BOX	1 BOX	33.75
	1"	16933B¹⁰	10 / BOX	1 BOX	20.01

NON-METALLIC STRAIN RELIEF CORD CONNECTOR

PVC

- APPLICATION:** Used to connect cord to a steel outlet box or other metal enclosure. For round cable. Indoor and outdoor. Liquid tight.

1 Fits wire range: .235 - .400

2 Fits wire range: .410 - .740



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	76913B¹	25 / BOX	1 BOX	2.06
	3/4"	16921B	1 / BOX	1 BOX	
	3/4"	76923B²	10 / BOX	1 BOX	1.68

KNOCKOUT SEALS*Steel*

- APPLICATION:** Use to cover exposed knockout holes in steel outlet boxes and other metal enclosures. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	60704B	150 / CCP	4 CCP's	2.28
	3/4"	60797B	100 / CCP	4 CCP's	2.30
BULK	1/2"	60705B	250 / BOX	4 BOXES	3.16
	3/4"	60707B	250 / BOX	4 BOXES	5.66
	1"	60710B	50 / BOX	10 BOXES	1.84
	1 1/4"	60712B	50 / BOX	1 BOX	
	1 1/2"	60715B	50 / BOX	1 BOX	
	2"	60720B	10 / BOX	1 BOX	

**3-PIECE KNOCKOUT SEALS***Steel*

- APPLICATION:** Use to cover exposed knockout holes in steel outlet boxes and other metal enclosures. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1/2"	60605B	75 / CCP	4 CCP's	7.4
	3/4"	60607B	50 / CPP	4 CCP's	6.6
	1/2"	60610B	50 / CCP	4 CCP's	9.0
	1 1/4"	60612B	25 / CCP	4 CCP's	1.4
BULK	1/2"	60705B	250 / BOX	4 BOXES	3.16
	3/4"	60707B	250 / BOX	4 BOXES	5.66
	1"	60710B	50 / BOX	10 BOXES	1.84
	1 1/4"	60712B	50 / BOX	1 BOX	
	1 1/2"	60715B	50 / BOX	1 BOX	
	2"	60720B	10 / BOX	1 BOX	

**SWITCH BOX SUPPORTS***Steel*

- APPLICATION:** Use to support attachment of an outlet box in drywall in the absence of a structure member. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	-	62700B	50 PAIRS / BOX	1 BOX	

**SNAP-IN BUSHINGS***Plastic*

- APPLICATION:** Use to protect non-metallic cable from damage when running cable through metal studs. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	72505B	100 / BOX	1 BOX	1.34
	3/4"	72507B	100 / BOX	1 BOX	1.59
	1"	72510B	100 / BOX	1 BOX	1.49
	1 1/2"	72515B	100 / BOX	1 BOX	0.64
	2"	72520B	25 / BOX	1 BOX	1.23



UNIVERSAL SNAP-IN BUSHINGS

Polypropylene

- APPLICATION:** Use to protect non-metallic cable from damage when running cable through metal studs. Indoors only.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	Universal	72599B	25 / BOX	1 BOX	1.67

NAIL PLATES

Steel

- APPLICATION:** Use to protect internal wire runs from nail punctures. Indoors only. Plate thickness 0.06"



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
CCP	1 1/2" x 2 1/2"	62897	200 / CCP	4 CCP's	14.13
	1 1/2" x 2 1/2"	62899	50 / CCP	4 CCP's	4.32
BULK	1 1/2" X 2 1/2"	62897B	200 / BOX	1 BOX	
	1 1/2" x 5"	62851B	100 / BOX	1 BOX	12.28
	1 1/2" X 2 1/2"	62899XLB	250 / BOX	1 BOX	

JACK CHAIN

Steel

- APPLICATION:** Supports up to 29lbs. Sold by the foot.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	12GA	60010	100FT / BOX	1 SPOOL	9.20
	10GA	60020	100FT / BOX	1 SPOOL	15.05

"S" HOOK

Steel

- APPLICATION:** Use to suspend light fixtures. Indoors only.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	12GA	60199	100 / BOX	1 BOX	0.94

"SKY TIE" CABLE CLAMPS

Steel

- APPLICATION:** Supports and anchors bus-drop cable at a 90 degree angle.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 3/4"	66207B	10 / BOX	1 BOX	4.45
	3/4" - 1 1/8"	66211B	10 / BOX	1 BOX	8.20

EXTENSION SPRINGS

Steel

- **APPLICATION:** Use to suspend "Sky-Tie" cable to clamp. Indoors only.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	10 - 60 LBS	66377B	10 / BOX	1 BOX	2.20
	10 - 70 LBS	66388B	10 / BOX	1 BOX	2.70
	25 - 200 LBS	66399B	5 / BOX	1 BOX	5.23



DUCT SEAL

Steel

- **APPLICATION:** Use to seal around junction boxes, flashings, and service entrance locations. Indoors or outdoors.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 LB	79910B	1 / BOX	1 BOX	1.00
	5 LB	79950B	1 / BOX	1 BOX	5.00



FIXTURE HANGERS

Steel

- **APPLICATION:** Use to secure and suspend light fixture. Indoors or outdoors

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	4"	69699B	25 / BOX	1 BOX	16.70



CONDUIT HANGERS

Steel

- **APPLICATION:** Use to secure and suspend conduit from overhead supports. Indoors or outdoors. Faster and easy installation, captive screw is included. Indoors or outdoors. Refer to chart below to match the appropriate conduit size with the corresponding product trade size.



Contact us for Canadian regulatory listings



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT	CONDUIT SIZE	
						EMT	RGD
BULK	#0	67800B	100 / BOX	1 BOX	7.39	1/2"	1/2"
	#1	67810B	100 / BOX	1 BOX	8.09	3/4"	3/4"
	#2	67820B	100 / BOX	1 BOX	10.32	1"	1"
	#2	67821B	100 / BOX	1 BOX	10.30		
	#2 1/2	67825B	100 / BOX	1 BOX			
	#3	67830B	100 / BOX	1 BOX	11.56	1 1/2"	1 1/2"
	#4	67840B	100 / BOX	1 BOX	13.99		1 1/2"
	#5	67850B	50 / BOX	1 BOX	10.37	2"	2"
	#6	67860B	50 / BOX	1 BOX	18.11	2 1/2"	2 1/2"
	#7	67870B	50 / BOX	1 BOX	20.41	3 1/2"	3 1/2"
	#8	67880B	25 / BOX	1 BOX	10.99		
	#9	67890B	10 / BOX	1 BOX	6.04	4"	4"



SPEED THREAD™

CONDUIT HANGERS SPEED THREAD

Steel



Contact us for Canadian regulatory listings

- **APPLICATION:** Use to secure and suspend conduit from overhead supports. Faster and easy installation, captive screw is included. Indoors or outdoors. Refer to chart below to match the appropriate conduit size with the corresponding product trade size.

		CONDUIT SIZE					
	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT	EMT	RGD
CCP	0	67801B	45 / CCP	4 CCP's	4.24	1/2"	1/2"
	2	67822B	25 / CCP	4 CCP's	3.52	1"	1"



BEAM CLAMPS

Steel



Contact us for Canadian regulatory listings

- **APPLICATION:** Use to secure conduit to a metal beam. Indoors or outdoors.

	OPENING / THREAD SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	.59" / 1/4-20	65600B	25 / BOX	1 BOX	4.09
	1"	65610B	100 / BOX	1 BOX	



BEAM CLAMPS

Malleable Iron



Contact us for Canadian regulatory listings

- **APPLICATION:** Use to secure conduit to a metal beam. Indoors or outdoors.

	OPENING / THREAD SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	0.79" / 1/4 - 20	35600B	25 / BOX	1 BOX	6.49
	1.00" / 3/8 -16	35610B	10 / BOX	1 BOX	7.23
	3/4"	35607B	50 / BOX	1 BOX	
	7/8"	35608B	50 / BOX	1 BOX	
	1 1/8"	35611B	25 / BOX	1 BOX	



- *Ground Clamps..... 94-95*
- *Ground Screws 96*
- *Ground Wires..... 96*
- *Ground Clips 97*
- *Split Bolt
Connectors..... 97*
- *Solderless
Terminal Lugs 97*

GROUND FITTINGS

**GROUND CLAMPS (BARE WIRE)***Bronze*

- **APPLICATION:** Use to secure bare copper ground wire to 3/8" rebar through 1" pipe. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	3/8" - 1"	36910B	100 / BOX	1 BOX	27.37

**GROUND CLAMPS (BARE WIRE)***Bronze*

- **APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 1"	36010B	25 / BOX	1 BOX	47.13

**GROUND CLAMPS (BARE WIRE)***Bronze*

- **APPLICATION:** Use to secure the bare copper ground wire to a 1 1/4" through 2" pipe. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1 1/4" - 2"	36020B	25 / BOX	1 BOX	10.57

GROUND CLAMPS (ARMORED CABLE)*Bronze*

- **APPLICATION:** Use to secure the grounding wire to a 1/2" through 1" pipe. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	36110	1 / BAG	15 BAGS	3.69

**GROUND CLAMPS (BARE WIRE) - FOR DIRECT BURIAL***Bronze*

- **APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors. Embedded in concrete.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	36019	1 / BAG	15 /BAGS	2.97

**GROUND CLAMPS (BARE WIRE)***Zinc*

- **APPLICATION:** Use to secure the bare copper ground wire to a 1/2" through 1" pipe. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2" - 1"	16010B	25 / BOX	1 BOX	49.43

**GROUND CLAMPS (ARMORED CABLE)***Zinc*

- **APPLICATION:** Use to secure the grounding wire to a 1/2" through 1" pipe. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" - 1"	16110	1 / BAG	15 BAGS	3.25



GROUND ROD CLAMPS

Bronze



Contact us for Canadian regulatory listings

- **APPLICATION:** Use to connect bare copper ground wire to a drive ground rod. Indoors or outdoors.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	1/2"	35905B	50 / BOX	1 BOX	66.83
	5/8"	35906B	50 / BOX	1 BOX	50.97

GROUND SCREWS

Steel

- **APPLICATION:** Use to ground a wiring device to a steel outlet box.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#10-32	63299	100 / BOX	1 BOX	5.39

GROUND WIRES

Copper

- **APPLICATION:** Use to ground the branch wire to the wall of a steel outlet box.



	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#14 AWG SOL	63188	100 / BOX	1 BOX	1.3

GROUND CLIPS

Steel

APPLICATION: Use to connect the grounding wire to the sidewall of a steel outlet box.

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#14 - #12	63099	100 / BOX	10 BOX	4.23



SPLIT BOLT CONNECTORS

Copper

- APPLICATION:** Used to join two copper conductors together when tapping, splicing or terminating. Indoors or outdoors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	16 STR - 8 STR	32408B	100 / BOX	1 BOX	3.11
	6 SOL - 2 STR	32402B	100 / BOX	1 BOX	14.14
	2 SOL - 2/0 STR	32320B	25 / BOX	1 BOX	8.11
	2 SOL - 3/0	32330B	25 / BOX	1 BOX	10.16



SPLIT BOLT CONNECTORS

Tin Plated Copper

- APPLICATION:** Used to join two copper conductors together when tapping, splicing or terminating. Indoors or outdoors. Use oxide-inhibiting compound when connecting aluminum ACSR or aluminum to copper conductors.


Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
WITH SPACER BAR					
BULK	10 STR - 6STR	32004B	25 / BOX	1 BOX	3.11
	16 STR - 8STR	32008B	1 / BOX	1 BOX	



SOLDERLESS TERMINAL LUGS

Copper


- APPLICATION:** Use to connect a wire or wires to a metal enclosure. Indoors or outdoors.



Contact us for Canadian
regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
BULK	#8 - #2	32602B	200 / BOX	1 BOX	10.14
	#6 - 1/0	32510B	100 / BOX	1 BOX	11.16
	#2 - 4/0	32540B	10 / BOX	1 BOX	2.51



GND





- *Non-Fused
AC Disconnects..... 100*
- *AC Whips 100*

AC DISSCONNECTS



FUSED AC DISCONNECTS

Steel

- APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions. 120/240 VOLTS



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" x 6'	HF30R	1 / BOX	1 BOX	2.70
	3/4" x 6'	HF60R	1 / BOX	1 BOX	2.80



NON-FUSED AC DISCONNECTS

Steel

- APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions. 120/240 VOLTS



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	60 AMP	HNF60R	1 / BOX	1 BOX	2.30



NON-METALLIC AC DISCONNECTS

PPE-PS

- APPLICATION:** Used to stop the power from going to an air conditioner unit to allow for safe working conditions in coastal applications. 120/240 VOLTS. Fire Rating UL94V-0.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	60 AMP	NMHN60R	1 / BOX	1 BOX	1.00
BULK	60 AMP	NMHN60R10	10 / BOX	1 BOX	10.00

AC WHIPS

PVC

- APPLICATION:** Use to connect AC disconnects to AC compressor. Indoors or outdoors.



Contact us for Canadian regulatory listings

	SIZE	PART #	PCS / PKG	TOTAL CTN QTY	CTN WT
UPC	1/2" x 6'	69126	1 / BAG	6 BAGS	12.0
	3/4" x 6'	69346	1 / BAG	6 BAGS	16.4





CATALOG INDEX

INDEX

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
01805B	67	04025B	59	06307B	46	12135B	10, 52	16310B	63	31230B	69
01807B	67	04030B	59	06405B	63	12140B	10, 52	16312B	63	31235B	69
01810B	67	04203B	36	06407B	63	12201B	12	16315B	63	31240B	69
01812B	67	04205B	36	06410B	63	12210B	12	16320B	63	31312B	69
01815B	67	04207B	36	06412B	63	12211B	12	16325B	63	31320B	69
01820B	67	04210B	36	06415B	63	12212B	12	16330B	63	31325B	69
01825B	67	04212B	36	06420B	63	12215B	12	16335B	63	32004B	97
01830B	67	04215B	36	06425B	63	12220B	12	16340B	63	32008B	97
01835B	67	04220B	36	06430B	63	12225B	12, 53	16405B	63	32320B	97
01840B	67	04225B	36	06435B	63	12230B	12, 53	16407B	63	32330B	97
01905B	67	04230B	36	06440B	63	12235B	12, 53	16903B	47	32402B	97
01907B	67	04235B	36	06605B	44, 81	12240B	12, 53	16905B	47	32408B	97
01910B	67	04240B	36	06607B	44, 81	12301B	10	16907B	47	32510B	97
01912B	67	04403B	34	06703B	35, 43	12401B	12	16910B	47	32540B	97
01915B	67	04405B	34	06805B	47	12502B	39	16914B	47	32602B	97
01920B	67	04407B	34	07005B	59	12505B	39	16915B	47	33205B	68
01925B	67	04410B	34	07007B	59	12543B	39	16920B	47	33207B	68
01930B	67	04412B	34	07010B	59	13205B	69	16921B	88	33210B	23, 68
01935B	67	04415B	34	07012B	59	13305B	69	17310B	15, 56	33212B	23, 68
01940B	67	04420B	34	07015B	59	13307B	69	18705B	24, 56	33215B	23, 68
02007B	13	04505B	34	07020B	59	13405B	69	18707B	24, 56	33220B	23, 68
02101B	13	04507B	34	07025B	59	13407B	69	18710B	24, 56	33225B	23, 68
02110B	13	04510B	34	07030B	59	13410B	69	18712B	24, 56	33230B	23, 68
02111B	13	04512B	34	07035B	59	13505B	69	18715B	24, 56	33235B	23, 68
02112B	13	04515B	34	07040B	59	13507B	69	18720B	24, 56	33240B	23, 68
02115B	13	04520B	34	07210B	81	13510B	69	18725B	24, 56	33520B	84
02120B	13	04805B	35	07310B	81	13512B	69	18730B	24, 56	33525B	84
02125B	13, 53	04807B	35	07410B	81	13605B	69	18735B	24, 56	35600B	92
02130B	13, 53	04905B	17, 38	07412B	81	13607B	69	18740B	24, 56	35607B	92
02135B	13, 53	04907B	17, 38	07415B	81	13610B	69	18810B	21	35608B	92
02140B	13, 53	04910B	17, 38	07420B	81	13612B	69	19005	55	35610B	92
02210B	15	05103B	42	08112B	81	13615B	69	19007	55	35611B	92
02211B	15	05107B	42	08212B	81	13715B	69	19205B	58	35905B	96
02212B	15	05110B	42	09115B	81	13905B	19	19207B	58	35906B	96
02215B	15	05112B	42	10220B	81	14205	57	19305B	31	36010B	94
02220B	15	05115B	42	10420B	81	14305B	20	19307B	31	36019	95
02225B	15, 54	05120B	42	10520B	81	14307B	20	19310B	31	36020B	94
02230B	15, 54	05205B	64	11001B	40	14405	19	19315B	31	36110	95
02235B	15, 54	05207B	64	11005B	40	14407	19	19320B	31	36910B	94
02240B	15, 54	05210B	64	11007B	40	14605B	20	19330B	31	38001B	83
02301B	13	05212B	64	11010B	40	14607B	20	19340B	31	38002B	83
02401B	15	05215B	64	11012B	40	15105B	17, 38	20815B	86	38003B	83
02705B	21	05220B	64	11015B	40	15301B	18, 44	20820B	86	38020B	83
02707B	21	05225B	64	11020B	40	15303B	18, 44	20825B	86	38040B	83
02805B	21	05230B	64	11025B	40	15304B	15, 56	20830B	86	38041B	83
02807B	21	05235B	64	11030B	40	15305B	17, 38	22105	8	38060B	83
02905B	21	05240B	64	11035B	40	15306B	15, 56	22107	8	38061B	83
02907B	21	05310B	42, 83	11040B	40	15307B	17, 38	22205B	15	38080B	83
03705B	19	05312B	42, 83	11103B	39	15803B	37, 44	26212	80	38081B	83
03707B	19	05315B	42, 83	11105B	39	16010B	95	26214	80	50504B	83
03905B	19	05320B	42, 83	12101B	10	16110	95	27625B	18	50505B	83
03907B	19	05705B	37	12110B	10	16203B	46	27630B	18	50510B	83
04005B	59	05710B	37	12111B	10	16205B	46	27635B	18	50512B	83
04007B	59	05711B	37, 43	12112B	10	16207B	46	27640B	18	50515B	83
04010B	59	05712B	37	12115B	10	16210B	46	31205B	69	50520B	83
04012B	59	05720B	37	12120B	10	16212B	46	31207B	69	50920B	84
04015B	59	05803B	36	12125B	10, 52	16215B	46	31210B	69	50925B	84
04020B	59	06305B	46	12130B	10, 52	16220B	46	31215B	69	51061B	86

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
51062B	86	56940B	29	57807B	31	58412B	77	59015B	30	59712B	76
51063B	86	57005B	28	57810B	31	58415B	77	59020B	30	59715B	76
51320B	84	57007B	28	57812B	31	58420B	77	59025B	30	59720B	76
51325B	84	57010B	28	57815B	31	58425B	77	59030B	30	59725B	76
53212	69	57012B	28	57820B	31	58430B	77	59035B	30	59730B	76
53220	69	57015B	28	57825B	31	58435B	77	59040B	30	59735B	76
54012	54	57020B	28	57830B	31	58440B	77	59105B	70	59740B	76
54020	54	57025B	28	57835B	31	58505B	29	59107B	70	59805B	75
54112	59	57030B	28	57840B	31	58507B	29	59110B	70	59807B	75
54120	59	57035B	28	57905B	27, 73	58510B	29	59115B	70	59810B	75
55505B	26, 72	57040B	28	57907B	27, 73	58512B	29	59205B	78	59812B	75
55507B	26, 72	57105B	28	57910B	27, 73	58515B	29	59207B	78	59815B	75
55510B	26, 72	57107B	28	57912B	27, 73	58520B	29	59210B	78	59820B	75
55512B	26, 72	57110B	28	57915B	27, 73	58525B	29	59215B	78	59825B	75
55515B	26, 72	57112B	28	57920B	27, 73	58605B	76	59220B	78	59830B	75
55520B	26, 72	57115B	28	57925B	82	58607B	76	59230B	78	59835B	75
55805B	27, 73	57120B	28	58005B	81	58610B	76	59240B	78	59840B	75
55807B	27, 73	57125B	28	58007B	81	58612B	76	59305B	29	59905B	75
55810B	27, 73	57130B	28	58010B	81	58615B	76	59307B	29	59907B	75
55812B	27, 73	57135B	28	58012B	81	58620B	76	59310B	29	59910B	75
55815B	27, 73	57140B	28	58015B	81	58625B	76	59312B	29	59912B	75
55820B	27, 73	57305B	27, 72	58020B	81	58630B	76	59315B	29	59915B	75
56205B	25, 71	57307B	27, 72	58025B	81	58635B	76	59320B	29	59920B	75
56207B	25, 71	57310B	27, 72	58030B	81	58640B	76	59325B	29	59925B	75
56210B	25, 71	57312B	27, 72	58035B	81	58705B	28	59330B	29	59930B	75
56212B	25, 71	57315B	27, 72	58040B	81	58707B	28	59335B	29	59935B	75
56215B	25, 71	57320B	27, 72	58050	84	58710B	28	59340B	29	59940B	75
56220B	25, 71	57405B	30	58060	84	58712B	28	59405B	76	60010	90
56405B	26, 71	57407B	30	58105B	30	58715B	28	59407B	76	60020	90
56407B	26, 71	57410B	30	58107B	30	58720B	28	59410B	76	60105B	14, 50
56410B	26, 71	57412B	30	58110B	30	58725B	28	59412B	76	60107B	14, 50
56412B	26, 71	57415B	30	58112B	30	58730B	28	59415B	76	60110B	14, 50
56415B	26, 71	57420B	30	58115B	30	58735B	28	59420B	76	60199	90
56420B	26, 71	57425B	30	58120B	30	58740B	28	59425B	76	60222B	85
56505B	26, 72	57430B	30	58125B	30	58805B	77	59430B	76	60322B	85
56507B	26, 72	57435B	30	58130B	30	58807B	77	59435B	76	60416B	85
56510B	26, 72	57440B	30	58135B	30	58810B	77	59440B	76	60525B	85
56512B	26, 72	57499B	82	58140B	30	58812B	77	59505B	78, 85	60605B	89
56515B	26, 72	57505B	26, 71	58212B	74	58815B	77	59507B	78, 85	60607B	89
56520B	26, 72	57507B	26, 71	58215B	74	58820B	77	59510B	78, 85	60610B	89
56705B	29	57510B	26, 71	58220B	74	58825B	77	59512B	78, 85	60612B	89
56707B	29	57512B	26, 71	58225B	74	58830B	77	59513B	78, 85	60625	85
56710B	29	57515B	26, 71	58230B	74	58835B	77	59515B	78, 85	60646B	85
56712B	29	57520B	26, 71	58235B	74	58840B	77	59520B	78, 85	60704B	89
56715B	29	57605B	27, 73	58240B	74	58905B	77	59521B	78, 85	60705B	89
56720B	29	57607B	27, 73	58305B	78	58907B	77	59605B	75	60707B	89
56725B	29	57610B	27, 73	58307B	78	58910B	77	59607B	75	60710B	89
56730B	29	57612B	27, 73	58310B	78	58912B	77	59610B	75	60712B	89
56735B	29	57615B	27, 73	58312B	78	58915B	77	59612B	75	60715B	89
56740B	29	57620B	27, 73	58315B	78	58920B	77	59615B	75	60720B	89
56805B	26, 72	57699B	82	58320B	78	58925B	77	59620B	75	60797B	89
56807B	26, 72	57705B	27, 73	58325B	78	58930B	77	59625B	75	60812B	86
56810B	26, 72	57707B	27, 73	58330B	78	58935B	77	59630B	75	60815B	86
56812B	26, 72	57710B	27, 73	58335B	78	58940B	77	59635B	75	60820B	86
56815B	26, 72	57712B	27, 73	58340B	78	59005B	30	59640B	75	60825B	86
56820B	26, 72	57715B	27, 73	58405B	77	59007B	30	59705B	76	61010	88
56930B	29	57720B	27, 73	58407B	77	59010B	30	59707B	76	61050	88
56935B	29	57805B	31	58410B	77	59012B	30	59710B	76	61105B	70

INDEX

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
61107B	70	62180B	39	62705B	11	64110B	58	64355B	61	64618B	62
61110B	70	62191B	80	62707B	11	64112B	58	64356B	61	64619B	62
61112B	70	62192B	80	62710B	11	64115B	58	64357B	62	64620B	62
61115B	70	62193B	80	62711B	11	64120B	58	64358B	62	64625B	61
61120B	70	62194B	80	62712B	11	64125B	58	64359B	62	64630B	62
61125B	23	62205B	8	62715B	11	64130B	58	64360B	62	64635B	61
61130B	23	62207B	8	62720B	11	64135B	58	64361B	60	64735B	61
61135B	23, 70	62291B	80	62725B	11, 52	64140B	58	64362B	60	64835B	62
61140B	23, 70	62292B	80	62730B	11, 52	64205B	58	64363B	61	64935B	62
61205B	71	62293B	80	62735B	11, 52	64207B	58	64364B	61	65310B	61
61207B	71	62294B	80	62740B	11, 52	64210B	58	64365B	61	65313B	61
61210B	71	62305B	14	62770B	11	64212B	58	64366B	61	65325B	60
61212B	71	62307B	14	62805B	12	64215B	58	64367B	62	65335B	60
61215B	71	62310B	14	62807B	12	64220B	58	64368B	62	65425B	60
61220B	71	62311B	14	62809B	12	64225B	58	64369B	62	65435B	60
61225B	23, 71	62312B	14	62810B	12	64235B	58	64380B	62	65505B	55
61230B	23	62315B	14	62812B	12	64240B	58	64381B	60	65507B	55
61235B	23, 71	62320B	14	62815B	12	64300B	62	64382B	60	65510B	55
61240B	23, 71	62325B	14, 54	62820B	12	64301B	60	64383B	61	65512B	55
61305B	22	62330B	14, 54	62825B	12, 52	64302B	60	64384B	61	65515B	55
61307B	22	62335B	14, 54	62830B	12, 52	64303B	61	64385B	61	65520B	55
61401B	24	62340B	14, 54	62835B	12, 52	64305B	60	64386B	61	65525B	55
61402B	24	62401B	15	62840B	12, 52	64306B	61	64387B	62	65530B	55
61410B	24	62402B	15	62851B	90	64307B	60	64388B	62	65535B	55
61425B	70	62410B	15	62897	90	64308B	61	64389B	62	65540B	55
61505B	23	62411B	15	62897B	90	64309B	62	64390B	62	65600B	92
61507B	23	62412B	15	62899	90	64310B	61	64392B	60	65610B	92
61511B	23	62415B	15	62899XLB	90	64311B	60	64393B	61	65635B	61
61512B	23	62420B	15	62905B	52	64312B	61	64394B	61	65705B	38
61515B	23	62425B	15, 55	62907B	52	64313B	61	64395B	61	65805B	38
61520B	23	62430B	15, 55	63099	97	64314B	61	64396B	61	66203B	48
61602B	23	62435B	15, 55	63188	96	64315B	61	64397B	62	66205B	48
61605B	23	62440B	15, 55	63299	96	64317B	60	64398B	62	66206B	48
61610B	23	62501B	16	63505B	53	64320B	61	64399B	62	66207B	90
61612B	23	62502B	16	63507B	53	64323B	61	64405B	22	66210B	48
61615B	23	62505B	16	63510B	53	64325B	60	64407B	22	66211B	90
61620B	23	62507B	16	63512B	53	64327B	60	64410B	22	66212B	48
61705B	70	62510	88	63515B	53	64331B	60	64412B	22	66215B	48
61707B	70	62510B	16	63520B	53	64332B	60	64415B	22	66220B	48
61805B	66	62512B	16	63605B	55	64333B	61	64420B	22	66225B	48
61807B	66	62515B	16	63607B	55	64334B	61	64425B	22	66230B	48
61810B	66	62520B	16	63610B	55	64335B	61	64430B	22	66235B	48
61812B	66	62525B	16	63612B	55	64336B	61	64435B	22	66240B	48
61815B	66	62530B	16	63615B	55	64338B	62	64440B	22	66325B	61
61820B	66	62535B	16	63620B	55	64340B	62	64505B	22	66335B	61
61905B	66	62540B	16	64001B	56	64341B	60	64507B	22	66377B	91
61907B	66	62570B	16	64005B	56	64342B	60	64510B	22	66388B	91
61910B	66	62601B	17	64007B	56	64343B	61	64512B	22	66399B	91
61912B	66	62602B	17	64010B	56	64344B	61	64515B	22	66425B	61
61915B	66	62603B	17	64012B	56	64345B	61	64520B	22	66503B	48
61920B	66	62610B	17	64015B	56	64346B	61	64525B	22	66505B	48
61925B	66	62612B	17	64020B	56	64347B	62	64530B	22	66507B	48
61930B	66	62615B	17	64025B	56	64348B	62	64535B	22	66510B	48
61935B	66	62620B	17	64030B	56	64349B	62	64540B	22	66512B	48
61940B	66	62625B	17	64035B	56	64350B	62	64605B	61	66515B	48
62105B	8	62630B	17	64040B	56	64352B	60	64607B	62	66520B	48
62107B	8	62640B	17	64105B	58	64353B	61	64608B	62	66903B	49
62171B	44, 80	62700B	89	64107B	58	64354B	61	64617B	62	66905B	49

ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.	ITEM NO.	PAGE NO.
66907B	49	68607B	65	77906B	82	86205B	48	93520B	50, 65		
66910B	49	68610B	65	77920	82	86207B	48	94105B	57		
66912B	49	68612B	65	79910B	91	86210B	48	94107B	57		
66915B	49	68615B	65	79950B	91	86212B	48	94110B	57		
66920B	49	68720B	65	82105B	13	86215B	48	94205B	57		
66925B	49	69126	100	82107B	13	86220B	48	94207B	57		
66930B	49	69346	100	82110B	13	86225B	48	94210B	57		
66935B	49	69699B	91	82112B	13	86230B	48	94212B	57		
66940B	49	72505B	89	82115B	13	86240B	48	94312B	57		
67607B	81	72507B	89	82120B	13	86307B	46	94405	19		
67707B	81	72510B	89	82125B	13, 53	86525B	48	94407	19		
67800B	25, 91	72515B	89	82130B	13, 53	86703B	35, 43	94410	19		
67801B	92	72520B	89	82135B	13, 53	86903B	49	94505B	20, 57		
67810B	25, 91	72599B	90	82140B	13, 53	86905B	49	94507B	20, 57		
67820	25	74505B	50	82305B	14	86907B	49	94510B	20, 57		
67820B	25, 91	74507B	50	82307B	14	86910B	49	94512B	20, 57		
67821B	25, 91	75005B	18	82310B	14	86912B	49	94705B	20, 58		
67822B	92	75007B	18	82312B	14	86915B	49	94707B	20, 58		
67825	25	75010B	18	82315B	14	86920B	49	94710B	20, 58		
67825B	25, 91	75012B	18	82320B	14	86925B	49	94712B	20, 58		
67830	25	75015B	18	82325B	14, 54	90605B	17, 38	95205B	68		
67830B	25, 91	75020B	18	82330B	14, 54	91003B	40	95207B	68		
67840	25	75102B	42	82335B	14, 54	91005B	40	95210B	68		
67840B	25, 91	75105B	42	82340B	14, 54	91007B	40	95212B	68		
67850	25	75111B	42	82405B	54	91010B	40	95215B	68		
67850B	25, 91	75205B	64	82407B	54	91012B	40	95220B	68		
67860	25	75207B	64	82410B	54	91015B	40	95225B	68		
67860B	25, 91	75210B	64	82412B	54	91020B	40	95230B	68		
67870	25	75212B	64	82415B	54	91631B	63	95235B	68		
67870B	25, 91	75215B	64	82420B	54	91632B	63	95240B	68		
67880B	25, 91	75220B	64	82705B	11	92105B	10	96125B	66		
67890B	25, 91	75225B	64	82707B	11	92107B	10	96130B	66		
68105B	67	75230B	64	82710B	11	92110B	10	96135B	66		
68107B	67	75235B	64	82712B	11	92112B	10	96140B	66		
68110B	67	75240B	64	82715B	11	92115B	10	96203B	46		
68112B	67	75400BP	40	82720B	11	92120B	10	96205B	46		
68115B	67	75401BP	40	82725B	11, 52	92125B	10, 52	96207B	46		
68120B	67	75402BP	40	82730B	11, 52	92130B	10, 52	96210B	46		
68125B	67	75403BP	40	82735B	11, 52	92135B	10, 52	96212B	46		
68130B	67	75404BP	40	82740B	11, 52	92140B	10, 52	96215B	46		
68135B	67	76203B	49	84205B	36	92205	8	96220B	46		
68140B	67	76205B	49	84207B	36	92207	8	96225B	46		
68205B	65	76207B	49	84210B	36	92505B	16	96230B	46		
68305B	65	76210B	49	84212B	36	92507B	16	96312	86		
68307B	65	76212B	49	84215B	36	92510B	16	96920B	47		
68405B	65	76215B	49	84220B	36	92512B	16	96925B	47		
68407B	65	76220B	49	84403B	34	92515B	16	HF30R	100		
68410B	65	76905B	50	84405B	34	92520B	16	HF60R	100		
68505B	65	76907B	50	84407B	34	92525B	16	HNHF60R	100		
68507B	65	76910B	50	84410B	34	92530B	16	NMHNF60R	100		
68510B	65	76912B	50	84412B	34	92535B	16	NMHNF60R10	100		
68512B	65	76913B	88	84415B	34	92540B	16				
68521B	65	76915B	50	84420B	34	93503B	50, 65				
68522B	65	76920B	50	84805B	35	93505B	50, 65				
68525B	65	76923B	88	84807B	35	93507B	50, 65				
68527B	65	77631B	82	85703NB	39	93510B	50, 65				
68529B	65	77702B	82	85803NB	39	93512B	50, 65				
68605B	65	77902B	82	86203B	48	93515B	50, 65				

BEYOND THE CURRENT



EMT

FLEX

NM

LQD

RGD

SE

ACC

GND

Universal One and Two Hole Straps

PRODUCT BENEFITS

The Halex Universal Strap is the only conduit strap that is **UL LISTED** and patented for **multiple conduit categories!** Use these One Hole or Two Hole straps on EMT, RIGID, FLEX, and LIQUID TIGHT conduit with confidence.

Never let a strap stop a job again. With these items in the truck, the contractor always has the right category strap on hand to finish the job. No more last minute part runs, no more stopped work.

AVAILABLE IN CCPs 1/2" & 3/4"

UNIVERSAL ONE HOLE STRAP



ONE HOLE

SIZE	PART #	PACKAGE	PCS/PACKAGE
1/2"	22105	4 PER BAG	25 BAGS
1/2"	62105B	75 PER CCP	1 CCP
3/4"	22107	4 PER BAG	20 BAGS
3/4"	62107B	50 PER CCP	1 CCP

EMT

RGD

LQD

FLEX

ALWAYS HAVE THE RIGHT STRAP!



UNIVERSAL TWO HOLE STRAP



TWO HOLE

SIZE	PART #	PACKAGE	PCS/PACKAGE
1/2"	92205	4 PER BAG	25 BAGS
1/2"	62205B	80 PER CCP	1 CCP
3/4"	92207	4 PER BAG	20 BAGS
3/4"	62207B	80 PER CCP	1 CCP

UNIVERSAL STRAPS


ONE HOLE




Scan to access
product video!



LISTED
E318109



TWO HOLE



	SIZE	A	B	C	D
ONE HOLE	1/2"	0.42	0.35	0.35	0.07
	3/4"	0.52	0.46	0.45	0.08
TWO HOLE	1/2"	0.55	0.84	0.68	2.99
	3/4"	0.70	1.04	0.68	3.44

NOTES

Electrical Distributors



101 Production Drive • Harrison, OH 45030
1-800-749-3261 • halexco.com

PRINTED IN THE USA

HALEX is a registered trademark of Marmon Holdings a BH Company. Trade names and corporate references herein are for identification purposes only and are not intended for promotion purposes. All product or specification information is subject to change without notice. Copyright © 2026 Halex. All Rights Reserved.