PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 14 October 2011 Revision Number: 5

Ratings relate to the solution with which the towelettes are treated only, and in industrial qualtities. The towelettes are consumer quantities below MSDS reporting thresholds.

NFPA

HMIS

PPE

Transport
Symbol

Health Hazard
2

Fire Hazard
3

Reactivity
0

1. PRODUCT AND COMPANY IDENTIFICATION

NOTE: This MSDS relates to the solution with which the towelettes are treated, and not with the towelette as a whole. Total solution per towelette is 1.2 ml to 1.3 ml per towelette. These are consumer quantities below MSDS reporting thresholds.

Product Name: Leader Lens Cleaning Towelette

Product Number(s): 70, 70-1, 70-10, 70BP

Recommended Use: Lens cleaner. Instrument care. Water based cleaner.

Supplier Information:

Hilco

33 West Bacon Street, Plainville, Massachusetts, 02762 USA

Phone: 1-508-699-4406 Fax: 1-508-699-4579

Contact: Contact Phone:

Emergency Phone: Call INFOTRAK - 1-800-535-5053

2. HAZARDS IDENTIFICATION

Potential Health Effects

Principal Routes of Exposure Skin contact.

Acute Toxicity

Eyes Vapor may cause irritation.

Skin May be harmful in contact with skin. May cause irritation.

Inhalation May be harmful if inhaled. Avoid breathing vapors or mists. May cause irritation of

respiratory tract. May cause central nervous system depression with nausea,

headache, dizziness, vomiting and incoordination.

Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Chronic Effects Avoid repeated exposure. Contains a known or suspected reproductive toxin.

Aggravated Medical ConditionsCentral nervous system. Preexisting eye disorders. Blood disorders. Kidney

disorders. Liver disorders. Overexposure may cause female and male reproductive

disorder(s). Skin disorders. Respiratory disorders.

Environmental Hazards See section 12

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 14 October 2011 Revision Number: 5

3. INGREDIENTS

Chemical Name	CAS No.	% by Weight
Water	773-18-5	60-85
Isopropyl Alcohol	67-63-0	10-30
2-butoxyethanol	111-76-2	<10
Anti-Fog	56-81-5	<1
Anti-Stat	68391-01-5	<1

4. FIRST AID MEASURES

Eye Contact Rinse Immediately with plenty of clean water, also under eyelids, for at least 15 minutes. Keep eyes

wide open while rinsing. If symptoms persist, call a physician.

Skin Contact Wash with soap and water. If irritation persists, or allergic reaction occurs, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If

symptoms persist, call a physician.

Ingestion DO NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an

unconscious person. Consult a physician.

Notes to Physicians Treat symptomatically.

5. FIRE FIGHTING MEASURES

Flammable Properties Flammable material.

Flash Point Not available

surrounding environment.

Uniform Fire Code - Irritant: Liquid

- Flammable Liquid III-B

Hazardous Byproducts of Combustion Carbon oxides

Explosion Data

Sensitivity to Mechanical Impact Not sensitive

Sensitivity to Static Discharge Yes

Protective Equipment Wear self contained breathing apparatus pressure-demand, MSHA/NIOSH

approved (or equivalent), and full protective gear.

Special Precautions

NFPA Health Hazard: 2 Flammability: 3 Stability: 0 Physical & Chemical Hazards:

6. ACCIDENTAL RELEASE & SPILL MEASURES

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 14 October 2011 Revision Number: 5

ignition.

Containment Methods Prevent further leakage or spillage if safe to do so.

properly labeled containers.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practices. Avoid contact with

skin and clothing. Wear personal protective equipment. Keep away from open flames, hot

surfaces and sources of ignition. Keep out of reach of children.

Storage Keep container tightly closed. Keep away from open flames Keep away from open flames, hot

surfaces and sources of ignition. Keep out of reach of children.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	+ 400 ppm STEL	TWA:400 ppm	IDLH: 2000 ppm 10% LEL
	TWA: 200 ppm	TWA: 980 mg/m ³	TWA:400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	
2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		Skin	

Engineering Measures Showers. Eyewash Stations. Ventilation Systems

Personal Protective Equipment

Eye & Face Protection No special equipment required

Skin & Body Protection Protective gloves

Respiratory Protection If exposure limits are exceeded or irritation is experienced. NIOSH/MSHA approved

respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-

use. Provide regular cleaning of equipment, work are and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor Threshold.....no information available

pH7

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 14 October 2011 Revision Number: 5

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions

Incompatible Products Strong oxidizing agents. Acids. Chlorinated compounds

Conditions to Avoid Heat. Flames. Sparks

Hazardous Byproducts of Decomposition Carbon Oxides

Hazardous Reactions Hazardous polymerization does not occur

Hazardous Polymerization Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information May be harmful by inhalation, ingestion or skin absorption

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Water	90 mL/kg (Rat)		
Isopropyl Alcohol	4396 mg/kg (Rat)	12800 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat) 4h
2-butoxyethanol	470 mg/kg (Rat)	220 mg/kg (Rat) 2270 mg/kg (Rabbit)	2.21 mg/L (Rat) 4h 450 ppm (rat) 4h

Chronic Toxicity

Chronic Toxicity Avoid repeated exposure. Contains a known or suspected reproductive toxin.

Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
2-butoxyethanol	A3			

ACGIH: Americam Conference of Governmental Industrial Hygienists)

A3: Animal Carcinogen

Target Organ Effects Blood, Central Nervous System (CNS), Eyes, Hematopoetic System, Kidney, Liver,

Respiratory System, Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. Ecotoxicity effects of component substances follows:

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 14 October 2011 Revision Number: 5

			Toxicity to	Daphnia Magna (Water
Chemical Name	Toxicity to Algae	Toxicity to Fish	Microorganisms	Flea)
Isopropyl Alcohol	EC50 > 1000mg/L 72h EC50 > 1000mg/L 96h	LC50=61200 mg/L Pimephales promelas 96h LC50=94900 mg/L Pimephales promelas 96h LC50=9640 mg/L Pimephales promelas 96h	EC50 > 35390 mg/L 5 min.	EC50 = 13299 mg/L 48h
2-butoxyethanol		LC50=1490 mg/L Lepomis macrochirus 96h		LC50 1698-1940 mg/L 24h EC50 = 1720 mg/L 24h

Chemical Name	Log Pow
Isopropyl Alcohol	=0.05 25A°C
2-butoxyethanol	=0.81 25A°C

13. WASTE DISPOSAL

Waste Disposal Methods

This material as supplied is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Materials Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste:

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic. Ignitable.

14. TRANSPORTATION

DOT not regulated
TDG not regulated
MEX not regulated
ICAO not regulated
IATA not regulated
IMDG/IMO not regulated
RID not regulated
ADR not regulated
ADN not regulated

15. REGULATORY INFORMATION

International Inventories

TSC Complies
DSL Does not comply
EINECS/ELINCS Does not comply
ENCS Does not comply

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 14 October 2011 Revision Number: 5

 IECSC
 Does not comply

 KECL
 Does not comply

 PICCS
 Does not comply

 AICS
 Does not comply

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal

Regulations, part 372.

			SARA 313 - Threshold Values
Chemical Name	CAS No.	% by Weight	%
Isopropyl Alcohol	67-63-0	10-30	1.0
2-butoxyethanol	111-76-2	<10	1.0

SARA 313 / 312 Hazard Catagories

Acute Health HazardYesChronic Health HazardYesFire HazardNoSudden Pressure Release HazardNoReactive HazardNo

Clean Water Act

This Product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

	CWA - Reportable		CWA - Priority	CWA - Hazardous
Chemical Name	Quantities	CWA - Toxic Pollutants	Pollutants	Substances
Isopropyl Alcohol				Х

Clean Air Act, Sec. 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPs) under Sec. 112 of the Clean Air Act.

					Class 1 Ozone	Class 2 Ozone
Chemical Name	CAS No.	% by Weight	HAPs Data	VOC Chemicals	Depletors	Depletors
2-butoxyethanol	111-76-2	<10	Present (includes mono- and di- ethers of ethylene glycol and triethylene glycol, except ethylene glycol monobutyl ether [EGBE]. See 40 CFR 63.62 for redifinition of glycol ethers listed as hazardous air pollutants.	Group I		

CERCLA

This material as supplied does not contain any substances regulated as hazardous substances under the Comprehensive Environmental response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 14 October 2011 Revision Number: 5

U.S. State Right-to-Know Regulations

Chemical Name	MA	NJ	PA	IL	RI	
Isopropyl Alcohol	Х	X	X		X	
2-butoxyethanol	Х	X	Х	X	Х	

International Regulations

Mexico – Grade Moderate risk – Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Isopropyl Alcohol		Mexico: TWA=26ppm
		Mexico: TWA=120 mg/m ³
		Mexico: STEL=360 mg/m ³
		Mexico: STEL=75ppm
2-butoxyethanol		Mexico: TWA=400ppm
		Mexico: TWA=980 mg/m ³
		Mexico: STEL=1225 mg/m ³
		Mexico: STEL=500ppm

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR), and the MSDS contains all of the information required by the CPR.

WHMIS Hazard Class (of solution with which the towelette is treated only)

B2 Flammable Liquid D2B Toxic materials





Chemical Name	National Pollutant Release Inventory
Isopropyl Alcohol	X
Supplier Trade Secret	X

16. OTHER INFORMATION
10. OTHER IN ORMATION

Date of Issue 30 January 2009

Revision date: (R5) 14 October 2011

Revision Note: notes regarding hazards relating to liquid towelette solution, not towelettes as a whole.

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 14 October 2011 Revision Number: 5

Hazards and Emergency Overview

Flammable material.

May be harmful or fatal if swallowed, inhaled or absorbed through skin.

Irritating to eyes.

Vapors may be irritating to eyes, nose, throat and lungs.

May cause central nervous system depression.

May cause adverse effects on the bone marrow and blood forming system

May cause adverse kidney effects.

May cause adverse liver effects

Contains a known or suspected reproductive toxin.

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, release and disposal, and is not to be considered as a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text of this MSDS.

* * * END OF MATERIAL SAFETY DATA SHEET * * *